

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




A7

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12Q 1/68		A1	(11) International Publication Number: WO 99/07883
			(43) International Publication Date: 18 February 1999 (18.02.99)
(21) International Application Number: PCT/CA98/00768		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 11 August 1998 (11.08.98)			
(30) Priority Data: 08/909,290 11 August 1997 (11.08.97) US			
(71) Applicant (for all designated States except US): VISIBLE GENETICS INC. [CA/CA]; Suite 1000, Box 333, 700 Bay Street, Toronto, Ontario M5G 1Z6 (CA).			
(71)(72) Applicant and Inventor: BLASCZYK, Rainer, H. [DE/DE]; Braschzeile 32, D-14109 Berlin (DE).			
(72) Inventor; and			
(75) Inventor/Applicant (for US only): LEUSHNER, James [CA/CA]; 84 Sylvan Valley Way, North York, Ontario M5M 4M3 (CA).			
(74) Agents: NASSIF, Omar, A. et al.; Gowling, Strathy & Henderson, Suite 4900, Commerce Court West, Toronto, Ontario M5L 1J3 (CA).			
		Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	

(54) Title: METHOD AND KIT FOR HLA CLASS I TYPING DNA

HLA class I Sequencing



group-specific non-coding region primers

(57) Abstract

The present invention relates to methods and materials for determining the HLA Class I type of a subject, wherein group-specific sequences are used to design primer molecules which may be used in amplification protocols which accurately identify the HLA group(s) and/or allele(s) carried by the subject.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

METHOD AND KIT FOR HLA CLASS I TYPING DNA

1. INTRODUCTION

The present invention relates to methods and materials for determining the HLA Class I type of a subject, wherein group-specific sequences are used to design primer molecules which may be used in amplification protocols which accurately identify the HLA group(s) and/or allele(s) carried by the subject.

2. BACKGROUND OF THE INVENTION

The Histocompatibility Locus Antigen ("HLA") Class I genes comprise three classical genes encoding the major transplantation antigens HLA-A, HLA-B, and HLA-C and seven other Class I genes of which HLA-E, HLA-F and HLA-G are probably functional genes and HLA-H, HLA-I, HLA-K and HLA-L are pseudogenes. The class I genes share a similar structure, which includes, *inter alia*, 5' -> 3', a 5' untranslated flanking region; a first exon ("exon 1") having a length of approximately 73 base pairs ("bp"); a first intron ("intron 1") having a length of approximately 130 bp; a second exon ("exon 2"), having a length of approximately 250 bp; a second intron ("intron 2"), having a length of approximately 272 bp; a third exon ("exon 3"), having a length of approximately 276 bp; a third intron ("intron 3"), having a length of approximately 588 bp; and a fourth exon ("exon 4").

The HLA Class I genes are highly polymorphic among individuals. As of 1996, at least 73 alleles of HLA-A, 126 alleles of HLA-B and 35 alleles of HLA-C have been identified. This variability is of particular relevance when tissue transplantation between a donor and a host is contemplated. The histocompatibility antigens of donor and host should be as similar as possible to avoid both immune rejection of the transplanted tissue as well as graft-versus-host disease. It is therefore important to accurately identify the HLA types of donor and host. In view of the exigencies implicit in tissue transplantation, it is desirable that the typing be accomplished as efficiently as possible.

Methods for determining alleles of HLA-A, HLA-B, and HLA-C in a patient sample have been heavily investigated because of the functional importance of these genes in transplant tissue matching and autoimmune diseases. The first tests

developed used immunological methods to identify epitopes expressed by various HLA loci. These tests (*e.g.*, the complement-dependent cytotoxicity assay described in Terasaki and McClelland, *Nature*, 204:998, (1964)) identified broad serological specificities but were not capable of distinguishing between allelic members of a group, and sometimes mis-identified groups altogether. Unfortunately, even the most accurate of such low resolution assays cannot detect and distinguish all functionally significant transplant antigens (Anasetti et al. *Hum. Immunol.*, 29:70 (1990)).

High resolution tests performed at the nucleic acid level which distinguish among alleles of each group have become the focus of recent research. Current methods of high resolution typing include the following.

The Sequence Specific Oligonucleotide Probes ("SSOP") technique, as described in United States Patent No. 5,451,512 assigned to Hoffman-La Roche, Inc., uses a reverse dot blot format, wherein HLA-A probes are immobilized on a membrane, and the labelled target (patient sample) DNA is hybridized to the membrane-bound probe (as described in Saiki et al., 1989, *Proc. Natl. Acad. Sci.* 86:6230-6234). The pattern of hybridization to the probes on the dot-blot gives information regarding the HLA type of the individual. However, because hybridization is inherently not sufficiently specific to rule out minor differences in sequence between probe and patient sample, there is a possibility that the patient sample may contain an allelic variant which is not accounted for.

Another nucleic acid-based test is the Amplification Refractory Mutation System (ARMS) as described in the "HLA Class I SSP ARMS-PCR Typing Kit" Reference Manual, June 1995 edition, published by the Imperial Cancer Research Fund. This assay is based on the need for complementarity (matching) between the 3' end of an amplification primer and a target DNA sequence. Absent such matching, the primer will not function properly and no fragment will be amplified. Sequence information is deduced by determining, for various pairs of primers acting on target DNA from a patient sample, whether or not a fragment is successfully amplified. The accuracy of the technique is limited by the number of primer pairs tested and by the possibility that allelic variations exist in regions of DNA which lie between the primers.

In order to overcome the foregoing shortcomings, it has been proposed that typing be accomplished by direct DNA sequencing (Santamaria et al., "HLA Class I Sequence-Based Typing" Hum. Immunol. 37, 39-50 (1993); WO 9219771; US Pat. 5,424,184). However, while direct sequencing of a patient's Class I HLA locus may conceptually be the most accurate, such sequencing may require a time-frame unsuitable for clinical practice. The success of direct sequencing methods may be expected to rely upon the design of efficient protocols and relevant primer sequences.

Prior to the present invention, direct sequencing protocols have exhibited a number of disadvantages. For example, the method of Santamaria et al., *supra*, fails to provide sufficient information because it focuses on cDNA (exon) sequences which, in view of exon sequence diversity, offer a very limited selection of conserved primer hybridization sites. In addition, because the Santamaria sequencing primers hybridize within an exon, they do not provide information for DNA sequence upstream of the primer which is potentially decisive for distinguishing among alleles. Further, the sites disclosed were determined before the recent discovery of dozens of more alleles that now need to be considered in identifying HLA type.

Intron sequences could provide the preferred hybridization sites for amplification and sequencing primers for the HLA-A, HLA-B and HLA-C genes because they may provide the DNA sequence of the full exon. Intron sequences for an HLA Class I gene were disclosed at least as early as 1985 (Weiss et al Immunobiol 170:367-380, (1985)). Due to their substantial diversity, and the difficulties in sequencing, few intron sequences have been published subsequently.

A number of researchers have made limited use of intron based oligonucleotides for limited aspects of HLA Class I typing.

Blasczyk et al. (Tissue Antigens 1996: 47: 102-110) used exon based amplification primers to determine group specificity. After amplification, universal sequencing primers located in intron 2 were used to sequence the amplified fragment. The paper does not disclose any intron sequence motifs from intron 1 or 3 or the 5' untranslated region.

Cereb et al. (Tissue Antigens 1995: 45:1-11), undertook the

identification of intron sequences useful for locus-specific amplification primer sets for all Class I genes. These primer sets were designed to amplify all alleles of the same locus. No group specific amplification primers were sought or reported. Further, amplified fragments were characterized by SSOP and not by direct sequencing.

Johnston-Dow et al (Poster Presentation: 1995 ASHI Meeting, Dallas, TX) presented a system for direct sequence determination of HLA-A wherein degenerate exon based primers were used to amplify exons 1 to 5 of the genomic HLA-A DNA sequence. As in Cereb et al., supra, the degenerate primer pool was designed to amplify all alleles of the HLA-A locus. Group specificity was not sought or reported. Further, sequencing of the amplified fragment was obtained using a degenerate primer mix wherein primers hybridize to intron regions flanking exons 2 and 3.

A rational approach to typing of classical HLA Class I loci would provide a simplified series of steps for high resolution typing of each allele of each loci in a patient sample using intron based oligonucleotides. Further, this method would be able to identify new alleles without ambiguities.

An alternative method of intron based HLA Class I typing is the subject of previously filed US Patent Application Serial No. 08/pending (Atty Docket No. VGEN.P-037-US), assigned to an assignee of the present invention.

3. SUMMARY OF THE INVENTION

The present invention relates to materials and methods for high-resolution, nucleic acid-based typing of the three classical HLA Class I genes (comprising the loci HLA-A, HLA-B and HLA-C) in a patient sample. It is based, in part, on the discovery of group-specific sequence motifs, derived from the analysis of numerous patient samples, which include sequences of the 5' flanking region, intron 1, intron 2, and intron 3. Such sequence motifs may be used to design amplification primers which may be used to identify the HLA group or type of a subject. The invention is also based, in part, on the determination of numerous allele-specific sequences which may be used to confirm the precise allelic type of a subject.

The present invention provides for substantially purified nucleic acids which are capable of selectively hybridizing with group specific sequence motifs in untranslated regions of the HLA-A, HLA-B or HLA-C gene loci. Such nucleic acids, which may be comprised in a kit, may be used, alone or in conjunction with exon-based primers, to determine the group specificity of HLA-A, HLA-B, or HLA-C alleles contained in a patient sample and to identify the specific alleles present.

In particular embodiments, the present invention provides for methods of ascertaining the HLA Class I type of a subject which comprise performing a first amplification reaction which identifies the group type of the subject, and a second amplification reaction which produces allele-specific nucleic acids for sequencing.

3.1. DEFINITIONS

"Allele" means one of the alternative forms of the gene in question;

"Amplification" means the process of increasing the relative abundance of one or more specific genes or gene fragments in a reaction mixture with respect to the other genes. A method of amplification which is well known by those skilled in the art is the polymerase chain reaction (PCR) as described in United States Patents Nos. 4,683,194, 4,683,195 and 4,683,202, which are incorporated herein by reference. The PCR process involves the use of pairs of primers, one for each complementary strand of the duplex DNA (wherein the coding strand is referred to as the "sense strand" and its complementary strand is referred to as the "antisense strand"), that will hybridize at a site located near a region of interest in a gene. Chain extension polymerization (without a chain terminating nucleotide) is then carried out in repetitive cycles to increase the number of copies of the region of interest many times. The amplified oligonucleotides are then separated from the reaction mixture and used as the starting sample for the sequencing reaction. Gelfand et al. have described a thermostable enzyme, "*Taq* polymerase," derived from the organism *Thermus aquaticus*, which is useful in this amplification process (see United States Patent Nos. 5,352,600 and 5,079,352 which are incorporated herein by reference);

"Group" as used herein, refers to a subset of alleles of one loci, all of which share sequence features which distinguish them from other groups. For

example, serological group reactivity (in a lymphocytotoxicity assay) is the conventional basis for nomenclature of HLA alleles. The first two digits of an allele refer to the serological group; for example, the designation A*0201, A*0202, A*0217 all are members of the A2 group. Further, typically the nomenclature refers to the serological split group (e.g., A23 and A24 are serological splits of A9;

"Group-specific sequence motif" means a generally short, 1-25 nucleotide ("nt") sequence of nucleic acid which is found only in one or a few groups. Where a motif is shared by several groups in one region of the HLA locus, group-specific sequence motifs in other regions of the locus may serve as group-distinguishing features. The motif may share one or more nucleotides with the consensus sequence for the region;

"Haplotype" means the allele present on one chromosome;

"Heterozygote" means the presence of at least two different alleles of a gene;

"Homozygote" means the presence of a single species of allele of a gene;

"Locus" means a gene, such as HLA-A, HLA-B or HLA-C;

"Locus specific" means an event or thing associated with only one locus;

"Patient sample" means a sample collected from a patient in need of HLA typing which contains a sufficient amount and quality of nucleic acid (preferably DNA) for the performance of an amplification reaction. A nonlimiting example of a suitable source is peripheral blood lymphocytes, tissue (including cell cultures derived therefrom, mucosal scrapes, spleen and bone marrow;

"Primer" means a polynucleotide generally of 5-50 nucleotides length which can serve to initiate a chain extension reaction;

"Sequencing" or "DNA sequencing" means the determination of the order of nucleotides in at least a part of a gene. A well known method of sequencing is the "chain termination" method first described by Sanger et al., Proc. Nat'l Acad. Sci. (USA) 74(12): 5463-5467 (1977) (recently elaborated in EP-B1- 655506, and Sequenase 2.0 product literature (Amersham Life Sciences, Cleveland) incorporated herein by reference). Basically, in this process, DNA to be sequenced is isolated,

rendered single stranded, and placed into four vessels. In each vessel are the necessary components to replicate the DNA strand, which include a template-dependant DNA polymerase, a short primer molecule complementary to a known region of the DNA to be sequenced, and individual nucleotide triphosphates in a buffer conducive to hybridization between the primer and the DNA to be sequenced and chain extension of the hybridized primer. In addition, each vessel contains a small quantity of one type of optionally detectably labeled dideoxynucleotide triphosphate, *e.g.*, dideoxyadenosine triphosphate ("ddA"), dideoxyguanosine triphosphate ("ddG"), dideoxycytosine triphosphate ("ddC"), or dideoxythymidine triphosphate ("ddT"). In each vessel, each piece of the isolated DNA is hybridized with a primer. The primers are then extended, one base at a time to form a new nucleic acid polymer complementary to the isolated pieces of DNA. When a dideoxynucleotide is incorporated into the extending polymer, this terminates the polymer strand and prevents it from being further extended. Accordingly, in each vessel, a set of extended polymers of specific lengths are formed which are indicative of the positions of the nucleotide corresponding to the dideoxynucleic acid in that vessel. These sets of polymers are then evaluated using gel electrophoresis to determine the sequence.

"Specific hybridization" means hybridization of one strand of a nucleic acid to its complement.

"Target sequence" means the preferred site for specific hybridization of a primer; and

"Untranslated region" refers to a portion of an HLA locus which is not transcribed into RNA and eventually translated into protein. Examples of untranslated regions are the 5' and 3' flanking regions and intron sequences. For example, the 5' flanking region is neither transcribed nor translated, and intron sequences are transcribed but not translated.

4. DESCRIPTION OF THE FIGURES

FIGURE 1 is an illustration of the principle for an HLA class I sequencing strategy. Group-specific primers are used for PCR amplification, and universal primers located in the 2nd intron are used for sequencing, regardless of the amplified group. 5'FR= 5' flanking region; 5' UTR= 5' untranslated region (-1 to -23 from the ATG start codon in exon 1).

FIGURE 2A and 2B depict, in schematic form, a method of the invention in which a cocktail of HLA-A group specific primers is used to amplify target DNA contained in a patient sample. The products of amplification are then separated electrophoretically in an agarose gel, allowing the identification, by fragment mobility, of fragments corresponding to groups A2 and A3. Primers specific for groups A2 and A3 are then used to amplify duplicate samples of target DNA in separate reactions, to produce A2 and A3 fragments which may then be sequenced using universal sequencing primers. FIGURE 2C and 2D depict a strategy wherein group type specificity is determined by reaction of aliquots of genomic DNA in separate reactions with a panel of primer pairs.

FIGURE 3 depicts the nucleic acid sequences of the HLA-A 5' flanking region in various alleles, including a consensus sequence (SEQ ID NO:1) as well as the sequences for the following alleles: A*0101 (SEQ ID NO:2); A*0301 (SEQ ID NO:3); A*1101 (SEQ ID NO:4); A*1102 (SEQ ID NO:5); A*3001 (SEQ ID NO:6); A*3002 (SEQ ID NO:7); A*3004 (SEQ ID NO:8); A*0201-11 (SEQ ID NO:9); A*0215 (SEQ ID NO:10); A*0217 (SEQ ID NO:11); A*6801 (SEQ ID NO:12); A*6802 (SEQ ID NO:13); A*6901 (SEQ ID NO:14); A*2301 (SEQ ID NO:15); A*2402 (SEQ ID NO:16); A*2403 (SEQ ID NO:17); A*2404 (SEQ ID NO:18); A*2405 (SEQ ID NO:19); A*2407 (SEQ ID NO:20); A*2501 (SEQ ID NO:21); A*2601 (SEQ ID NO:22); A*3402 (SEQ ID NO:23); A*4301 (SEQ ID NO:24); A*6601 (SEQ ID NO:25); A*6602 (SEQ ID NO:26); A*6603 (SEQ ID NO:27); A*2901 (SEQ ID NO:28); A*2902 (SEQ ID NO:29); A*31012 (SEQ ID NO:30); A*3201 (SEQ ID NO:31); A*3301 (SEQ ID NO:32); A*3303 (SEQ ID NO:33); A*7401 (SEQ ID NO:34); A*7402 (SEQ ID NO:36); A*7403 (SEQ ID NO:37); and A*8001 (SEQ ID NO:38).

FIGURE 4 depicts the nucleic acid sequences of HLA-A intron 1 in various alleles, including a consensus sequence (SEQ ID NO:39) as well as the sequences for the following alleles: A*0101 (SEQ ID NO:40); A*0301 (SEQ ID NO:41); A*1101 (SEQ ID NO:42); A*1102 (SEQ ID NO:43); A*3001 (SEQ ID NO:44); A*3002 (SEQ ID NO:45); A*3004 (SEQ ID NO:46); A*0201 (SEQ ID NO:47); A*0202 (SEQ ID NO:48); A*0203 (SEQ ID NO:49); A*0204 (SEQ ID NO:50); A*0205 (SEQ ID NO:51); A*0206 (SEQ ID NO:52); A*0207 (SEQ ID NO:53); A*0208 (SEQ ID NO:54); A*0209 (SEQ ID NO:55); A*0210 (SEQ ID NO:56); A*0211 (SEQ ID NO:57); A*0215 (SEQ ID NO:58); A*0217 (SEQ ID NO:59); A*6801 (SEQ ID NO:60); A*6802 (SEQ ID NO:61); A*6901 (SEQ ID NO:62); A*2301 (SEQ ID NO:63); A*2402 (SEQ ID NO:64); A*2403 (SEQ ID NO:65); A*2404 (SEQ ID NO:66); A*2405 (SEQ ID NO:67); A*2407 (SEQ ID NO:68); A*2501 (SEQ ID NO:69); A*2601 (SEQ ID NO:70); A*3402 (SEQ ID NO:71); A*6601 (SEQ ID NO:72); A*6602 (SEQ ID NO:73); A*6603 (SEQ ID NO:74); A*4301 (SEQ ID NO:75); A*2901 (SEQ ID NO:76); A*2902 (SEQ ID NO:77); A*3101 (SEQ ID NO:78); A*3201 (SEQ ID NO:79); A*3301 (SEQ ID NO:80); A*3303 (SEQ ID NO:81); A*7401 (SEQ ID NO:82); A*7402 (SEQ ID NO:83); A*7403 (SEQ ID NO:84); and A*8001 (SEQ ID NO:85).

FIGURE 5 depicts the nucleic acid sequences of HLA-A intron 2 in various alleles, including a consensus sequence (SEQ ID NO:86) as well as sequences for the following alleles: A*0101 (SEQ ID NO:87); A*0201 (SEQ ID NO:88); A*0202 (SEQ ID NO:89); A*0203 (SEQ ID NO:90); A*0204 (SEQ ID NO:91); A*0205 (SEQ ID NO:92); A*0206 (SEQ ID NO:93); A*0207 (SEQ ID NO:94); A*0208 (SEQ ID NO:95); A*0209 (SEQ ID NO:96); A*0210 (SEQ ID NO:97); A*0211 (SEQ ID NO:98); A*0215 (SEQ ID NO:99); A*0217 (SEQ ID NO:100); A*6801 (SEQ ID NO:101); A*6802 (SEQ ID NO:102); A*6901 (SEQ ID NO:103); A*2501 (SEQ ID NO:104); A*2601 (SEQ ID NO:105); A*4301 (SEQ ID NO:106); A*6601 (SEQ ID NO:107); A*6602 (SEQ ID NO:108); A*6603 (SEQ ID NO:109); A*3402 (SEQ ID NO:110); A*2901 (SEQ ID NO:111); A*2902 (SEQ ID NO:112); A*3101 (SEQ ID NO:113); A*3201 (SEQ ID NO:114); A*3301 (SEQ ID NO:115);

A*3303 (SEQ ID NO:117); A*7401 (SEQ ID NO:118); A*7402 (SEQ ID NO:119); A*7403 (SEQ ID NO:120); A*2301 (SEQ ID NO:121); A*2402 (SEQ ID NO:122); A*2403 (SEQ ID NO:123); A*2404 (SEQ ID NO:124); A*2405 (SEQ ID NO:125); A*2407 (SEQ ID NO:126); A*0301 (SEQ ID NO:127); A*1101 (SEQ ID NO:128); A*1102 (SEQ ID NO:129); A*3001 (SEQ ID NO:130); A*3002 (SEQ ID NO:131); A*3004 (SEQ ID NO:132); and A*8001 (SEQ ID NO:133).

FIGURE 6 depicts the nucleic acid sequences of HLA-A intron 3 in various alleles, including a consensus sequence (SEQ ID NO:134) as well as sequences for the following alleles: A*0101 (SEQ ID NO:135); A*0301 (SEQ ID NO:136); A*1101 (SEQ ID NO:137); A*1102 (SEQ ID NO:138); A*3001 (SEQ ID NO:139); A*3002 (SEQ ID NO:140); A*3004 (SEQ ID NO:141); A*0201 (SEQ ID NO:142); A*0202 (SEQ ID NO:143); A*0203 (SEQ ID NO:144); A*0204 (SEQ ID NO:145); A*0205 (SEQ ID NO:146); A*0206 (SEQ ID NO:147); A*0207 (SEQ ID NO:148); A*0208 (SEQ ID NO:149); A*0209 (SEQ ID NO:150); A*0210 (SEQ ID NO:151); A*0211 (SEQ ID NO:152); A*0215 (SEQ ID NO:153); A*0217 (SEQ ID NO:154); A*6801 (SEQ ID NO:155); A*6802 (SEQ ID NO:156); A*6901 (SEQ ID NO:157); A*2301 (SEQ ID NO:158); A*2402 (SEQ ID NO:159); A*2403 (SEQ ID NO:160); A*2404 (SEQ ID NO:161); A*2405 (SEQ ID NO:162); A*2407 (SEQ ID NO:163); A*2501 (SEQ ID NO:164); A*2601 (SEQ ID NO:165); A*3402 (SEQ ID NO:166); A*4301 (SEQ ID NO:167); A*6601 (SEQ ID NO:168); A*6602 (SEQ ID NO:169); A*6603 (SEQ ID NO:170); A*2901 (SEQ ID NO:171); A*2902 (SEQ ID NO:172); A*3101 (SEQ ID NO:173); A*3201 (SEQ ID NO:174); A*3301 (SEQ ID NO:175); A*3303 (SEQ ID NO:176); A*7401 (SEQ ID NO:177); A*7402 (SEQ ID NO:178); A*7403 (SEQ ID NO:179); and A*8001 (SEQ ID NO:180).

FIGURE 7 depicts a phylogenetic tree of the 5' flanking and 5' untranslated regions of HLA-A.

FIGURE 8 depicts a phylogenetic tree of introns 1-3 of the HLA-A gene.

FIGURE 9 depicts a phylogenetic tree of introns 1-3 of the HLA-B gene.

FIGURE 10 depicts the results of amplification using group-specific

exon region primers to determine HLA-A group type, wherein the group specificity is determined to be 6601 and 3201 (see Table 7).

FIGURE 11 depicts the results of amplification using group-specific exon region primers to determine HLA-A group type, wherein the group specificity is determined to be 020x and 680x (see Table 8).

FIGURE 12 depicts the nucleic acid sequences of the first intron of HLA-B, including a consensus sequence (SEQ ID NO:246) as well as the sequences for the following alleles: B*0702 (SEQ ID NO:247), B*0801 (SEQ ID NO:248), B*1302 (SEQ ID NO:249), B*1401 (SEQ ID NO:250), B*1402 (SEQ ID NO:251), B*1501 (SEQ ID NO:252), B*1502 (SEQ ID NO:253), B*1505 (SEQ ID NO:254), B*1508 (SEQ ID NO:255), B*1510 (SEQ ID NO:256), B*1512 (SEQ ID NO:251), B*1513 (SEQ ID NO:258), B*1517 (SEQ ID NO:259), B*1525 (SEQ ID NO:260), B*1532 (SEQ ID NO:261), B*1801 (SEQ ID NO:262), B*1805 (SEQ ID NO:263), B*27052 (SEQ ID NO:264), B*27053 (SEQ ID NO:265), B*2707 (SEQ ID NO:266), B*3501 (SEQ ID NO:267), B*3502 (SEQ ID NO:268), B*3503 (SEQ ID NO:269), B*3701 (SEQ ID NO:270), B*3801 (SEQ ID NO:271), B*3901 (SEQ ID NO:272), B*3903 (SEQ ID NO:273), B*3906 (SEQ ID NO:274), B*4001 (SEQ ID NO:275), B*4002 (SEQ ID NO:276), B*4101 (SEQ ID NO:277), B*4102 (SEQ ID NO:278), B*4201 (SEQ ID NO:279), B*4402 (SEQ ID NO:280), B*4403 (SEQ ID NO:281), B*4501 (SEQ ID NO:282), B*4601 (SEQ ID NO:283), B*4701 (SEQ ID NO:284), B*4801 (SEQ ID NO:285), B*4901 (SEQ ID NO:286), B*5001 (SEQ ID NO:287), B*5101 (SEQ ID NO:288), B*5108 (SEQ ID NO:289), B*5201 (SEQ ID NO:290), B*5301 (SEQ ID NO:291), B*5401 (SEQ ID NO:292), B*5501 (SEQ ID NO:293), B*5601 (SEQ ID NO:294), B*5701 (SEQ ID NO:295), B*5801 (SEQ ID NO:296), B*5901 (SEQ ID NO:297), B*6701 (SEQ ID NO:298), B*7301 (SEQ ID NO:299).

FIGURE 13A-B. depicts the nucleic acid sequences of the second intron of HLA-B, including a consensus sequence (SEQ ID NO:300) as well as the following alleles: B*0702 (SEQ ID NO:301), B*0801 (SEQ ID NO:302), B*1302 (SEQ ID NO:303), B*1401 (SEQ ID NO:304), B*1402 (SEQ ID NO:305), B*1501(62) (SEQ ID NO:306), B*1505(62) (SEQ ID NO:307), B*1508(62) (SEQ ID

NO:308), B*1510(71) (SEQ ID NO:309), B*1513(77) (SEQ ID NO:310), B*1517(63) (SEQ ID NO:311), B*1525(62) (SEQ ID NO:312), B*1532(62) (SEQ ID NO:313), B*1801 (SEQ ID NO:314), B*2702 (SEQ ID NO:315), B*2704 (SEQ ID NO:316), B*27052 (SEQ ID NO:317), B*27053 (SEQ ID NO:318), B*2707 (SEQ ID NO:319), B*3501 (SEQ ID NO:320), B*3502 (SEQ ID NO:321), B*3503 (SEQ ID NO:322), B*3507 (SEQ ID NO:323), B*3508 (SEQ ID NO:324), B*3701 (SEQ ID NO:325), B*3801 (SEQ ID NO:326), B*3901 (SEQ ID NO:327), B*3903 (SEQ ID NO:328), B*3906 (SEQ ID NO:329), B*4001 (SEQ ID NO:330), B*4002 (SEQ ID NO:331), B*4101 (SEQ ID NO:332), B*4102 (SEQ ID NO:333), B*4201 (SEQ ID NO:334), B*4402 (SEQ ID NO:335), B*4403 (SEQ ID NO:337), B*4501 (SEQ ID NO:338), B*4601 (SEQ ID NO:339), B*4701 (SEQ ID NO:340), B*4801 (SEQ ID NO:341), B*4901 (SEQ ID NO:342), B*5001 (SEQ ID NO:343), B*5101 (SEQ ID NO:344), B*5108 (SEQ ID NO:345), B*5201 (SEQ ID NO:346), B*5301 (SEQ ID NO:347), B*5401 (SEQ ID NO:348), B*5501 (SEQ ID NO:350), B*5601 (SEQ ID NO:351), B*5701 (SEQ ID NO:352), B*5801 (SEQ ID NO:353), B*5901 (SEQ ID NO:354), B*6701 (SEQ ID NO:355), B*7301 (SEQ ID NO:356).

FIGURE 14A-E. depicts the nucleic acid sequences of the third intron of HLA-B, including a consensus sequence (SEQ ID NO: 357) as well as the following alleles: B*0702 (SEQ ID NO:358), B*0801 (SEQ ID NO:359), B*1302 (SEQ ID NO:360), B*1401 (SEQ ID NO:361), B*1402 (SEQ ID NO:362), B*1501 (SEQ ID NO:363), B*1502 (SEQ ID NO:364), B*1510 (SEQ ID NO:365), B*1513 (SEQ ID NO:366), B*1517 (SEQ ID NO:367), B*1525 (SEQ ID NO:368), B*1801 (SEQ ID NO:369), B*27052 (SEQ ID NO:370), B*27053 (SEQ ID NO: 371), B*3501 (SEQ ID NO:372), B*3502 (SEQ ID NO:373), B*3503 (SEQ ID NO:374), B*3701 (SEQ ID NO:375), B*3801 (SEQ ID NO:376), B*3903 (SEQ ID NO:377), B*3906 (SEQ ID NO:378), B*4001 (SEQ ID NO:379), B*4002 (SEQ ID NO:380), B*4101 (SEQ ID NO:381), B*4102 (SEQ ID NO:382), B*4201 (SEQ ID NO:383), B*4402 (SEQ ID NO:384), B*4403 (SEQ ID NO:385), B*4501 (SEQ ID NO:386), B*4601 (SEQ ID NO:387), B*4701 (SEQ ID NO:388), B*4901 (SEQ ID NO:389), B*5001 (SEQ ID NO:390), B*5101 (SEQ ID NO:391), B*5108 (SEQ ID NO:392), B*5201 (SEQ ID NO:393), B*5301 (SEQ ID NO:394), B*5401 (SEQ ID NO:395),

B*5501 (SEQ ID NO:396), B*5601 (SEQ ID NO:397).

5. DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to compositions and methods which may be used to efficiently and accurately determine the HLA Class I type of a patient sample.

The present invention is based, in part, on the determination of group-specific sequence motifs in regions of HLA Class I loci. These motifs may be used to design oligonucleotides which may be used as group-specific primers in nucleic acid amplification reactions. The present invention is also based, in part, on the determination of the sequences of regions of a wide variety of alleles of HLA Class I loci; such sequences may be used to distinguish one allele from another. Sequences of regions including the 5' flanking region of HLA-A and introns 1, 2 and 3 of HLA-A are provided herein, and are set forth in Figures 3-6.

In general, the methods of the invention may be described as follows. Comparison of nucleotide sequences of an HLA locus among members of an HLA Class I group, which lie in either untranslated or exon regions, may be used to identify group-specific motif sequences. Identification of groups may be by establishing serological relationships or using phylogenetic information, as set forth in Figures 7-9. Based on the group-specific motif sequences, oligonucleotide primers may be designed, synthesized, and used to amplify a portion of the HLA locus. Oligonucleotides used in this manner are referred to herein as "group-specific primers" and, in particular, as "group-specific untranslated region primers" or "group-specific exon region primers", as the case may be.

In preferred nonlimiting embodiments of the invention, the primers correspond to untranslated regions of the HLA Class I locus ("group-specific untranslated region primers"). Such primers may be used in pairs, wherein each member of the pair hybridizes to an untranslated region lying on either side of at least one exon. For example, but not by way of limitation, primer pairs may be oligonucleotide pairs which hybridize to group-specific motifs in the 5' untranslated region and the first, second, or third intron; the first intron and the second or third

intron; or the second and third intron.

The group-specific primers may be used in several different methods according to the invention. In a first series of nonlimiting embodiments, the group-specific primers may be used in a diagnostic manner to identify which allelic groups are present in a patient sample. In a second series of nonlimiting embodiments, the group-specific primers may be used to amplify sufficient amounts of a particular allelic fragment which is then subjected to direct nucleotide sequencing using universal sequencing primers.

According to the first series of embodiments, the present invention provides for a method of determining the HLA Class I group type of a subject comprising (i) combining a group-specific primer pair with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur; and (ii) determining whether a nucleic acid product is produced by the amplification; wherein the ability of a primer pair to produce a nucleic acid product is associated with a particular HLA group type. The group-specific primers may be group-specific exon region primers or group-specific untranslated region primers. In related embodiments the present invention provides for a method of determining the HLA Class I group type of a subject comprising (i) combining a plurality of group-specific exon region primer pairs with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur; (ii) determining the size of the nucleic acid products of the amplification; and (iii) correlating the size of the product with the predicted size of a fragment associated with a particular HLA group type. The plurality of primers is referred to as an HLA "cocktail" (see Figures 1 and 2). These first methods may be used to provide useful diagnostic information. For example, group type determination may serve as a first level of comparison for a histocompatibility analysis, even without identification of the specific allele(s) involved. For example, if a potential donor and host are being evaluated for tissue transplantation, if it is found that their group types do not match, no further comparison may be necessary. If, alternatively, their types do match, further analysis, for example by direct sequencing, may be desirable.

According to the second series of embodiments, the present invention

provides for a method of determining the HLA Class I allelic type of a subject comprising (i) combining a group-specific oligonucleotide primer pair with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur; (ii) collecting the nucleic acid product of the amplification; and (iii) determining the nucleic acid sequence of the product. The group-specific primer pair used may be determined based on the group type of the subject, as determined using the first method, described above. In preferred embodiments of the invention, group-specific untranslated region primers which span a region of the HLA locus containing allele-specific sequence may be utilized. If a subject is heterozygous, separate amplification reactions are performed for each group identified (*e.g.*, separate reactions to amplify fragment for group A2 and group A3; see Figure 2). Sequencing may be performed using universal sequencing primers which will operate irrespective of HLA group or allelic type.

A more detailed description of the invention follows. Most alleles of the classical HLA Class I gene loci (consisting of HLA-A, HLA-B and HLA-C) can be distinguished on the basis of exon 2 and 3 alone. In one non-limiting embodiment, a method of the invention takes advantage of this fact, and employs the strategy generally described in Figure 2, using the example of HLA-A. A genomic DNA sample is prepared from a patient sample according to well known techniques. Aliquots of the genomic DNA may then separately be reacted with a panel of group-specific exon region primer pairs (Figure 2C), wherein the successful amplification of a DNA fragment is associated with a particular group type. Alternatively, as depicted in Figure 2A), part of the sample may be treated with a cocktail of group-specific exon region primer pairs. Each primer pair in the cocktail will amplify only selected allelic groups because they specifically hybridize to group specific intron sequence motifs. Between them, under suitable polymerase chain reaction (PCR) conditions, the cocktail may amplify all known HLA-A groups, with each group specific amplification product having a different length. When reaction products are separated on an agarose gel the group(s) present in the patient sample may be identified by length.

Optionally, once the group specificity is determined, the direct

sequence of alleles may be determined for precise allelic identification. As illustrated in Figure 2 B), a further part of the patient sample DNA may be treated under PCR conditions with a pair of primers that are specific for the previously determined group; preferably such primers are group-specific untranslated region primers, which span greater distances of the locus. If two groups were detected, then two separate reactions are performed. At completion of the second amplification, the reaction products are sequenced using an intron based "universal primer" which hybridizes to an intron sequence which is conserved among all alleles of the locus. Though it is theoretically possible to use a sequencing primer which is specific for the amplified group only, it is found that using a universal primer simplifies the method and the preparation of a kit. Various universal sequencing primers are specifically provided herein (see *infra*) which hybridize, respectively, to intron sequences flanking the 5' end of exon 2, the 3' end of exon 2, the 5' end of exon 3 and the 3' end of exon 3.

The substantial advantage of the method of the invention is that the initial group specific amplification allows a PCR based separation of haplotypes in 95% of patient samples. The separation of the haplotypes is a major achievement of this protocol since it permits the resolution of cis/trans linkages of heterozygote sequencing results which cannot be achieved with other protocols. With the instant invention, a separation of the haplotypes may be achieved in serological heterozygous samples with the sequencing primer mixes ("PMs") described in Table 2 (*infra*) using group-specific amplification corresponding to the serological families. The selection of the PMs used for sequencing depends on the amplification patterns of the preceding PCR-SSP low-resolution typing. The primers are designed to work with a in a single cycle protocol including, but not limited to, a PCR protocol on a Perkin Elmer System 9600, maintaining typing capacities of the laboratory. All PCR products carry sufficient sequence information for a complete subtyping. This approach is superior to a typing system using a single pair of generic primers followed by direct sequencing or SSO hybridization, even if the amplification strategy is locus-specific. The substantial advantage of Sequence Based Typing (SBT) is the definition of the cis/trans linkage of sequence motifs. SBT after generic PCR amplification cannot define the cis/trans linkage of sequence motifs and therefore mimics oligotyping. The

rapidly growing number of newly identified alleles confirms that new alleles have arisen mainly from gene conversion events which have usually taken place between different alleles of the same locus. Newly identified alleles are not characterized by new sequence motifs, but by a new combination of already existing sequence motifs. From this observation it may be concluded that the amount of alleles at each locus may theoretically represent all possible combinations of known sequence motifs. Of course, some of them will fall victim to negative selection. Nevertheless, it can be expected that still an enormous amount of alleles are yet unidentified. PCR-SSP subtyping strategies using a restricted number of oligonucleotides which do not cover all possible sequence motifs suffer from this limitation. If the cis/trans linkage of the analyzed polymorphic regions is not defined some new alleles may be mistyped as a heterozygous combination of known alleles. This has consequences with respect to SBT strategies. An unambiguous typing result of SBT after generic PCR amplification is only unambiguous with regard to the presently known HLA sequence databank. However, with the detection of new alleles this result can become ambiguous over the course of time. This observation has already been made in PCR based DRB1 typing during the last five years and will probably also occur in PCR based class I typing. Considering the above points, the idea of the instant SBT approach is not only to identify the HLA-A, HLA-B and HLA-C subtypes, but to cover as many of the polymorphic sites as possible and to define the cis/trans linkage of the polymorphic sequence motifs. Typing results obtained with this method will remain unambiguous independently of the growing HLA sequence databank.

In general, group-specific primers are desirably designed to facilitate hybridization to their intended targets. It should be taken into account that homology between different groups, and indeed between group-specific motifs, may exist. Accordingly, in preferred embodiments of the invention, a primer may be designed such that it hybridizes to its group target under relatively stringent conditions. For example, one or more mismatched residues may be engineered into the 3' domain of the molecule. Further, the primer may be designed such that it differs from any naturally occurring or consensus sequence, but rather has mismatches inserted which serve to further reduce hybridization of the primer to target DNA of a group other

than the intended target group. Under certain circumstances, one or more mismatches may be introduced into the 5' end to destabilize internal hairpin loops; such changes are not generally expected to enhance the efficiency of the primer.

The following nucleic acid sequences may be comprised in group-specific untranslated region primers for HLA-A which are specific for the groups as indicated in Table 1. The sequences in Table 1 have the following sequence identifiers: II-210 is SEQ ID NO:35, and the remaining sequences II-230m through I3-282 have SEQ ID NOS S:181-202, respectively.

Table 1.

Designation	Sequence	N	Tm	Specificity	Position
II-210m S	5' ACC Cgg ggA gCC ggg CCT 3'	18	64°C	A10 et al.	73-92
II-220m S	5' ggC Agg TCT CAg CgA CTg 3'	18	60°C	A*01, 03, 11, 30	102- 119
II-226 S	5' CTC TgT ggg gAg AAg CAA C 3'	19	60°C	A802	29-47
II-221m11 S	5' ggg AgC ggC gCC ggg AC 3'	17	64°C	A*0301	77-93
II-209 S	5' gAA gCA Agg ggC CCg CCC 3'	18	64°C	A10 et al.	41-58
II-214m S	5' CgC CTg gCg ggg gGg CAA 3'	18	66°C	A*2301,24	54-71
II-223d S	5' gTg AgT gCg ggg TCg Tgg 3'	18	62°C	A19	1-19
II-225m S	5' gCC ggg Agg Agg gAC ggT 3'	18	64°C	A*30	85-103
II-237m14 S	5' ggC gCg CCC ggC ggg gA 3'	17	65°C	A*29	49-65
II-240 S	5' ggA ggA ggg TCg ggC ggA 3'	18	64°C	A*31,33	90-107
5'FL-243 S	5' AgT gTC TTC gCg gTC gCT C 3'	19	62°C	A*11	53-71
5'FR-257 S	5' CTC AgA TTC TCC CCA gAC g 3'	19	60°C	A all except A*11	6-24
5'FR-273 S	5' CATgCC gAg ggT TTC TCC CA 3'	20	64°C	A*28, 6602,6603	360- 380
BP202 S	5'CTg gCC CTg ACC CAg ACC A 3'	19	64°C	A*7401,7403	Exon 1, 49-68
BP203 S	5' CCT gAC CCA gAC CTg ggC A 3'	19	64°C	A*8001	Exon 1, 55-73

BP142 AS	5' CAGGTAT CTG CGGAGC CCG 3'	19	64°C	A*0101/*24	227- 245
I3-236 AS	5'gTC TgT CAg gAA gAgTCAgAA 3'	21	62°C	A*non02.28	584..+2
I3-239 AS	5'gTggAAAATTCTAgTCCCTgA A3'	22	62°C	A*multi, not A1,3,11,30,9	415- 436
I3-246 AS	5' AgATCT ACA ggC gAT CAg gA 3'	20	60°C	A*30	24-43
I3-247m6 AS	5' gCC AgC CCg ggA gTT CTA T 3'	19	62°C	A*01,11	38-54
I3-249 AS	5' CAg AgT CACTCTCTggTACAg 3'	21	62°C	All A, weak 59,70,92,J,E,G ,F	148- 168
I3-280m18 AS	5' gCg ATC gTC TTC CCg TCA C 3'	19	62°C	A*01,03,11,30	221- 239
I3-282 AS	5' AgAgTCACTCTC Tgg TACAgA 3'	21	62°C	A*8001	148- 168

The present invention provides for nucleic acid molecules comprising regions having the foregoing sequences or their functional equivalents.

"Functional equivalents" of a nucleotide sequence, as defined herein, refers to nucleotide sequences which, when contained in a nucleic acid molecule, retain the specificity of the disclosed sequence and/or hybridize to the complement of the disclosed sequence under stringent hybridization conditions (*e.g.*, 1 x SSC at 65°C).

In specific nonlimiting examples, oligonucleotides comprising the above sequences, or functional equivalents thereof which retain specificity, may be used in a PCR amplification reaction in the following pairwise combinations to generate group specific fragments of the lengths as indicated in Table 2.

Table 2.

Primer Mix No.	Name	Sense Primer	Antisense Primer	Size of Product	HLA-A specificity
1	1.1	I1-230m	BP142	785 bp	A*01
2	1.2	5'FR-257	I3-247m6	1068 bp	A*01
3	1.3	I1-230m	I3-247m6	870 bp	A*01,11
4	2	I1-226	I3-249	1056 bp	A*02
5	3	I1-221m11	I3-280m18	1078 bp	A*03
6	11	5'FL-243	I3-249	1229 bp	A*11
7	9	I1-214m	I3-249	1033 bp	A*23,24
8	10.1	I1-210m	I3-236	1450 bp	A*10
9	10.2	I1-210m	I3-249	1014 bp	A*10,68,69
10	28	5'FR-273	I3-249	1537 bp	A*68,69,6602,6603
11	19.1	I1-223d	I3-239 or I3-249	1084 bp	A*29,31,32,33,74
12	19.2	I1-240	I3-249	996 bp	A*31,33
13	29	I1-237m14	I3-249	1037 bp	A*29
14	30	I1-225m	I3-249	1000 bp	A*30
15	74	BP202 (Exon 1)	I3-249	1109 bp	A*7401,7403
16	80	BP203	I3-282	1103 bp	A*8001 (untested)

The following nucleic acid sequences may be comprised in group-specific exon region primers for HLA-A which are specific for the groups as indicated in Table 3 (sense primers) and Table 4 (antisense primers). The sequences in Table 3, primer numbers 85, 118, 120, 123, 127, 129, 134, 137, 140, 160, 167, 175, 193 and 202, have SEQ ID NOS:203-216, respectively. The sequences in Table 4, primer numbers 98, 115, 116, 117, 126, 133, 135, 136, 138, 142, 144, 145, 152, 153, 154, 155, 161, 165, 168, and 180, have SEQ ID NOS:217-236, respectively, and primer number 119 has SEQ ID NO:245. The present invention provides for nucleic acid molecules comprising regions having the foregoing sequences or their functional equivalents. They may, in specific nonlimiting examples, be used in pairs as set forth in Table 5.

Table 3.

Primer Number	Localization		Sequence
85	Exon 2	-14 - 5	5' CTC CTC gTC CCC Agg CTC T 3'
118	Exon 2	6 - 19	5' TCC ATg Agg TAT TTC TAC ACC 3'
120	Exon 3	-6 - 12	5' ggC CAg gTT CTC AgA CCA 3'
123	Exon 2	36 - 53	5' CCC ggC CCg gCA gTg gA 3'
127	Exon 3	1- 20	5' gTT CTC ACA CCA TCC AgA Tg 3'
129	Exon 3	4 - 25	5' TCA CAC CCT CCA gAT gAT gTT 3'
134	Exon 3	63 - 80	5' ggg TAC CAg CAg gAC gCT 3'
137	Exon 2	9 - 29	5' TCC ATg Agg TAT TTC ACC ACA 3'
140	Exon 3	-1 - 20	5' ggT TCT CAC ACC ATC CAg ATA 3'
160	Exon 3	1 - 20	5' gTT CTC ACA CCA TCC AgA gg
167	Exon 2	54 - 71	5' gAg CCC CgC TTC AAC gCC 3'
175	Exon 3	63 - 71	5' CTT CCT CCg Cgg gTA TgA A 3'
193	Exon 2	167 - 184	5' gCC ggA gTA TTg ggA CCg 3'
202	Exon 1	49 - 67	5' CTg gCC CTg ACC CTg ACC A 3'

Table 4. Antisense Primers

Primer Number	Localization		Sequence
98	Exon 2	226 - 243	5' gCA ggg TCC CCA ggT CCA 3'
115	Exon 3	195 - 213	5' CCT CCA ggT Agg CTC TCA A 3'
116	Exon 3	195 - 213	5' CCT CCA ggT Agg CTC TCC A 3'
117	Exon 3	195 - 213	5' CCT CCA ggT Agg CTC TCT g 3'
119	Exon 2	184 - 203	5' CTT CAC ATT CCg TgT CTC CT 3'
126	Exon 3	212 - 230	5' CCA CTC CAC gCA CgT gCC A 3'
133	Exon 2	229 - 246	5' ggA gCg CgA TCC gCA ggC 3'
135	Exon 3	216 - 234	5' ggA gCC ACT CCA Cgg ACC g 3'
136	Exon 3	216 - 233	5' gAg CCA CTC CAC gCA CTC 3'
138	Exon 2	186 - 206	5' ggC CTT CAC ATT CCg TgT gTT 3'
142	Exon 3	228 - 246	5' CAg gTA TCT gCg gAg CCC g 3'
144	Exon 2	165 - 184	5' Tgg TCC CAA TAC TCA ggC CT 3'
145	Exon 2	226 - 243	5' gCA ggg TCC CCA ggT TCg 3'

152	Exon 3	163 - 179	5' ggg CCg CCT CCC AgT TgT 3'
153	Exon 2	179 - 197	5' TCT gTg AgT ggg CCT aCA CA 3'
154	Exon 2	184 - 204	5' CCT TCA CAT TCC gTg TCT gCA 3'
155	Exon 3	216 - 233	5' gAg CCA CTC CAC gCA CgT 3'
161	Exon 2	209 - 228	5' CCA CTC ggT CAg TCT CTg AC 3'
165	Exon 3	105 - 124	5' gAg CgCA ggT CCT CgT TCA A 3'
168	Exon 2	198 - 217	5' gTC TgT gAg Tgg gCC aTC AT 3'
180	Exon 2	12 - 31	5' CAg CCA TAC ATC CTC Agg AC 3'

Table 5.

Group-specific exon pairs

Primer mix No.	Name	Sense Primer	Antisense Primer	Size of Product	HLA-A specificity
1	1	140	142	247 bp	A*0101,0102,8001
2	2	85	98	256 bp	A*0201-0220
3	3	140	126	230 bp	A*0301,0302,0303
4	36	167	168	164 bp	A*0101,3601
5	11	118	119	195 bp	A*1101-1103
6	23	129	115	209 bp	A*2301
7	24	129	116 + 117	209 bp	A*2402-2411
8	10.1	160	135	233 bp	A*2501,2601-2603,2605.4301,6601
9	25	118	233	238 bp	A*2501,2502
10	26	118	145	235 bp	A* 2601,2602, 2604,4301
11	34	134	155	171 bp	A*3401,3402
12	6602	134	136	240 bp	A*6602,6603
13	10.2	118	161	222 bp	A*11,34,6601,6602,68011,6802,6901
14	43	118	154	196 bp	A*4301
15	68	120	152	185 bp	A*68011,68012,6802,6803
16	69	193	180	375 bp	A*6901
17	19	127	165	124 bp	A*2901,2902,31012,3201,3301-3303 A*7401-7403
18	29	137	145	236 bp	A*2901-2902

19	30	175	115 + 116	162 bp	A*3001-3004
20	31	167	144	176 bp	A*31012
21	32	167	133	159 bp	A*3201,3202,2501,2502
22	33	137	138	198 bp	A*3301-3303
23	74	202	153	370 bp	A*7401,7403
24	80	140	136	234 bp	A*8001

In general, the foregoing group-specific primers may be modified by addition, deletion, or substitution of bases, to produce functionally equivalent primers with the substantially the same specificity, that is to say, such that the group specific polymorphism(s) are not removed. Such modifications may be constrained by several parameters. First, exact matching at the 3' end is particularly important for primer extension. Preferably, at least 5 nt are complementary to target DNA. When the exactly conserved region is short, for example, less than 10 nt, it is not advisable to change the primer sequences. The primer is preferably less than 50% G or C. Also, the primers should be designed to avoid specific hybridization with pseudogenes or non-classical HLA Class I loci. In the examples which follow, the melting temperature of all primers used was about 62C to ensure uniform amplification conditions.

For sequencing purposes, the following nucleic acid sequences are sequences which hybridize to all alleles of the indicated loci, in the locations indicated (and hence are referred to as universal sequencing primers). The primers in Table 6 are assigned consecutively SEQ ID NOS:237-244.

Table 6.

Designation	Sequence	Location	Melting Temp.
5'-Ex2(Aw3)	5' GCG CCG GGA GGA GGG TC 3'	Int-1	58-62°C
3'-Ex2	5' ATC TCG GAC CCG GAG ACT 3'	Int-2	58°C
5'-Ex3	5' GTT TCA TTT TCA GTT TAG GCC A 3'	Int-2	60°C
3'-Ex3(Aw6)	5' CGG GAG ATC TAC AGG CGA TCA GG 3'	Int-3	58-62°C
5'-Ex2(Aw3)	5'GCG CCG GGA GGA GGG TC 3'	Int-1	58-62°C
3'-Ex2	5'GTC GTG ACC TGC GCC CC 3'	Int-2	58-62°C
5'Ex3	5'GGG CGG GGC GGG GCT CGG G 3'	Int-2	58-62°C
3'Ex3(Aw6)	5'CGG GAG ATC TAC AGG CGA TCA GG 3'	Int-3	58-62°C
5'-Ex2 (Aw3)	5' GCG CCG GGA GGA GGG TC 3'	Int-1	58-62°C
3'-Ex2(ABCw1)	5' GGT CGT GAC CT(T/C)CGC CCC 3'	Int-2	58-62°C
5'-Ex3(ABCw2)	5' CCC GGT TTC ATT TTC 3'	Int-2	58-62°C
3'-Ex2(Aw6)	5'CGG GAG ATC TAC AGG CGA TCA GG 3'	Int-3	58-62°C

The foregoing three groups of primers include 5' and 3' primers for sequencing across exons 2 and 3, respectively.

The selection of suitable universal sequencing primers is constrained by a variety of rules including the following. Sequencing primer hybridization sites must lie within the fragment amplified by the group specific amplification primers. All primers are desirably selected to provide informative sequence and not start too far downstream of useful sequence. Preferred primers hybridize to conserved sites near the exon/intron boundaries.

Direct sequencing of the 2nd and 3rd exon may be performed from either the 5' or 3' end using the primers of Table 6 *supra* which are located in conserved regions of the 1st, 2nd and 3rd intron as indicated. These conserved regions were found to be identical in all samples investigated, regardless of the amplified group.

An important issue of direct sequencing for HLA class I genes is the generation of a specific PCR product, which is rather complicated due to the

extensive sequence homologies between the different HLA class I loci including several pseudogenes. If an adequate PCR product has been generated, any sequencing chemistry should be applicable.

In the normal case, since group specific amplifications take place before sequencing, only one allele at a time is sequenced, resulting in unambiguous homozygous sequencing results. In these cases alleles are relatively easy to identify, even without software.

However, in about 5% of cases, both alleles come from the same group, but the sequence results show heterozygosity. In practice, when viewed by a fluorescence-detecting system, the sample appears as a normal sequence of bases with, sporadically, two bases at one site, each with half the peak height. This result flows from the high degree of similarity shared among all alleles of each HLA gene; sequence heterozygosity flows from base substitutions. The laborious task of determining which alleles are present in the test sequence may be simplified using computer analysis. A software program called GeneLibrarian developed by Visible Genetics, the assignee of the present application, rapidly compares the test sequence to a database which includes all possible homozygote and heterozygote combinations of the alleles. The program identifies those stored sequences that are closest matched to the test sequence. The operator can then determine which allelic pair is in the test sample. If no allelic pair shows an exact match, the software allows the operator to review the test sequence to determine if errors in base-calling or other artifacts are interfering with the analysis.

The order of sequencing reactions may be selected by the operator. Each exon of each locus may be sequenced on the sense strand or anti-sense strand. A preferred method is to obtain sequence from one strand from each exon. If the results contain ambiguities, then the amplicon is re-sequenced using the other primer for the same exon. The availability of both sequencing primers provides redundancy to ensure robust results.

In some cases, it may be advantageous to employ an equimolar mixture of 2 or more oligonucleotide species. Mixtures of oligonucleotides may be selected such that between them they will effectively prime the sequencing reactions for all

alleles of the locus at the same site.

In an alternative technique, instead of using dye terminators, a dye-labelled primer may be employed. In this case, the selected sequencing primers is labelled on the 5' end with a detectable label, using phosphoramidite or NHS/dye ester techniques well known in the art. The label selected depends on the detection instrument employed. The label for use with an OpenGene System (Visible Genetics Inc., Toronto, ON) is the fluorophore Cy5.5 (Amersham Life Sciences, Cleveland OH). Fluorescein-isothio-cyanate may be used for detection with the ALF Automated Sequencer (Pharmacia, Piscataway NJ). In this method, which is well known to one skilled in the art, the sequencing reaction mixture is changed slightly to include only one ddNTP per reaction mixture. For detection of reaction products, the sample may be mixed with an equal volume of loading buffer (5% ficoll plus a coloured dye). 1.5 ul of these samples may be loaded per lane of a MicroCel electrophoresis cassette loaded in a MicroGene Blaster automated DNA sequencer (Visible Genetics Inc., Toronto). The sample may be electrophoresed and read.

Results may be displayed and analyzed with GeneObjects software. The sequence of bases may be determined, and the HLA allele to which the sequence corresponds may then be identified. This process may be performed for each locus (HLA-A, HLA-B, HLA-C) and the results may then be reported to the patient file.

It is well known in the art that different variations of sequencing chemistry may be employed with different automated DNA sequencing instruments. Single dye instruments, such as the OpenGene System (Visible Genetics Inc., Toronto), the ALF Express (Pharmacia, Uppsala, Sweden) or the Li-Cor 4000L (Lincoln City, Nebraska) generally use dye-labeled primers. In these systems a single chain termination sequencing reaction mixture is run per lane.

Multi-dye sequencers, such as the Prism 377 (applied Biosystems, Inc., Foster City, California) detect multiple dyes in a single lane. This technology conveniently employs dye-terminator chemistry, where the chain-terminating nucleotides are themselves labeled with fluorophores (see United States Patent No. 5,332,666, to Dupont de Nemours and Co.). In this case, the reaction products carrying four different labels may be run in a single lane.

Either single dye or multi-dye chemistry may be employed according to the present invention, along with other sequencing chemistries. Additional methods for reducing the numbers of reactions required to obtain detailed sequence information from the classical HLA Class I loci are disclosed in commonly owned United States Patent Applications USSN 08/577,858 (for single-track sequencing) and USSN 08/640,672 and 08/684,498 (for single-tube sequencing).

Directly analogous methods may be used to determine the HLA-B type of an individual. As with the HLA-A gene, the second and third exon of the HLA-B gene are polymorphic, and therefore provide for sequencing based typing strategies. A list of primers, together with their sequence, length, and localization, is provided in Table 7 below. The primers in Table 7 are assigned consecutively SEQ ID NOS:398-435.

TABLE 7
HLA-B PCR-SBT primer sequences
A. Amplification primers

Primer	Orient.	Sequence	N	Tm	Localization
E1-B121m17	S	5' CCA CCT gCT gCT CTC ggg A 3'	19	64	Exon 1, 27..45
E1-B129	S	5' CCT CCT gCT gCT CTC ggC 3'	18	62	Exon 1, 27..44
E1-B130	S	5' CTg CTg CTC Tgg ggg gCA 3'	18	62	Exon 1, 31..48
E1-B136	S	5' gAg ATg Cgg gTC ACg gCA 3'	18	60	Exon 1, -3..15
E1-B182	S	5' CTg ACC gA ₉ ACC Tgg gCT 3'	18	60	Exon 1, 55..72
I1-B145	S	5' Agg Agg gTC ggg Cgg gTT 3'	18	62	Intron 1, 90..108
I1-B154m	S	5' ggg TCT CAg CCC CAC CTT 3'	18	60	Intron 1, 114..121
I1-B167	S	5' gAg ggA AAT ggC CTC TgC C 3'	19	62	Intron 1, 17..35
I1-B168	S	5' Cgg ggg CgC Agg ACC TgA 3'	18	64	Intron 1, 59..76
I1-B169	S	5' gCg CCg ggA ggA ggg TCT 3'	18	64	Intron 1, 83..100
I1-B170	S	5' gCC TCT gTg ggg Agg AgA 3'	18	60	Intron 1, 27..44
I1-B171	S	5' gCC TCT gTA ggg Agg AgC A 3'	19	62	Intron 1, 27..45
I1-B172	S	5' gTC ggg Cgg gTC TCA gCT 3'	18	62	Intron 1, 97..114
I1-B173	S	5' Cgg ggg ACC gCg CCg gT 3'	17	64	Intron 1, 73..90
I1-B174	S	5' ggT CTC AgC CCC TCC TCA 3'	18	60	Intron 1, 105..122
I1-B175	S	5' gTg gAg TgC ggg gTC ggC 3'	18	60	Intron 1, -5..12
I1-B326	S	5' gTg AgT gCg ggg TCg gC 3'	17	60	Intron 1, 1..17
I1-B331	S	5' gAC CgC Agg Cgg ggg CT 3'	17	62	Intron 1, 50..66
I1-B346	S	5' TCT CAg CCC CTC CTC gCT 3'	18	60	Intron 1, 107..124
I3-B126	AS	5' gCC ATC CCC ggC gAC CTA T 3'	19	64	Intron 3, 36..54
I3-B147	AS	5' ggg ACC CCT gAT CAC TAT C 3'	19	60	Intron 3, 220..238
I3-B164	AS	5' ggC CCT CAg Agg AAA CTC g 3'	19	62	Intron 3, 134..152
I3-B165	AS	5' Agg CCT gAg Agg AAA AgT CAT 3'	21	62	Intron 3, 272..292
I3-B166	AS	5' Agg CgC TTT gCA TCT CTC ATA 3'	21	62	Intron 3, 535..555
I3-B187	AS	5' gAT CAg TAT TCT Agg gAC TgA 3'	21	60	Intron 3, 209..229
I3-B212	AS	5' gAA Tgg ACA ggA CAC CTg gT 3'	20	62	Intron 3, 481..500

TABLE 7 HLA-B PCR-SBT primer sequences A. Amplification primers					
Primer	Orient.	Sequence	N	Tm	Localization
I3-B305	AS	5' TCA TgC CAT TCT CCA TTC AAC 3'	21	60	Intron 3, 106..126
I3-B319	AS	5' CTA ggg ACT gTC TTC CCC TA 3'	20	62	Intron 3, 200..219
I3-B320	AS	5' CgC TgA TCC CAT TTT CCT CT 3'	20	60	Intron 3, 69..88
I3-B321	AS	5' CAg AgA ACA Agg CCT gAg AA 3'	20	60	Intron 3, 282..301
I3-B323	AS	5' AAC CCA gAC ACC AgC ggA T 3'	19	60	Intron 3, 443..463
I3-B332	AS	5' ggA CTT CTg CTC CTg ATC TA 3'	20	60	Intron 3, 363..382
I3-B335	AS	5' gAg gCC ATC CCg ggC gAT 3'	18	62	Intron 3, 40-57
I3-B337	AS	5' ggA AAg TTC gAg TCT CTg AgT 3'	21	62	Intron 3, 392..412
I3-B342	AS	5' CTC ATg CCA TTC TCC ATT CC 3'	20	60	Intron 3, 108..127
I3-B347	AS	5' TgA CCA gCC TgA gAA Tgg g 3'	19	60	Intron 3, 494..512
I3-B348	AS	5' AAC Agg gAC TTC TgC TCC C 3'	19	60	Intron 3, 369..387
I3-B349	AS	5' ggC CTg AgA ggA AAA gTC AC 3'	20	62	Intron 3, 272..291

Suitable primer mixes for HLA-B typing are set forth in Table 8 below.

TABLE 8 HLA-B PCR-SBT primer mixes					
Primer No. Name	Mix	Sense primer	Antisense primer	Size of product	HLA-B specificity
1	7	I1-B174	I3-B305	943bp	0702-0708,4801-4803,8101
2	8	I1-B167	I3-B323	1368b	0801-0804,4201
3	13	I1-B175	I3-B319	1145bp	1301-1304
4	14	I1-B145	I3-B321	1132bp	1401,1402
5	15	E1-B121m17	I3-B147	1204bp	1501-1537,4601
6	18	I1-B154m	I3-B164	960bp	1801-1805
7	27	E1-B182	I3-B349	1231bp	2701-2711,4002-4006, 4008, 4009, 4701

TABLE 8					
HLA-B PCR-SBT primer mixes					
Primer No. Name	Mix	Sense primer	Antisense primer	Size of product	HLA-B specificity
8	35	I1-B168	I3-B212	1363bp	3501-3521, 5101-5109, 5201, 5301, 5302, 5801, 5802, 7801, 7802
9	37	I1-B326	I3-B165	1213bp	1801-1805, 3701, 3702
10	16	I1-B167	I3-B320	993bp	3801, 3802, 3901-3912, 6701, 1401, 1402
11	60	I1-B172	I3-B342	952bp	4001, 4007, 4010
12	41	I1-B172	I3-B323	1288bp	4101, 4102
13	42	I1-B174	I3-B323	1280bp	4201, 4202
14	44	I1-B170	I3-B126	1323bp	4402, 4410
15	45	I1-B326	I3-B348	1307bp	4501
16	47	I1-B331	I3-B332	1254bp	4701, 4702
17	48	I1-B174	I3-B332	1199bp	4801-4803
31	49	I1-B326	I3-B337	1332bp	4901
18	50	I1-B326	I3-B187	1155bp	5001, 5002
19	22	I1-B169	I3-B166	1394bp	5401, 5501-5505, 5601-5603, 5901
20	57	I1-B171	I3-B347	1407bp	5701-5704
21	73	I1-B173	I3-B335	909bp	7301
22	78	I1-B168	I3-B212	1363bp	7801, 7802
23	82	I1-B346	I3-B126	868bp	8201
24	Multi I1	I1-B326	I3-B126	975bp	most 15, 1801-1805, 2701-2711, 4001-4010, 4101, 4102, 4501, 4601, 4901, 5001, 5002, 5701-5704
25	Multi I2	I1-B167	I3-B126	959bp	0702-0708, 0801-0804, 1401, 1402, 3801, 3802, 3901-3912, 4201, 4202, 4801-4803, 6701, 7801, 8101

TABLE 8					
HLA-B PCR-SBT primer mixes					
Primer No. Name	Mix	Sense primer	Antisense primer	Size of product	HLA-B specificity
26	Multi I3	I1-B168	I3-B126	917bp	0702-0708,0801-0804,1401,1402, 3501-3521,3801,3802,3901-3912, 4201,4202,4801-4803,5101-5109, 5201,5301,5302,5801,5802, 6701, 8101
27	Multi E1	E1-B129	I3-B126	1022bp	0702-0708,0801-0804,1401,1402, 3801,3802,3901-3912,4001,4007, 4010,4101,4102,4201,4202,4501, 4801-4803,4901,5001,5002,6701
28	Multi E2	E1-B130	I3-B126	1018bp	1301-1304,1801-1805,2701-2711, 3501-3521,3701,3702,4002-4006, 4008,4009,4402-4410,5101-5109, 5201,5301,5302,5701-5704,5801, 5802,7801,7802,8101
29	Multi E3	E1B-182	I3-B126	994bp	1801-1805,2701-2711,3701,3702, 4002-4006,4008,4009,4701
30	Multi E4	E1B-136	I3-B126	1051bp	4001,4007,4010,4101,4102,4501, 4901,5001,5002,5401,5501-5505, 5601-5603,5701-5704,5901

Sequencing primers suitable for HLA-B typing are set forth in Table 9,

below.

TABLE 9

B. Sequencing primers

Bseq2	AS	5' ggA TCT Cgg ACC Cgg AgA CTC g 3' 22 74°C Intron 2, 70..91 Mismatch for B*7301 at Pos. 9 and 10 from 3' end For Sequencing of HLA-B exon 2
Bseq3	S	5' ACC Cgg TTT CAT TTT CAg TTG 3' 21 60°C Intron 2,153..173 For Sequencing of HLA-B exon 3
Bseq3AB	S	5' TTT ACC Cgg TTT CAT TTT CAg TT 3' 23 62°C Intron 2,150..172 For Sequencing of HLA-A and B exon 3 Mismatch for B*7301 at Pos. 8 and 9 from 3' end Mismatch for A*8001 at Pos. 19 from 3' end
HLAB3X3.SEQ 5'TCC CCA CTG CCC CTG GTA 18 55°C Intron 3, 2-19 (also BC33, 3IN3BC02) No requirement for DEAZA		
HLAB5X3.SEQ 5'GGK CCA GGG TCT CAC A 16 55°C Intron 2, 258- (also BC5X3INEX) Exon 3, 9 Requirement for DEAZA		
HLAB3X2.SEQ 5'ATC TCG GAC CCG GAG ACT 18 60°C Intron 2, 78-98 (also A seq3) Requirement for DEAZA		
HLAB5X2.SEQ 5'TCC CAC TCC ATG AGG TAT TTC 21 55°C Exon 2, 3-23 (also ABC25, SPE2, SPE2) No requirement for DEAZA		

The primers in Table 9 are assigned consecutively SEQ ID NOS:436-442.

The protocol described in working example 8, *infra*, may be used to accomplish HLA-B typing using the foregoing materials.

The nucleic acids described above may be comprised in a kit for use in practicing the methods of the invention. In addition to the group-specific primers and primer pairs disclosed, such kits may further comprise buffers, reagents, and enzymes such as, amplification enzymes including but not limited to, *Taq* polymerase. In

specific, non-limiting embodiments, the kit may comprise group-specific exon region primers (for example, as a "cocktail" comprising a plurality of primers) as well as group-specific untranslated region primers; such primers may be contained in individual tubes.

In a specific, nonlimiting embodiment of the invention, the following method may be used to perform allele typing, here exemplified for HLA-B but, depending on the choice of primers, applicable to HLA-A as well. The following reagents may be used: 2.5 mM deaza dNTP Mix (2.5 mM dATP, 2.5 mM dCTP, 2.5 mM dTTP, 1.25 mM dGTP, 1.25 mM 7-DEAZA dGTP); 166 mM ammonium sulphate (Sigma BioSciences); 100% DMSO; PCR primers (e.g., pairs selected from Table 8); genomic DNA control (60 ng/ μ l); Sequencing Buffer (260 mM Tris-HCl, pH 8.3, 39 mM $MgCl_2$); 300:1 deaza terminators, including deaza A terminator (750 μ M dATP, 750 μ M dCTP, 560 μ M dGTP, 750 μ M dTTP, 190 μ M 7-deaza dGTP, 2.5 μ M ddATP), deaza C terminator (750 μ M dATP, 750 μ M dCTP, 560 μ M dGTP, 750 μ M dTTP, 190 μ M 7-deaza dGTP, 2.5 μ M ddCTP), deaza G terminator (750 μ M dATP, 750 μ M dCTP, 560 μ M dGTP, 750 μ M dTTP, 190 μ M 7-deaza dGTP, 2.5 μ M ddGTP) and deaza T terminator (750 μ M dATP, 750 μ M dCTP, 560 μ M dGTP, 750 μ M dTTP, 190 μ M 7-deaza dGTP, 2.5 μ M ddTTP); Sequencing Primers 5x2.seq, 3x2.seq, 5x3.seq, 3x3.seq (see, e.g., Table 9); Thermosequencase 32 U μ l (e.g., Thermosequencase cycle sequencing core kit, Amersham LifeScience, Product No. US 79610); Enzyme Dilution Buffer (10 mM Tris-HCl, pH 8, 1 mM 2-ME, 0.5% (v/v) Tween-20, 0.5% (v/v) NP-40; e.g., from Amersham LifeScience); Pink Loading Dye (Amersham); 10X PCR Buffer II (10 mM Tris-HCl, pH 8.3; 500 mM KCl); *Taq* DNA polymerase (e.g., Perkin Elmer or Roche); 25 mM $MgCl_2$; molecular grade water, and mineral oil (to prevent evaporation if a thermocycler without a heated lid is used). Apparatus used in the method may include a thermocycler (e.g., PE 9600 or MJ PTC) wherein the ramping time is adjusted to 1°C/sec, and tubes and trays supplied by the manufacturer of the thermocycler, wherein the use of trays and tubes fabricated from polypropylene rather than polystyrene is preferred.

First, according to the specific embodiment referred to in the preceding paragraph, the following HLA Locus Amplification Protocol may be used. Reagents

(except enzyme) may be thawed at room temperature, vortexed, and microfuged briefly, and placed on ice prior to use. Enzyme may be removed from the freezer when needed. On ice, the following master mix may then be prepared by combining, in the following order, (quantities provide for one 25 μ l reaction): molecular grade water 7.75 μ l; 10X PCR Buffer II (without $MgCl_2$) 2.5 μ l; 2.5 mM deaza dNTP Mix 2.0 μ l; 25 mM $MgCl_2$ 1.5 μ l; 100% DMSO 2.5 μ l; 166 mM Ammonium Sulphate 2.5 μ l; PCR primers 1.0 μ l; and 5U/ μ l *Taq* polymerase 0.25 (pipet gently up and down to mix). The master mix (which has a volume of 20 μ l) may then be introduced into a labelled 0.2 ml thin-walled amplification tube, and 5 μ l of 60 ng/ μ l genomic DNA may be added to produce a final concentration of 300 ng of DNA per reaction. The resulting reaction mixture may then be subjected to the following cycles in a thermocycler to result in amplification:

- (1) denaturation at 94°C for 5 minutes, cycle 1X with
- (2) denaturation at 94°C for 30 seconds;
- (3) annealing at 63°C for 30 seconds, cycle 35X with
- (4) extension at 72°C for 60 seconds;
- (5) extension at 72°C for 5 minutes, cycle 1X; and
- (6) soak at 4°C, cycle 1X.

To analyze the resulting amplification product, a 1% agarose gel containing ethidium bromide may be prepared, and 4 μ l of the PCR product may be loaded on the gel. Samples may then be run into the gel electrophoretically, along with size markers, and the size of the fragment may be compared with the size of the expected product (see, for example, Table 8).

The resulting amplification product may then be sequenced as follows. Four .2 ml thin-walled tubes may be placed on ice and labelled A, C, G and T, respectively. Three microliters each of deaza A, C, G and T terminators may be introduced into the appropriately labeled tube. Thermosequase enzyme may then be diluted 1/10 in a separate tube by combining 1 μ l of thermosequase with 9 μ l of enzyme dilution buffer, on ice. In a separate .5 ml tube, on ice, the following may be combined to form a master sequencing mix: Sequencing Buffer 2.5 μ l; Sequencing

Primer 2.5 μ l; 100% DMSO 3.5 μ l; amplification product 4.5 μ l; molecular grade water 6.0 μ l; 1/10 diluted Thermosequenase 3.0 μ l (TOTAL VOLUME 22 μ l). Five microliters of the foregoing master sequencing mix may then be added to each of the four tubes containing the deaza terminators. If necessary, the reaction mixtures may be covered with 8 μ l of mineral oil and subjected to the following cycle sequence:

- (1) denaturation at 94°C for 2 minutes, cycle 1X with
- (2) denaturation at 94°C for 30 seconds;
- (3) annealing at 55°C for 30 seconds, cycle 35X with
- (4) extension at 70°C for 60 seconds;
- (5) extension at 70°C for 2 minutes, cycle 1X; and
- (6) soak at 4°C.

The reaction products may then be run on a sequencing gel to ascertain the sequence of the amplification product, using standard techniques.

Methods of high resolution typing are detailed in the examples below, which examples are set out to exemplify the method of the invention and not to limit the scope of it in any way.

6. EXAMPLE: DETERMINATION OF HLA-A GROUP TYPE

Genomic DNA was prepared from patient samples according to standard methods, such as a standard salting-out procedure (as provided by the Puregene DNA Isolation Kit, Gentra Systems, Inc., Minneapolis) or by detergent and proteinase K treatment (Current Protocols in Molecular Biology, Eds. Ausubel, F.M. et al, (John Wiley & Sons; 1995)).

All primers were synthesized on a Gene Assembler plus (Pharmacia, Uppsala, Sweden), and purified by fast protein liquid chromatography. The sequence, length, melting temperature (T_m), group specificity localization of the primers are given in Tables 3 (sense primers), 4 (antisense primers) and 5 (primer pairs). Internal positive control primers were: 5' primer hGHI 5'GCC TTC CCA ACC ATT CCC TTA 3', (SEQ ID NO:336) 21mer, T_m =64°C, nucleotide position 5560-5580; 3' primer hGHI 5' TCC ATG TCC TTC CTG AAG CA 3', (SEQ ID NO:349) 20mer, T_m =60°C, nucleotide position 6614-6633. These control primers amplify a 1074 bp

fragment of the human growth hormone gene.

Group-specific identification was performed as follows. Aliquots of genomic DNA were separately reacted with a panel of 24 group-specific exon region primer pairs set forth in Table 5, *supra* (see Blasczyk et al., 1995, Tissue Ant. 46:86-95). An amplification cocktail for pairs of primers was prepared in 10 μ l volume using standard 10x Perkin-Elmer buffer (1x buffer: 50 mM KCl; 1.5 mM $MgCl_2$; 10 mM Tris-HCl, pH 8.3; 0.001% (w/v) gelatin) supplemented with 5% glycerol and 0.1 μ l Cresol-red, sodium salt (Cresol-red stock solution: 10 mg/ml). The use of glycerol and cresol red avoids the necessity of using an agarose gel loading buffer. Additionally, glycerol increases the PCR yield.

The PCR mix for a single SSP tube was as follows:

Genomic DNA 100 ng	=	1.00 μ l
<i>Taq</i> polymerase, 0.4 U	=	0.08 μ l
dNTPs, 10 mM	=	0.80 μ l
Buffer, 10x	=	1.00 μ l
Glycerol	=	0.50 μ l
Cresol red 10mg/ml	=	0.10 μ l
dH ₂ O	=	1.52 μ l
Primer Pair + Control		
Primer Pair	=	<u>5.00 μl</u>
Total		10.00 μ l

The PCR solution was prepared in volumes that would accommodate 30 reactions. The amount of primers used in each 10 μ l PCR volume was 3 pmol of each HJ A-A primer and 0.8 pmol of each internal control primer.

The reaction mixture was mixed well, then heated in a Thermo-Cycler 9600 (Perkin-Elmer, Inc) and subjected to the following protocol. After an initial denaturation, a first round with 10 two-temperature cycles was followed by 20 three-temperature cycles.

- 1) Initial denaturation at 95°C for 5 min.
- 2) First 10 cycles
 - i) Denaturation at 95°C for 30 sec.
 - ii) Annealing and extension at 65°C for 50 sec.
- 3) Last 20 cycles
 - i) Denaturation at 95°C for 30 sec.

ii) Annealing at 62°C for 50 sec.

iii) Extension at 72°C for 30 sec.

The reaction tube was then cooled on ice. For visualization, 8 ul of the amplification product were run on a 2 % agarose gel prestained with ethidium bromide (0.2 ug/ml). The results were compared to a control lane with known size markers. The reaction products were visualized either as two bands (alleles from different groups) or a single band (alleles from same group). The size of the band(s) were determined and group specificity was assigned according to the length assignments in Table 5.

Figures 10 and 11 show typical gel results, which, as shown in Tables 7 and 8, were interpreted to determine what group specificities were present in genomic DNA samples tested. In Tables 10 and 11, the column titled "Position" refers to the primer mix no. of Table 5.

Table 10.

<u>Position</u>	<u>HLA Specificity</u>	<u>Kontr. Species ampl.</u>	<u>PM</u>
1	A*0101,0102,8001		1
2	A*0201-0217		2
3	A*0301,0302		3
4	A*0101,3601		36
5	A*1101,1102		11
6	A*2301		23
7	A*2402-2407		24
8	A*2603,2605,6601	X	10.1
9	A*2501		25
10	A*2601,2602,2604,4301		26
11	A*3401,3402		34
12	A*6602		6602
13	A*1101,1102,3401,3402, 6601,6602, A*68011,6802,6901	X	10.2
14	A*4301		43
15	A*68012,6802,6803		68
16	A*6901		69
17	A*2901,2902,3101,3201 3301-3303, A*7401	X	19
18	A*2901,2902		29
19	A*3001-3004		30
20	A*3101		31
21	A*3201,2501	X	32

Table 11.

Position	HLA Specificity	Kontr. Species Ampl.	PM
1	A*0101,0102,8001		
2	A*0201-0217		
3	A*0301,0302	X	1
4	A*0101,3601		2
5	A*1101,1102		3
6	A*2301		36
7	A*2402-2407		11
8	A*2501,2601-2603, 2605,6601		23 24
9	A*2501		10.1
10	A*2601,2602,2604,4301		
11	A*3401,3402		25
12	A*6602		26
13	A*1101,1102,3401,3402 6601,6602, A*68011,6802, 6901	X	34 6602 10.2
14	A*4301		
15	A*6801,6802		
16	A*6901	X	43
17	A*2901-2902,3101,3201, 3301-3303, A*7401		68 69
18	A*2901,2902		19
19	A*3001-3004		29 30

7. EXAMPLE: DETERMINATION OF GROUP SPECIFICITY USING A PRIMER COCKTAIL

Group specific low-resolution typing of the patient sample may be performed as follows. First, a stock PCR amplification reaction mixture may be prepared for 30 reactions:

dNTPs 10mM	<u>41</u>
Glycerol 100%	24
10x PCR Buffer*	15
Cresol-red (10mg/ml)	30
H2O	3.0
final	<u>45</u>
	117

*1 X PCR Buffer comprises 10 mM Tris-HCl pH 8.3, 50 mM KCl, 1.5 mM MgCl₂ and 0.001% (w/v) gelatin.

The stock mixture may be prepared in a large volume and be stored for at least one month at 4°C or be aliquoted (117.0 µl) and stored at -30°C for at least six months. Repeated thawing and freezing should be avoided.

A mixture containing all the HLA-A group specific amplification primers listed in Table 5 may be prepared separately (the "Cocktail"). One member of each primer pair is labelled on the 5' end with a fluorescent label. Final Cocktail concentrations may be designed to provide 3 pmol of each HLA-A primer per 5 µl. Optionally, an internal control primer may be added (to determine among other things, the success of amplification) in the amount of 0.8 pmol per 5 µl. Suitable internal control primers amplify a 1074 bp fragment of the human growth hormone gene (*see supra*).

To perform the low resolution amplification reaction, the reaction mixture may be prepared as follows:

	Volume
Stock Mixture	5 µl
Cocktail	5 µl
Patient sample DNA 100-250 ng	1 µl
Taq Polymerase Enzyme 0.4 U	0.08 µl

PCR cycle parameters may be adjusted for a Perkin-Elmer System 9600 thermal cycler. After an initial denaturation, a first round with 10 two-temperature cycles may be followed by 20 three-temperature cycles: 1) Initial Denaturation at 95°C for 5 min; 2) First 10 cycles i) Denaturation at 95°C for 30 seconds and ii) Annealing and extension at 65°C for 50 seconds; 3) Last 20 cycles i) Denaturation at 95°C for 30 seconds, ii) Annealing at 62°C for 50 seconds and iii) Extension at 72°C for 30 seconds.

The reaction tube may then be cooled on ice. For visualization, 2 µl of the amplification product may be run on a polyacrylamide gel giving single nucleotide length resolution such as in a MicroGene Blaster. The results were compared to a control lane with known size markers. The reaction products may be visualized either

as two bands (alleles from different groups) or a single band (alleles from same group). The size of the band(s) may be determined and group specificity may be assigned according to the length assignments in Table 5.

8. EXAMPLE: DETERMINATION OF ALLELIC TYPE BY SEQUENCING

After determining group type specificity, group specific amplification of a fresh portion of the patient sample may be performed using a single pair of primers specific for the group in question to generate sequencing template. In a preferred, nonlimiting embodiment, amplification primers may be selected from Table 2, *supra*, which lists group-specific untranslated region primers. This second amplification serves two purposes. First, it confirms, by successful amplification, the group determination of the low resolution test. Second, it generates sequence information which may be used for accurate allele identification. If two groups are identified, two separate reactions may be performed each using a different primer pair.

8.1. PCR PROTOCOL

The same PCR protocol may be used for all primer mixes used for template generation. The PCR amplification may be set up in a total volume of 50 μ l in order to produce enough PCR product for more than 10 sequencing reactions. This ensures that, if anything fails during the sequencing process, sequencing can be repeated without generation of a new template. The high stringency of the PCR primers and protocol detailed below makes the use of a "hot start approach" unnecessary. The following PCR reaction mix may be used:

<u>volume per reaction</u>	
5X PCR buffer*	10.0 μ l
DMSO	1.0 μ l
2.5mM each dNTP	5.0 μ l
ddH ₂ O	<u>27.8μl</u>
Total	43.8 μ l
Sense primer** (10pmol/ μ l)	1.0 μ l
Antisense primer** (10pmol/ μ l)	1.0 μ l
Taq Polymerase (5U/ μ l)	0.2 μ l
Genomic DNA (100ng/ μ l)	<u>4.0μl</u>
Final Total	50.0 μ l

*Composition of 5X PCR buffer: 75mM (NH₄)₂SO₄; 17.5mM MgCl₂; and 300mM Tris-HCL, pH 9.0

**The pair of group specific amplification primers may be selected from those disclosed in Table 2, *supra*.

PCR cycle parameters may be adjusted for a Perkin-Elmer System 9600 thermal cycler. After an initial denaturation, a first round with 10 two-temperature cycles may be followed by 20 three-temperature cycles.

- 1.) Initial Denaturation at 95 C for 5 min
- 2.) First 10 cycles
 - i) Denaturation at 95 C for 30 seconds
 - ii) Annealing and extension at 65 C for 50 seconds
- 3.) Last 20 cycles
 - i) Denaturation at 95 C for 30 seconds
 - ii) Annealing at 62 C for 50 seconds
 - iii) Extension at 72 C for 30 seconds

10 μ l of the PCR product may then be run on a 2 % agarose gel prestained with ethidium bromide (0,2 μ g/ml). A distinct band of the expected size should be seen.

8.2. SEQUENCING REACTION PROTOCOL

The sequencing reactions may be carried out with AmpliTaqTM DNA Polymerase FS dye terminator cycle sequencing chemistry using the Ready Reaction DyeDeoxy Terminator Cycle Sequencing Kit FS (Perkin Elmer Applied Biosystems Division, Foster City, CA) according to the manufacturer's protocol. This Kit contains the four ddNTPs with different fluorescence labels (=Dye Terminators). The PCR fragments may be used directly for sequencing without any prior purification step.

To simplify the pipetting steps, a master mix may be prepared consisting of the 5'Biotin labeled sequencing primer, ddH₂O and the Kit reagents. This master mix should be prepared immediately prior to use and can be kept at room temperature until use. The sequencing master mix for one reaction may comprise 3.0 μ l of a 1pmol/ μ l solution of sequencing primer; 6.0 μ l ddH₂O, and 8.0 μ l of premixed sequencing reagents; for 36 + 1 reactions, these amounts are increased, respectively,

to 111.0 μ l; 222.0 μ l; and 296.0 μ l, respectively. The sequencing primer may be selected from the sequencing primers for HLA-A set forth in Table 6, *supra*.

The master mix may be aliquoted in a volume of 17 μ l for each sequencing reaction in a 200 μ l PCR tube and 3 μ l of the unpurified PCR product are added. The reaction mixes may then be subjected to 25 cycles in a Perkin Elmer thermal cycler 9600. Each cycle consists of 10 sec 95 C, 5 sec 50 C and 4 min 60 C.

8.3. PURIFICATION OF EXTENSION PRODUCTS

After the sequencing reaction the extension products are desirably separated from the unincorporated Dye Terminators which would otherwise interfere with the fluorescence-based detection process of the electrophoretically separated sequencing fragments.

For each sequencing reaction, 50 μ g (5 μ l) Streptavidin-coated Dynabeads M-280 (Dynal Inc., Oslo, Norway) may be washed in 5 μ l of 2x Binding and Washing buffer ("B&W"; 2X B&W buffer: 2M NaCl, 10mM Tris-HCl pH 7.5, 1mM EDTA). The beads may then be resuspended in 20 μ l of 2x B&W.

To each 20 μ l sequencing reaction, 20 μ l of resuspended beads may be added, and the mixture may be incubated at room temperature (20-25 C) for 15 minutes. The beads may then be immobilized, the supernatant may be removed, and then the beads may be washed once in 70% ethanol by pipetting up and down five times. Then, as much as possible of the ethanol may desirably be removed, because residual ethanol may interfere with electrophoretic gel mobility.

For each sequencing reaction, 4 μ l of loading buffer (5:1 Formamide-25mM EDTA pH 8.0, 50mg/ml Dextran Blue) may be added.

8.4. ELECTROPHORESIS AND DATA COLLECTION

Samples prepared by the foregoing methods may be used immediately or be stored at 4 C at least for 24 hours before starting the electrophoretic separation. Prior to the electrophoretic separation, each reaction may be incubated at 90 C for 2 minutes. 3 μ l of each sample may be loaded on a prerun sequencing gel. For an automated ABI 377 sequencer (Applied Biosystems, Foster City, CA) a 0.2mm thick 5% polyacrylamide (acrylamide:bisacrylamide = 29:1) - 7 M urea gel may be used

[gel composition: 21.0 g urea, 8.4 ml 30% acrylamide (stock solution: 58g acrylamide, 2g bisacrylamide in bidistilled water), 6.0 ml TBE buffer (10x TBE-buffer: 108.0 g tris base, 55.0 g boric acid, 7.4 g Na₂EDTA), 15 μ l TEMED, 350 μ l 10% Ammoniumpersulfate (1.0 g Ammoniumpersulfate in 10 ml ddH₂O), 20.0 ml ddH₂O]. Electrophoresis may be run at constant 48 watt for 8h. Data collection may be initiated immediately after starting the electrophoresis on the ABI377. Data analyses may be performed thereafter using the ABI analysis software (version 2.1.1).

8.5. DATA INTERPRETATION AND HLA TYPING

After data collection, the chromatograms may be printed and sequences may be compared manually to existing HLA data in the EMBL databank and the sequences compiled by Arnett and Parham. Due to the group-specific amplification and the lack of heterozygous positions, manual analysis is typically very fast. Alternatively, sequences may be checked with the data analysis editor (Sequence NavigatorTM, Applied Biosystems) and aligned with any sequence alignment program.

Various publications are cited herein, the contents of which are hereby incorporated by reference in their entireties.

SEQUENCE LISTING

<110> BLASCZYK, RAINER
LEUSHNER, JAMES

<120> METHOD AND KIT FOR CLASS I HLA TYPING

<130> 30861A

<140> 08/909,290

<141> 1997-08-11

<150> 08/766,189

<151> 1996-12-12

<160> 442

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 450

<212> DNA

<213> homo sapiens

<400> 1

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg   60
cgctgctgtg actaaccgaa gagaccttgg ggctgtgggt taccctcact cttgaccag   120
gcgcgagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg   180
acgcctcaac cccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg   240
actctgggac tctcggtgcg gaccccgga ccctgaagcg ggactgggga gacgaggaca   300
cggttcgca gacagagta cagagggact cagaaccggg ttctcgacag actctttgtt   360
ccctctttg ggagccgtac ccggggcagg gagaggaaag tgaaaagtag ggcattagag   420
acagggactt gacctgaggg actgagggtg                               450

```

<210> 2

<211> 449

<212> DNA

<213> homo sapiens

<400> 2

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttgtcgctgg   60
cgctgctgtg actaaccgaa gagaccttgg ggctgtgggt taccctcact cttgaccag   120
gcgcgagcact cataggtcct acttctggg atgcatccaa cctctccct cttttcttg   180
acgcctcaac cccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg   240

```

actctgggac tctcgggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cgcttcgcga gacagagtta cagagggact cagaaccggg tctcgacag actctttgtt 360
 ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gtaatagaga 420
 cagggaacttg acctgaggga ctgagggtg 449

<210> 3

<211> 449

<212> DNA

<213> homo sapiens

<400> 3

gagccgcaga cccctcttag actcagggcc acccacgcac gcccgaaatc ttgtcgtgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctact cttgaccag 120
 ggcagcact cataggtcct acttctggg atgcatcaa cctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacct gaggggttag gtatgtggcg gaagccccgg 240
 actctgagac tctcgggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cgcttcgcga gacagagtta cagagggact cagaaccggg tctcgacag actctttgtt 360
 ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gtaatagaga 420
 cagggaacttg acctgaggga ctgagggtg 449

<210> 4

<211> 449

<212> DNA

<213> homo sapiens

<400> 4

gagccccaga cccctcttag actcagggcc acccacgcac gcccgaaatc ttctcgtgg 60
 cgcttctgtg actaaccgaa gagaccttg ggctgtgggt taccctact cttgaccag 120
 ggcagcact cataggtcct acttctggg atgcatcaa cctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacct gaggggttag gtatgtggcg gaagccccgg 240
 actctgggac tctcgggtgcg gaccccgga cctgaagcg ggactgggga gacgagaaca 300
 cgcttcgcga gacagagtta cagagggact cagaaccggg tctcgacag actctttgtt 360
 ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gtaatagaga 420
 cagggaacttg acctgaggga ctgagggtg 449

<210> 5

<211> 449

<212> DNA

<213> homo sapiens

<400> 5

gagccccaga cccctcttag actcagggcc acccacgcac gcccgaaatc ttctcgtgg 60
 cgcttctgtg actaaccgaa gagaccttg ggctgtgggt taccctact cttgaccag 120
 ggcagcact cataggtcct acttctggg atgcatcaa cctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacct gaggggttag gtatgtggcg gaagccccgg 240
 actctgggac tctcgggtgcg gaccccgga cctgaagcg ggactgggga gacgagaaca 300

cgcttcgcga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gtaatagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 6
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 6
 gagccgcaga cccctcttag actcagggcc acccagcac gcccgaaatc ttgtcgtgg 60
 cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact ctgacccag 120
 gcgcagcact cataggtcct acttctggg atgcatcaa ccctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacact gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcgggtcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cgcttcgcga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gtaatagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 7
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 7
 gagccgcaga cccctcttag actcagggcc acccagcac gcccgaaatc ttgtcgtgg 60
 cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact ctgacccag 120
 gcgcagcact cataggtcct acttctggg atgcatcaa ccctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacact gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcgggtcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cgcttcgcga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gtaatagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 8
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 8
 gagccgcaga cccctcttag actcagggcc acccagcac gcccgaaatc ttgtcgtgg 60
 cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact ctgacccag 120
 gcgcagcact cataggtcct acttctggg atgcatcaa ccctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacact gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcgggtcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cgcttcgcga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt 360

ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gtaatagaga 420
cagggacttg acctgaggga ctgagggtg 449

<210> 9
<211> 448
<212> DNA
<213> homo sapiens

<400> 9
gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact cttagccag 120
gcgagcact cataggtcct tcttctggg atgtatcaa cctctccct ctttctttg 180
acgcctcaac ccttagggg ttccgacct ggagggttagg tatgtggcg aagccccgga 240
ctctgggact ctcggtgcg accccgggac cctgaagcg gactggggag acgaagacac 300
ggttcgcgag acagagtac agagggactc agaaccgggt tctcgacaga ctctttgtc 360
cctctttggg agccgtacc cggggcagga gaggaagtg aaaaatagg cattagagac 420
agggactga cctgaggac tgagggtg 448

<210> 10
<211> 449
<212> DNA
<213> homo sapiens

<400> 10
gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact cttagccag 120
gcgagcact cataggtcct tcttctggg atgtatcaa cctctccct ctttctttg 180
acgcctcaac ccttagggg ttccgacct gaggggttag gtatgtggcg gaagccccg 240
actctgggac tctcggtgcg gacccggga cctgaagcg ggactggga gacgaagaca 300
cggttcgga gacagagta cagagggact cagaaccggg ttctcgacag actctttgt 360
ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaatagg gcattagaga 420
cagggacttg acctgaggga ctgagggtg 449

<210> 11
<211> 449
<212> DNA
<213> homo sapiens

<400> 11
gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact cttagccag 120
gcgagcact cataggtcct tcttctggg atgtatcaa cctctccct ctttctttg 180
acgcctcaac ccttagggg ttccgacct gaggggttag gtatgtggcg gaagccccg 240
actctgggac tctcggtgcg gacccggga cctgaagcg ggactggga gacgaagaca 300
cggttcgga gacagagta cagagggact cagaaccggg ttctcgacag actctttgt 360
ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaatagg gcattagaga 420

cagggacttg acctgaggga ctgagggtg 449

<210> 12
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 12
 gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatcaa cctctccct ctttctttg 180
 acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcgggtcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgcga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgta 360
 ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaaatagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 13
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 13
 gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatcaa cctctccct ctttctttg 180
 acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcgggtcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgcga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgta 360
 ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaaatagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 14
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 14
 gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatcaa cctctccct ctttctttg 180
 acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcgggtcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgcga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgta 360
 ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaaatagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 15
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 15

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttgtcgtg 60
cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct ctttctttg 180
acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
actctgggac tctcgtgcg gaccccgga cctgaagcg ggactgggga gacgaagaca 300
cggttcgcga gacagagta cagagggact tagaaccggg ttctcgacag actctttgt 360
ccctctttg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
cagggacttg acctgaggga ctgaggggtg 449

```

<210> 16
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 16

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttgtcgtg 60
cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct ctttctttg 180
acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
actctgggac tctcgtgcg gaccccgga cctgaagcg ggactgggga gacgaagaca 300
cggttcgcga gacagagta cagagggact tagaaccggg ttctcgacag actctttgt 360
ccctctttg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
cagggacttg acctgaggga ctgaggggtg 449

```

<210> 17
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 17

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttgtcgtg 60
cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct ctttctttg 180
acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
actctgggac tctcgtgcg gaccccgga cctgaagcg ggactgggga gacgaagaca 300
cggttcgcga gacagagta cagagggact tagaaccggg ttctcgacag actctttgt 360
ccctctttg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
cagggacttg acctgaggga ctgaggggtg 449

```

<210> 18

<211> 449
 <212> DNA
 <213> homo sapiens

<400> 18

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttgtcgtg 60
cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
gcgcagcaact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
actctgggac tctcgtgctg gaccccgga ccctgaagcg ggactgggga gacgaagaca 300
cggttcgcga gacagagtta cagagggact tagaaccggg ttctcgacag actctttgtt 360
ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
cagggaacttg acctgaggga ctgagggtg 449
  
```

<210> 19
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 19

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttgtcgtg 60
cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
gcgcagcaact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
actctgggac tctcgtgctg gaccccgga ccctgaagcg ggactgggga gacgaagaca 300
cggttcgcga gacagagtta cagagggact tagaaccggg ttctcgacag actctttgtt 360
ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
cagggaacttg acctgaggga ctgagggtg 449
  
```

<210> 20
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 20

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttgtcgtg 60
cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
gcgcagcaact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
actctgggac tctcgtgctg gaccccgga ccctgaagcg ggactgggga gacgaagaca 300
cggttcgcga gacagagtta cagagggact tagaaccggg ttctcgacag actctttgtt 360
ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
cagggaacttg acctgaggga ctgagggtg 449
  
```

<210> 21
 <211> 449

<212> DNA

<213> homo sapiens

<400> 21

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgtgg   60
cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact ctgacccag   120
gcgcagcact cataggtcct tcttctggg atgtatcaa cegtctcct cttttctttg   180
acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg   240
actctgggac tctcgggtcg gacccggga cctgaagcg ggactgggga gacgaggaca   300
cggttcgaga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt   360
ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga   420
cagggacttg acctgaggga ctgagggtg                               449

```

<210> 22

<211> 449

<212> DNA

<213> homo sapiens

<400> 22

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgtgg   60
cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact ctgacccag   120
gcgcagcact cataggtcct tcttctggg atgtatcaa cegtctcct cttttctttg   180
acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg   240
actctgggac tctcgggtcg gacccggga cctgaagcg ggactgggga gacgaggaca   300
cggttcgaga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt   360
ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaaatagg gcattagaga   420
cagggacttg acctgaggga ctgagggtg                               449

```

<210> 23

<211> 449

<212> DNA

<213> homo sapiens

<400> 23

```

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgtgg   60
cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact ctgacccag   120
gcgcagcact cataggtcct tcttctggg atgtatcaa cegtctcct cttttctttg   180
acgcctcaac ccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg   240
actctgggac tctcgggtcg gacccggga cctgaagcg ggactgggga gacgaggaca   300
cggttcgaga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt   360
ccctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaaatagg gcattagaga   420
cagggacttg acctgaggga ctgagggtg                               449

```

<210> 24

<211> 449

<212> DNA

<213> homo sapiens

<400> 24

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgtg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
 acgcctcaac ccttagggg ttccgacct gaggggttag gtatatggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgga gacagagta cagagggact cagaaccggg ttctcgacag actcttgg 360
 cctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaaatagg gcattagaga 420
 cagggacttg acctgaggga ctgaggggtg 449

<210> 25

<211> 449

<212> DNA

<213> homo sapiens

<400> 25

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgtg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
 acgcctcaac ccttagggg ttccgacct gaggggttag gtatatggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgga gacagagta cagagggact cagaaccggg ttctcgacag actcttgg 360
 cctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaaatagg gcattagaga 420
 cagggacttg acctgaggga ctgaggggtg 449

<210> 26

<211> 449

<212> DNA

<213> homo sapiens

<400> 26

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgtg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
 acgcctcaac ccttagggg ttccgacct gaggggttag gtatatggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgga gacagagta cagagggact cagaaccggg ttctcgacag actcttgg 360
 cctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaaatagg gcattagaga 420
 cagggacttg acctgaggga ctgaggggtg 449

<210> 27

<211> 449

<212> DNA

<213> homo sapiens

<400> 27

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact ctgacccag 120
 gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgta 360
 ccctcttgg gagccgtacc cggggcaggg agaggaaagt gaaaatagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 28

<211> 449

<212> DNA

<213> homo sapiens

<400> 28

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact ctgacccag 120
 gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgaga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 ccctcttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 29

<211> 449

<212> DNA

<213> homo sapiens

<400> 29

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact ctgacccag 120
 gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgaga gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 ccctcttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 30

<211> 449

<212> DNA

<213> homo sapiens

<400> 30

gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact ctgacccag 120
 gcgcagcact cataggtcct tcttctggg atgtatcaa cctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga ccatgaagcg ggactgggga gacgaggaca 300
 cggttcgca gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 ccctctttgg gacccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 31
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 31
 gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact ctgacccag 120
 gcgcagcact cataggtcct tcttctggg atgtatcaa cctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga ccatgaagcg ggactgggga gacgaggaca 300
 cggttcgca gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 ccctctttgg gacccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 32
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 32
 gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact ctgacccag 120
 gcgcagcact cataggtcct tcttctggg atgtatcaa cctctccct cttttcttg 180
 acgcctcaac cccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga ccatgaagcg ggactgggga gacgaggaca 300
 cggttcgca gacagagtta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 ccctctttgg gacccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 33
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 33
 gagccgcaga cccctcttag actcagggcc acccacgcac gcctgaaatc ttggcgctgg 60

cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
 acgcctcaac ccttagggg ttccgacct gaggggttag gtatgtggcg gaagccccgg 240
 actctgggac tctcgtgcg gaccccgga ccatgaagcg ggactgggga gacgaggaca 300
 cggctcgcga gacagagta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 cctcttttg gaccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 34
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 34
 gagccgcaga cccctcttag actcagggcc acccagcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
 acgcctcaac ccttagggg ttccgacct gaggggttag gtatgtggcg gaagccccgg 240
 actctgggac tctcgtgcg gaccccgga ccatgaagcg ggactgggga gacgaggaca 300
 cggctcgcga gacagagta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 cctcttttg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 35
 <211> 18
 <212> DNA
 <213> homo sapiens

<400> 35
 acccggaag ccggcct 18

<210> 36
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 36
 gagccgcaga cccctcttag actcagggcc acccagcac gcctgaaatc ttggcgctgg 60
 cgctgctgtg actaaccgaa gagacctttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatccaa cctctccct cttttcttg 180
 acgcctcaac ccttagggg ttccgacct gaggggttag gtatgtggcg gaagccccgg 240
 actctgggac tctcgtgcg gaccccgga ccatgaagcg ggactgggga gacgaggaca 300
 cggctcgcga gacagagta cagagggact cagaaccggg ttctcgacag actctttgtt 360
 cctcttttg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 37
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 37
 gagccgcaga ccctcttag actcagggcc acccagcac gcctgaaac ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatcaa ccgtctcct ctttctttg 180
 acgcctcaac cccttagggg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgca gacagagta cagagggact cagaaccggg tctcgacag actctttgtt 360
 cctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 38
 <211> 449
 <212> DNA
 <213> homo sapiens

<400> 38
 gagccgcaga ccctcttag actcagggcc acccagcac gcctgaaac ttggcgctgg 60
 cgctgctgtg actaaccgaa gagaccttg ggctgtgggt taccctcact cttgaccag 120
 gcgcagcact cataggtcct tcttctggg atgtatcaa ccctctcct ctttctttg 180
 acgcctcaac cccttagagg ttccgacct gaggggtag gtatgtggcg gaagccccgg 240
 actctgggac tctcggtgcg gaccccgga cctgaagcg ggactgggga gacgaggaca 300
 cggttcgca gacagagta cagagggact cagaaccggg tctcgacag actctttgtt 360
 cctctttgg gagccgtacc cggggcaggg agaggaaagt gaaaagtagg gcattagaga 420
 cagggacttg acctgaggga ctgagggtg 449

<210> 39
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 39
 gtgagtgagg ggctggagg gaaacggcct ctgtggggag aagcaagggg cccgcctggc 60
 gggggcgag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
 tcgccccag 130

<210> 40
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 40

```

gtgagtgcgg ggtcgggagg gaaaccgcct ctgcggggag aagcaagggg ccctcctggc 60
ggggggcgag gaccggggga gccgcgccgg gaggaggggc gggcaggtct cagccactgc 120
tcgccccag                                     130

```

<210> 41
 <211> 130
 <212> DNA
 <213> homo sapiens

```

<400> 41
gtgagtgcgg ggtcgggagg gaaaccgcct ctgcggggag aagcaagggg ccctcctggc 60
ggggggcgag gaccggggga gccgcgccgg gaggaggggc gggcaggtct cagccactgc 120
tcgccccag                                     130

```

<210> 42
 <211> 130
 <212> DNA
 <213> homo sapiens

```

<400> 42
gtgagtgcgg ggtcgggagg gaaaccgcct ctgcggggag aagcaagggg ccctcctggc 60
ggggggcgag gaccggggga gccgcgccgg gaggaggggc gggcaggtct cagccactgc 120
tcgccccag                                     130

```

<210> 43
 <211> 130
 <212> DNA
 <213> homo sapiens

```

<400> 43
gtgagtgcgg ggtcgggagg gaaaccgcct ctgcggggag aagcaagggg ccctcctggc 60
ggggggcgag gaccggggga gccgcgccgg gaggaggggc gggcaggtct cagccactgc 120
tcgccccag                                     130

```

<210> 44
 <211> 130
 <212> DNA
 <213> homo sapiens

```

<400> 44
gtgagtgcgg ggtcgggagg gaaaccgcct ctgcggggag aagcaagggg ccctcctggc 60
ggggggcgag gaccggggga gccgcgccgg gaggaggggc ggtcaggtct cagccactgc 120
tcgccccag                                     130

```

<210> 45
 <211> 130

<212> DNA

<213> homo sapiens

<400> 45

```
gtgagtgcgg ggtcgggagg gaaaccgcct ctgcggggag aagcaagggg ccctcctggc 60
ggggggcgag gaccggggga gccgcgccgg gaggagggtc ggtcagggtc cagccactgc 120
tcgccccag                                     130
```

<210> 46

<211> 130

<212> DNA

<213> homo sapiens

<400> 46

```
gtgagtgcgg ggtcgggagg gaaaccgcct ctgcggggag aagcaagggg ccctcctggc 60
ggggggcgag gaccggggga gccgcgccgg gaggagggtc ggtcagggtc cagccactgc 120
tcgccccag                                     130
```

<210> 47

<211> 130

<212> DNA

<213> homo sapiens

<400> 47

```
gtgagtgcgg ggtcgggagg gaaaccgcct ctgtggggag aagcaacggg cccgcctggc 60
ggggggcgag gaccggggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag                                     130
```

<210> 48

<211> 130

<212> DNA

<213> homo sapiens

<400> 48

```
gtgagtgcgg ggtcgggagg gaaaccgcct ctgtggggag aagcaacggg cccgcctggc 60
ggggggcgag gaccggggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag                                     130
```

<210> 49

<211> 130

<212> DNA

<213> homo sapiens

<400> 49

```
gtgagtgcgg ggtcgggagg gaaaccgcct ctgtggggag aagcaacggg cccgcctggc 60
ggggggcgag gaccggggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
```

<210> 50
<211> 130
<212> DNA
<213> homo sapiens

<400> 50
gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
ggggggcgag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag 130

<210> 51
<211> 130
<212> DNA
<213> homo sapiens

<400> 51
gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
ggggggcgag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag 130

<210> 52
<211> 130
<212> DNA
<213> homo sapiens

<400> 52
gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
ggggggcgag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag 130

<210> 53
<211> 130
<212> DNA
<213> homo sapiens

<400> 53
gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
ggggggcgag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag 130

<210> 54
<211> 130
<212> DNA
<213> homo sapiens

<400> 54

gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
gggggcgcag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtcccag 130

<210> 55

<211> 130

<212> DNA

<213> homo sapiens

<400> 55

gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
gggggcgcag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtcccag 130

<210> 56

<211> 130

<212> DNA

<213> homo sapiens

<400> 56

gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
gggggcgcag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtcccag 130

<210> 57

<211> 130

<212> DNA

<213> homo sapiens

<400> 57

gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
gggggcgcag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtcccag 130

<210> 58

<211> 130

<212> DNA

<213> homo sapiens

<400> 58

gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
gggggcgcag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtcccag 130

<210> 59

<211> 130
 <212> DNA
 <213> homo sapiens

<400> 59

```
gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
ggggg'gcag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtcccag 130
```

<210> 60
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 60

```
gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaacggg cccgcctggc 60
ggggg'gcag gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtcccag 130
```

<210> 61
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 61

```
gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaagggg cccgcccggc 60
ggggg'gcag gacccgggaa gccgcgccgt gaggagggtc gggcgggtct cagccactcc 120
tcgccccag 130
```

<210> 62
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 62

```
gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaagg gg cccgcccggc 60
ggggg'gcag gacccgggaa gccgcgccgt gaggagggtc gggcgggtct cagccactcc 120
tcgccccag 130
```

<210> 63
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 63

```
gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaagggg cccgcccggc 60
```

gggggagcag gacccgggaa gccgcgcctg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag 130

<210> 64
<211> 130
<212> DNA
<213> homo sapiens

<400> 64
gtgagtgcgg ggtcgggagg gaaacggcct ctgcggggag aagcaagggg ccgcctggc 60
gggggagcaa gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag 130

<210> 65
<211> 130
<212> DNA
<213> homo sapiens

<400> 65
gtgagtgcgg ggtcgggagg gaaacggcct ctgcggggag aagcaagggg ccgcctggc 60
gggggagcaa gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag 130

<210> 66
<211> 130
<212> DNA
<213> homo sapiens

<400> 66
gtgagtgcgg ggtcgggagg gaaacggcct ctgcggggag aagcaagggg ccgcctggc 60
gggggagcaa gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag 130

<210> 67
<211> 130
<212> DNA
<213> homo sapiens

<400> 67
gtgagtgcgg ggtcgggagg gaaacggcct ctgcggggag aagcaagggg ccgcctggc 60
gggggagcaa gacccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc 120
tcgtccccag 130

<210> 68
<211> 130
<212> DNA

<213> homo sapiens

<400> 68

```

gtgagtgcgg ggtcgggagg gaaacggcct ctgcggggag aagcaagggg cccgcctggc   60
gggggcgcaa gaccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc   120
tcgtcccag                                     130

```

<210> 69

<211> 130

<212> DNA

<213> homo sapiens

<400> 69

```

gtgagtgcgg ggtcgggagg gaaacggcct ctgcggggag aagcaagggg cccgcctggc   60
gggggcgcaa gaccgggaa gccgcgccgg gaggagggtc gggcgggtct cagccactcc   120
tcgtcccag                                     130

```

<210> 70

<211> 129

<212> DNA

<213> homo sapiens

<400> 70

```

gtgagtgcgg ggtcgtgggg aaaccgcctc tgcggggaga agcaaggggc ccgcccggcg   60
gggacgcagg acccggttag ccgcgccggg aggagggtcg ggtgggtctc agccactct   120
cgccccag                                     129

```

<210> 71

<211> 130

<212> DNA

<213> homo sapiens

<400> 71

```

gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaagggg cccgcccggc   60
gggggcgcag gaccgggaa gccgcgcctg gaggagggtc gggcgggtct cagccactcc   120
tcgccccag                                     130

```

<210> 72

<211> 130

<212> DNA

<213> homo sapiens

<400> 72

```

gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaagggg cccgcccggc   60
gggggcgcag gaccgggaa gccgcgcctg gaggagggtc gggcgggtct cagccactcc   120
tcgccccag                                     130

```

<210> 73
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 73
 gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaagggg cccgcccggc 60
 gggggcgag gacccgggaa gccgcgcctg gaggagggtc gggcgggtct cagccactcc 120
 tcgccccag 130

<210> 74
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 74
 gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaagggg cccgcccggc 60
 gggggcgag gacccgggaa gccgcgcctg gaggagggtc gggcgggtct cagccactcc 120
 tcgccccag 130

<210> 75
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 75
 gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaagggg cccgcccggc 60
 gggggcgag gacccgggaa gccgcgcctg gaggagggtc gggcgggtct cagccactcc 120
 tcgccccag 130

<210> 76
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 76
 gtgagtgcgg ggtcgggagg gaaacggcct ctgtggggag aagcaagggg cccgcccggc 60
 gggggcgag gacccgggaa gccgcgcctg gaggagggtc gggcgggtct cagccactcc 120
 tcgccccag 130

<210> 77
 <211> 129
 <212> DNA
 <213> homo sapiens

<400> 77

gtgagtgcgg ggctgtgggg aaaccgcctc tgcggggaga agcaaggggc cgcgccggcg 60
 gggacgcagg acccgggtag ccgcgccggg aggagggtcg ggtgggtctc agccactcct 120
 cgccccag 129

<210> 78

<211> 129

<212> DNA

<213> homo sapiens

<400> 78

gtgagtgcgg ggctgtgggg aaaccgcctc tgcggggaga agcaaggggc cgcgccggcg 60
 gggacgcagg acccgggtag ccgcgccggg aggagggtcg ggtgggtctc agccactcct 120
 cgccccag 129

<210> 79

<211> 129

<212> DNA

<213> homo sapiens

<400> 79

gtgagtgcgg ggctgtgggg aaaccgcctc tgcggggaga agcaaggggc cgcgccggcg 60
 ggggcgcagg acccgggtag ccgcgccggg aggagggtcg ggcggatctc agccactcct 120
 cgccccag 129

<210> 80

<211> 129

<212> DNA

<213> homo sapiens

<400> 80

gtgagtgcgg ggctgtgggg aaaccgcctc tgcggggaga agcaaggggc cgcgccggcg 60
 ggggcgcagg acccgggtag ccgcgccggg aggagggtcg ggcggatctc agccactcct 120
 cgccccag 129

<210> 81

<211> 129

<212> DNA

<213> homo sapiens

<400> 81

gtgagtgcgg ggctgtgggg aaaccgcctc tgcggggaga agcaaggggc cgcgccggcg 60
 ggggcgcagg acccgggtag ccgcgccggg aggagggtcg ggcggatctc agccactcct 120
 cgccccag 129

<210> 82

<211> 129

<212> DNA
 <213> homo sapiens

<400> 82

```
gtgagtgcgg ggtcgtgggg aaaccgcctc tgcggggaga agcaaggggc ccgcccggcg 60
ggggcgcagg acccgggtag ccgcgccggg aggagggtcg ggcggatctc agccactcct 120
cgccccag 129
```

<210> 83
 <211> 129
 <212> DNA
 <213> homo sapiens

<400> 83

```
gtgagtgcgg ggtcgtgggg aaaccgcctc tgcggggaga agcaaggggc ccgcccggcg 60
ggggcgcagg acccgggtag ccgcgccggg aggagggtcg ggcgggtctc agccactcct 120
cgccccag 129
```

<210> 84
 <211> 129
 <212> DNA
 <213> homo sapiens

<400> 84

```
gtgagtgcgg ggtcgtgggg aaaccgcctc tgcggggaga agcaaggggc ccgcccggcg 60
ggggcgcagg acccgggtag ccgcgccggg aggagggtcg ggcgggtctc agccactcct 120
cgccccag 129
```

<210> 85
 <211> 129
 <212> DNA
 <213> homo sapiens

<400> 85

```
gtgagtgcgg ggtcgtgggg aaaccgcctc tgcggggaga agcaaggggc tcgcccggcg 60
ggggcgcagg acccgggtag ccgcgccggg aggagggtcg ggcgggtctc agccactcct 120
cgccccag 129
```

<210> 86
 <211> 130
 <212> DNA
 <213> homo sapiens

<400> 86

```
gtgagtgcgg ggtcgggagg gaaacggcct ctgcggggag aagcaagggg cccgcccggc 60
ggggcgcagg gacccgggaa gccgcgccgg gaggagggtc ggcgggtct cagccactcc 120
```

tcgccccag

130

<210> 87

<211> 241

<212> DNA

<213> homo sapiens

<400> 87

gtgagtgacc ccggcccggg gcgcaggta cgacccctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccac ccgaagccg cgggacccg agacccttgc 120
ccggggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccgggttggg cggggccggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca 240
g 241

<210> 88

<211> 241

<212> DNA

<213> homo sapiens

<400> 88

gtgagtgacc ccggcccggg gcgcaggta cgacccctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccac ccgaagccg cgggactccg agacccttgc 120
ccggggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccgggttggg cggggccggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca 240
g 241

<210> 89

<211> 241

<212> DNA

<213> homo sapiens

<400> 89

gtgagtgacc ccggcccggg gcgcaggta cgacctctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccgc ccgaagccg cgggacccg agacccttgc 120
ccggggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccaggttggg cggggccggg cggggctcgg gggaccgggc tgaccgcggg gtcggggcca 240
g 241

<210> 90

<211> 241

<212> DNA

<213> homo sapiens

<400> 90

gtgagtgacc ccggcccggg gcgcaggta cgacctctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccgc ccgaagccg cgggacccg agacccttgc 120

cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccaggttggt cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca 240
g 241

<210> 91
<211> 241
<212> DNA
<213> homo sapiens

<400> 91
gtgagtacc cgggccggg ggcaggtca cgacctca tccccacgg acgggccagg 60
tcgccacag tctcgggtc cgagatccgc ccgaagccg cgggacccc agaccctgc 120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccaggttggt cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca 240
g 241

<210> 92
<211> 241
<212> DNA
<213> homo sapiens

<400> 92
gtgagtacc cgggccggg ggcaggtca cgacctca tccccacgg acgggccagg 60
tcgccacag tctcgggtc cgagatccgc ccgaagccg cgggacccc agaccctgc 120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccaggttggt cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca 240
g 241

<210> 93
<211> 241
<212> DNA
<213> homo sapiens

<400> 93
gtgagtacc cgggccggg ggcaggtca cgacctca tccccacgg acgggccagg 60
tcgccacag tctcgggtc cgagatccgc ccgaagccg cgggacccc agaccctgc 120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccaggttggt cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca 240
g 241

<210> 94
<211> 241
<212> DNA
<213> homo sapiens

<400> 94

```

gtgagtgacc ccggcccggg ggcaggtca cgacctctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccgc cccgaagccg cgggacccc agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccaggttggt cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca 240
g
241

```

<210> 95
 <211> 241
 <212> DNA
 <213> homo sapiens

```

<400> 95
gtgagtgacc ccggcccggg ggcaggtca cgacctctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccgc cccgaagccg cgggacccc agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccaggttggt cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca 240
g
241

```

<210> 96
 <211> 241
 <212> DNA
 <213> homo sapiens

```

<400> 96
gtgagtgacc ccggcccggg ggcaggtca cgacctctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccgc cccgaagccg cgggacccc agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccaggttggt cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca 240
g
241

```

<210> 97
 <211> 241
 <212> DNA
 <213> homo sapiens

```

<400> 97
gtgagtgacc ccggcccggg ggcaggtca cgacctctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccgc cccgaagccg cgggacccc agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccaggttggt cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca 240
g
241

```

<210> 98
 <211> 241
 <212> DNA
 <213> homo sapiens

<400> 98

```

gtgagtgacc cgggcccggg gcgcaggta cgaactctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccgc ccgaagccg cgggaccccg agacccttgc   120
ccggggagag gccaggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc   180
ccaggttggg cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca   240
g

```

<210> 99

<211> 241

<212> DNA

<213> homo sapiens

<400> 99

```

gtgagtgacc cgggcccggg gcgcaggta cgaactctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccgc ccgaagccg cgggaccccg agacccttgc   120
ccggggagag gccaggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc   180
ccaggttggg cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca   240
g

```

<210> 100

<211> 241

<212> DNA

<213> homo sapiens

<400> 100

```

gtgagtgacc cgggcccggg gcgcaggta cgaactctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccgc ccgaagccg cgggaccccg agacccttgc   120
ccggggagag gccaggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc   180
ccaggttggg cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca   240
g

```

<210> 101

<211> 241

<212> DNA

<213> homo sapiens

<400> 101

```

gtgagtgacc cgggcccggg gcgcaggta cgaactctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccgc ccgaagccg cgggaccccg agacccttgc   120
ccggggagag gccaggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc   180
ccaggttggg cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtccgggcca   240
g

```

<210> 102

<211> 241

<212> DNA

<213> homo sapiens

<400> 102

```

gtgagtgacc ccggcccggg ggcaggtca cgacccctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccgc cccgaagccg cgggacccc agacccttgc   120
cccgaggag gcccaggcgc cttaccggg ttcatcttc agtttaggc aaaaatcccc   180
ccgggttggg cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca   240
g                                     241

```

<210> 103

<211> 241

<212> DNA

<213> homo sapiens

<400> 103

```

gtgagtgacc ccggcccggg ggcaggtca cgacccctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccgc cccgaagccg cgggacccc agacccttgc   120
cccgaggag gcccaggcgc cttaccggg ttcatcttc agtttaggc aaaaatcccc   180
ccgggttggg cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca   240
g                                     241

```

<210> 104

<211> 241

<212> DNA

<213> homo sapiens

<400> 104

```

gtgagtgacc ccggcccggg ggcaggtca cgacctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccgc cccgaagccg cgggacccc agacccttgc   120
cccgaggag gcccaggcgc cttaccggg ttcatcttc agtttaggc aaaaatcccc   180
ccaggttggg cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca   240
g                                     241

```

<210> 105

<211> 241

<212> DNA

<213> homo sapiens

<400> 105

```

gtgagtgacc ccggcccggg ggcaggtca cgacccctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccgc cccgaagccg cgggacccc agacccttgc   120
cccgaggag gcccaggcgc cttaccggg ttcatcttc agtttaggc aaaaatcccc   180
ccgggttggg cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca   240
g                                     241

```

<210> 106

<211> 241
 <212> DNA
 <213> homo sapiens

<400> 106

```
gtgagtgacc cgggcccggg gcgcaggta cgaacctca tccccacgg acgggccagg 60
tcgccacag tctccgggtc cgagatccgc cccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca 240
g                                     241
```

<210> 107
 <211> 241
 <212> DNA
 <213> homo sapiens

<400> 107

```
gtgagtgacc cgggcccggg gcgcaggta cgaacctca tccccacgg acgggccagg 60
tcgccacag tctccgggtc cgagatccgc cccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca 240
g                                     241
```

<210> 108
 <211> 241
 <212> DNA
 <213> homo sapiens

<400> 108

```
gtgagtgacc cgggcccggg gcgcaggta cgaacctca tccccacgg acgggccagg 60
tcgccacag tctccgggtc cgagatccgc cccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca 240
g                                     241
```

<210> 109
 <211> 241
 <212> DNA
 <213> homo sapiens

<400> 109

```
gtgagtgacc cgggcccggg gcgcaggta cgaacctca tccccacgg acgggccagg 60
tcgccacag tctccgggtc cgagatccgc cccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca 240
g                                     241
```

<210> 110
<211> 241
<212> DNA
<213> homo sapiens

<400> 110
gtgagtgacc ccggcccggg gcgcaggtea cgacccctca tccccacgg acgggccagg 60
tcgccacag tctccgggtc cgagatccgc cccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc ctttaccgg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca 240
g 241

<210> 111
<211> 241
<212> DNA
<213> homo sapiens

<400> 111
gtgagtgacc ccggcccggg gcgcaggtea cgacctctca tccccacgg acgggccggg 60
tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc ctttaccgg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggcgggg cggggctcgg gggaccgggc tgacctcggg gtccgggcca 240
g 241

<210> 112
<211> 241
<212> DNA
<213> homo sapiens

<400> 112
gtgagtgacc ccggcccggg gcgcaggtea cgacctctca tccccacgg acgggccggg 60
tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc ctttaccgg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggccgga cggggctcgg gggactgggc tgacctggg gtcggggcca 240
g 241

<210> 113
<211> 241
<212> DNA
<213> homo sapiens

<400> 113
gtgagtgacc ccggcccggg gcgcaggtea cgacctctca tccccacgg acgggccggg 60
tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc ctttaccgg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggccgga cggggctcgg gggactgggc tgacctggg gtcggggcca 240

g

241

<210> 114
<211> 241
<212> DNA
<213> homo sapiens

<400> 114

gtgagtgacc ccagccccggg gcgcaggta cgacctctca tccccacgg acgggccagg 60
tcaccacag tctccgggtc cgagatccac cccgaagccg cgggacccc agacccttgc 120
cccgggagag gccagggcgc ctttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggccgga cggggctcgg gggactgggc tgaccgtggg gtcggggcca 240
g 241

<210> 115
<211> 241
<212> DNA
<213> homo sapiens

<400> 115

gtgagtgacc ccgccccggg gcgcaggta cgacctctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccac cccgaagccg cgggacccc agacccttgc 120
cccgggagag gccagggcgc ctttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggccgga cggggctcgg gggactgggc tgaccgtggg gtcggggcca 240
g 241

<210> 116
<211> 241
<212> DNA
<213> homo sapiens

<400> 116

gtgagtgacc ccagccccggg gcgcaggta cgacctctca tccccacgg acgggccagg 60
tcaccacag tctccgggtc cgagatccac cccgaagccg cgggacccc agacccttgc 120
cccgggagag gccagggcgc ctttaccggg ttctatttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggccgga cggggctcgg gggactgggc tgaccgtggg gtcggggcca 240
g 241

<210> 117
<211> 241
<212> DNA
<213> homo sapiens

<400> 117

gtgagtgacc ccagccccggg gcgcaggta cgacctctca tccccacgg acgggccagg 60
tcaccacag tctccgggtc cgagatccac cccgaagccg cgggacccc agacccttgc 120

cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggccgga cggggctcgg gggactgggc tgaccgtggg gtcggggcca 240
g 241

<210> 118
<211> 241
<212> DNA
<213> homo sapiens

<400> 118
gtgagtacc ccggccgggg gcgcaggta ggacccctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccac ccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggccgga cggggctcgg gggactgggc tgaccgtggg gtcggggcca 240
g 241

<210> 119
<211> 241
<212> DNA
<213> homo sapiens

<400> 119
gtgagtacc ccggccgggg gcgcaggta cgacctctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccac ccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggccgga cggggctcgg gggactgggc tgaccgtggg gtcggggcca 240
g 241

<210> 120
<211> 241
<212> DNA
<213> homo sapiens

<400> 120
gtgagtacc ccggccgggg gcgcaggta ggacccctca tccccacgg acgggccagg 60
tcgcccacag tctccgggtc cgagatccac ccgaagccg cgggaccccg agacccttgc 120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggcc aaaaatcccc 180
ccgggttggt cggggccgga cggggctcgg gggactgggc tgaccgtggg gtcggggcca 240
g 241

<210> 121
<211> 241
<212> DNA
<213> homo sapiens

<400> 121

gtgagtgacc cgggcccggg gcgcaggta cgacccctca tccccacgg acgggccggg 60
 tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc 120
 cccgggagag gccagggcgc cttaaccggg ttcatcttc agtttaggcc aaaaatcccc 180
 ccgggttggt cggggccggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca 240
 g 241

<210> 122
 <211> 241
 <212> DNA
 <213> homo sapiens

<400> 122
 gtgagtgacc cgggcccggg gcgcaggta cgacccctca tccccacgg acgggccggg 60
 tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc 120
 cccgggagag gccagggcgc cttaaccggg ttcatcttc agtttaggcc aaaaatcccc 180
 ccgggttggt cggggccggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca 240
 g 241

<210> 123
 <211> 241
 <212> DNA
 <213> homo sapiens

<400> 123
 gtgagtgacc cgggcccggg gcgcaggta cgacccctca tccccacgg acgggccggg 60
 tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc 120
 cccgggagag gccagggcgc cttaaccggg ttcatcttc agtttaggcc aaaaatcccc 180
 ccgggttggt cggggccggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca 240
 g 241

<210> 124
 <211> 241
 <212> DNA
 <213> homo sapiens

<400> 124
 gtgagtgacc cgggcccggg gcgcaggta cgacccctca tccccacgg acgggccggg 60
 tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc 120
 cccgggagag gccagggcgc cttaaccggg ttcatcttc agtttaggcc aaaaatcccc 180
 ccgggttggt cggggccggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca 240
 g 241

<210> 125
 <211> 241
 <212> DNA
 <213> homo sapiens

<400> 125

```

gtgagtgacc ccggcccggg gcgcaggta cgaacctca tccccacgg acgggccggg   60
tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc  120
cccgggagag gccagggcgc cttaacccgg ttccatttc agtttaggcc aaaaatcccc  180
ccgggttggt cggggccggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca  240
g                                     241

```

<210> 126

<211> 241

<212> DNA

<213> homo sapiens

<400> 126

```

gtgagtgacc ccggcccggg gcgcaggta cgaacctca tccccacgg acgggccggg   60
tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc  120
cccgggagag gccagggcgc cttaacccgg ttccatttc agtttaggcc aaaaatcccc  180
ccgggttggt cggggccggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca  240
g                                     241

```

<210> 127

<211> 241

<212> DNA

<213> homo sapiens

<400> 127

```

gtgagtgacc ccggcccggg gcgcaggta ggacctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc  120
cccgggagag gccagggcgc cttaacccgg ttccatttc agtttaggcc aaaaatcccc  180
ccgggttggt cggggctggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca  240
g                                     241

```

<210> 128

<211> 241

<212> DNA

<213> homo sapiens

<400> 128

```

gtgagtgacc ccggcccggg gcgcaggta cgaacctca tccccacgg acgggccagg   60
tggccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc  120
cccgggagag gccagggcgc cttaacccgg ttccatttc agtttaggcc aaaaatcccc  180
ccgggttggt cggggccggg cagggttgg gggactgggc tgaccgcggg gtcggggcca  240
g                                     241

```

<210> 129

<211> 241

<212> DNA

<213> homo sapiens

<400> 129

```

gtgagtgacc ccggcccggg gcgcaggta cgaacctca tccccacgg acgggccagg   60
tgccccacag tctccgggtc cgagatccac ccgaagccg cgggacccc agacccttc   120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggc aaaaatccc   180
ccgggttggt cggggccggg cagggttgg gggactgggc tgaccgcggg gtcggggcca   240
g                                     241

```

<210> 130

<211> 241

<212> DNA

<213> homo sapiens

<400> 130

```

gtgagtgacc ccggcccggg gcgcaggta cgaacctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccac ccgaagccg cgggacccc agacccttc   120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggc aaaaatccc   180
ccgggttggt cggggctggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca   240
g                                     241

```

<210> 131

<211> 241

<212> DNA

<213> homo sapiens

<400> 131

```

gtgagtgacc ccggcccggg gcgcaggta cgaacctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccac ccgaagccg cgggacccc agacccttc   120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggc aaaaatccc   180
ccgggttggt cggggctggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca   240
g                                     241

```

<210> 132

<211> 241

<212> DNA

<213> homo sapiens

<400> 132

```

gtgagtgacc ccggcccggg gcgcaggta cgaacctca tccccacgg acgggccagg   60
tcgccacag tctccgggtc cgagatccac ccgaagccg cgggacccc agacccttc   120
cccgggagag gccagggcgc cttaccggg ttcatcttc agtttaggc aaaaatccc   180
ccgggttggt cggggctggg cggggctcgg gggactgggc tgaccgcggg gtcggggcca   240
g                                     241

```

<210> 133

<211> 241
 <212> DNA
 <213> homo sapiens

<400> 133

```
gtgagtgacc ccggcccg ggcaggtca cgaccctca tcccctacg acgggccagg   60
tcgcccacag tctccgggtc cgagatccac cccgaagccg cgggaccccg agacccttgc  120
cccgaggagag gcccgaggc ctttagccgg ttcatcttc agtttaggcc aaaaatcccc  180
ccgggtgggt cggggcgggg cggggctcgg gggaccgggc tgaccgcggg gtcggggcca  240
g                                     241
```

<210> 134
 <211> 602
 <212> DNA
 <213> homo sapiens

<400> 134

```
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccgggc tggcctcca   60
caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtcctgaggg  120
agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct  180
gctctctgag cacaattaag ggataaaaat ctctgaagga atgacgggaa gacgatccct  240
cgaatactga tgagtggttc ctttgacac acaccggcag cagccttggg cccgtgactt  300
ttctctcag gccttgtct ctgttcaca ctcaatgtgt gtgggggtct gattccagca  360
cttctgagtc cctcagcct cactcaggtc aggaccagaa gtcgtgttc cctctcagg  420
gactagaatt ttcacggaa taggagatta tcccagggtc ctgtgtccag gctgtgtct  480
gggttctgtg ctccctccc catccagggt gtcctgtcca ttctcaagat agccacatgt  540
gtgctggagg agtgtccat gacagatgca aatgcctga atgttctgac tcttctgac  600
ag                                     602
```

<210> 135
 <211> 579
 <212> DNA
 <213> homo sapiens

<400> 135

```
gtaccagggg ccacggggcg cctccctgat cgcctataga tctccgggc tggcctcca   60
caaggagggg agacaattgg gaccaacact agaatacac cctccctctg gtcctgaggg  120
agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct  180
gctctctgag acaattaagg gataaaatct ctgaaggagt gacgggaaga cgatccctcg  240
aatactgatg agtggttccc ttgacaccg gcagcagcct tgggcccggt acttttctc  300
tcaggccttg ttctctgtt cactcaat gtgtgtgggg gtcctagtc agcacttctg  360
agtctctcag cctccactca ggtcaggacc agaagtcgt gttccctct cagggaatag  420
aagattatcc caggtgcctg gtccaggct ggtgtctggg ttctgtgtc tcttcccat  480
ccgggtgtc ctgtcatc tcaagatggc cacatgcgtg ctggtggagt gtccatgac  540
agatgcaaaa tgcctgaatt ttctgactct tccgctcag                                     579
```

<210> 136
 <211> 578
 <212> DNA
 <213> homo sapiens

<400> 136
 gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctcccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatacac cctccctctg gtctgaggg 120
 agaggaaacc tctgggttc cagatcctgt accagagagt gactctgagg ttccgcctg 180
 ctctctgaca caattaaggg ataaaatctc tgaaggagt acgggaagac gatccctga 240
 atactgatga gtgttccct ttgacaccgg cagcagcctt gggcccgtga ctttctct 300
 caggccttgt tctctgttc acactcaatg tgtgtggggg tctgagtcca gcacttctga 360
 gtcctcagc ctccactcag gtcaggacca gaagtcgtg ttcccttctc agggaataga 420
 agattatccc aggtgctgt gtccaggctg gtgtctgggt tctgtctct ctccccatc 480
 ccgggtgtcc tgccattct caagatggcc acatgcgtgc tgggtggagt tcccatgaca 540
 gatgcaaaat gctgaattt tctgactct cccgtcag 578

<210> 137
 <211> 579
 <212> DNA
 <213> homo sapiens

<400> 137
 gtaccagggg ccacggggcg cctccctgat cgcctataga tctcccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatacac cctccctctg gtctgaggg 120
 agaggaaacc tctgggttt ccagatcctg taccagagag tgactctgag gtccgcct 180
 gctctctgac acaattaagg gataaaatct ctgaaggagt gacgggaaga cgtccctcg 240
 aatactgatg agtggttccc ttgacaccg gcagcagcct tgggcccgtg acttttctc 300
 tcaggccttg ttctctgct cactcaat gtgtgtgggg gtctgagtc agcacttctg 360
 agtctctcag ctccactca ggtcaggacc agaagtcgt gtcccttct cagggaatag 420
 aagattatcc cagggtcctg tgtccaggct ggtgtctggg ttctgtctc tctcccat 480
 cccgggtgtc ctgtccattc tcaagatggc cacatgcgtg ctggtggagt gtcccatgac 540
 agatgcaaaa tgcctgaau tctgactct tcccgtcag 579

<210> 138
 <211> 579
 <212> DNA
 <213> homo sapiens

<400> 138
 gtaccagggg ccacggggcg cctccctgat cgcctataga tctcccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatacac cctccctctg gtctgaggg 120
 agaggaaacc tctgggttt ccagatcctg taccagagag tgactctgag gtccgcct 180
 gctctctgac acaattaagg gataaaatct ctgaaggagt gacgggaaga cgtccctcg 240
 aatactgatg agtggttccc ttgacaccg gcagcagcct tgggcccgtg acttttctc 300
 tcaggccttg ttctctgct cactcaat gtgtgtgggg gtctgagtc agcacttctg 360

agtctctcag cctccactca ggtcaggacc agaagtcgct gttcccttct cagggaatag 420
 aagattatcc caggtgcctg tgcacaggct ggtgtctggg ttctgtgctc tcttcccat 480
 cccgggtgct ctgtccattc tcaagatggc cacatgcgtg ctggtggagt gtcccatgac 540
 agatgcaaaa tgcctgaatt ttctgactct tcccgtcag 579

<210> 139
 <211> 579
 <212> DNA
 <213> homo sapiens

<400> 139
 gtaccagggg ccacggggcg ccttctgat cgcctgtaga tctccggggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatacac cctccctctg gtcctgaggg 120
 agaggaaatcc tcttgggttt ccagatcctg taccagagag tgactctgag gttccgccct 180
 gctctctgac acaattaagg gataaaatct ctgaaggagt gacgggaaga cgatccctcg 240
 aatactgatg agtggttccc ttgacaccg gcagcagcct tgggcccggtg acttttctc 300
 tcaggccttg ttcttgctt cacactcaat gtgtgtgggg gttctgagtc agcacttctg 360
 agtccctcag cctccactca ggtcaggacc agaagtcgct gttcccttct cagggaatag 420
 aagattatcc caggtgcctg tgcacaggct ggtgtctggg ttctgtgctc tcttcccat 480
 cccgggtgct ctgtccattc tcaagatggc cacatgcgtg ctggtggagt gtcccatgac 540
 agatgcaaaa tgcctgaatt ttctgactct tcccgtcag 579

<210> 140
 <211> 579
 <212> DNA
 <213> homo sapiens

<400> 140
 gtaccagggg ccacggggcg ccttctgat cgcctgtaga tctccggggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatacac cctccctctg gtcctgaggg 120
 agaggaaatcc tcttgggttt ccagatcctg taccagagag tgactctgag gttccgccct 180
 gctctctgac tcaattaagg gataaaatct ctgaaggagt gacgggaaga cgatccctcg 240
 aatactgatg agtggttccc ttgacaccg gcagcagcct tgggcccggtg acttttctc 300
 tcaggccttg ttcttgctt cacactcaat gtgtgtgggg gttctgagtc agcacttctg 360
 agtccctcag cctccactca ggtcaggacc agaagtcgct gttcccttct cagggaatag 420
 aagattatcc caggtgcctg tgcacaggct ggtgtctggg ttctgtgctc tcttcccat 480
 cccgggtgct ctgtccattc tcaagatggc cacatgcgtg ctggtggagt gtcccatgac 540
 agatgcaaaa tgcctgaatt ttctgactct tcccgtcag 579

<210> 141
 <211> 579
 <212> DNA
 <213> homo sapiens

<400> 141
 gtaccagggg ccacggggcg ccttctgat cgcctgtaga tctccggggc tggcctccca 60

caaggagggg agacaattgg gaccaacact agaatatcac cctccctctg gtcctgaggg 120
 agaggaaatcc tcttgggttt ccagatcctg taccagagag tgactctgag gttccgcct 180
 gctctctgac acaattaagg gataaaatct ctgaaggagt gacgggaaga cgtccctcg 240
 aatactgatg agtgggtccc ttgacaccg gcagcagcct tgggccctg actttctc 300
 tcaggccttg ttctctgct cactcaat gtgtgtggg gtctgagtc agcactctg 360
 agtccctcag cctccactca ggtcaggacc agaagtcgt gttccctct cagggaatag 420
 aagattatcc cagggtcctg tctcagggt ggtgtctgg ttctgtctc tctcccat 480
 cccgggtgtc ctgtccattc tcaagatggc cacatgcgt ctgtggagt gtcccatgac 540
 agatgcaaaa tgcctgaatt ttctgactt tcccgtag 579

<210> 142

<211> 600

<212> DNA

<213> homo sapiens

<400> 142

gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccgggc tggcctcca 60
 caaggagggg agacaattgg gaccaacact agaatatcgc cctccctctg gtcctgaggg 120
 agaggaaatcc tcttgggttt ccagatcctg taccagagag tgactctgag gttccgcct 180
 gctctctgac acaattaagg gataaaatct ctgaaggagt gacgggaaga cgtccctcg 240
 aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
 cctctcaggc cttgttctc gttcacact caatgtgtg gggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctccagtcag gaccagaagt cgtgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtctgg 480
 gttctgtgt ccttcccca tcccagggt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gatctgactc ttctgacag 600

<210> 143

<211> 600

<212> DNA

<213> homo sapiens

<400> 143

gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccgggc tggcctcca 60
 caaggagggg agacaattgg gaccaacact agaatatcgc cctccctctg gtcctgaggg 120
 agaggaaatcc tcttgggttt ccagatcctg taccagagag tgactctgag gttccgcct 180
 gctctctgac acaattaagg gataaaatct ctgaaggagt gacgggaaga cgtccctcg 240
 aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
 cctctcaggc cttgttctc gttcacact caatgtgtg gggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctccagtcag gaccagaagt cgtgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtctgg 480
 gttctgtgt ccttcccca tcccagggt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gatctgactc ttctgacag 600

<210> 144

<211> 600

<212> DNA

<213> homo sapiens

<400> 144

```

gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctcccgggc tggcctccca   60
caaggagggg agacaattgg gaccaacact agaatatcgc cctccctctg gtcctgaggg   120
agagggaatcc tctggggttt ccagatcctg taccagagag tgactctgag gttccgccct   180
gctctctgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgtccctcgc   240
aatactgatg agtgggtccc ttgacacac acaggcagca gccttggggc cgtgactttt   300
cctctcaggc cttgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact   360
tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga   420
ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtgtctgg   480
gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt   540
gctggaggag tgtccatga cagatgcaaa atgcctgaat gatctgactc ttctgacag   600

```

<210> 145

<211> 600

<212> DNA

<213> homo sapiens

<400> 145

```

gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctcccgggc tggcctccca   60
caaggagggg agacaattgg gaccaacact agaatatcgc cctccctctg gtcctgaggg   120
agagggaatcc tctggggttt ccagatcctg taccagagag tgactctgag gttccgccct   180
gctctctgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgtccctcgc   240
aatactgatg agtgggtccc ttgacacac acaggcagca gccttggggc cgtgactttt   300
cctctcaggc cttgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact   360
tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga   420
ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtgtctgg   480
gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt   540
gctggaggag tgtccatga cagatgcaaa atgcctgaat gatctgactc ttctgacag   600

```

<210> 146

<211> 600

<212> DNA

<213> homo sapiens

<400> 146

```

gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctcccgggc tggcctccca   60
caaggagggg agacaattgg gaccaacact agaatatcgc cctccctctg gtcctgaggg   120
agagggaatcc tctggggttt ccagatcctg taccagagag tgactctgag gttccgccct   180
gctctctgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgtccctcgc   240
aatactgatg agtgggtccc ttgacacac acaggcagca gccttggggc cgtgactttt   300
cctctcaggc cttgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact   360
tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga   420
ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtgtctgg   480

```

gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgtccatga cagatgcaaa atgctgaat gatctgactc ttctgacag 600

<210> 147
<211> 600
<212> DNA
<213> homo sapiens

<400> 147
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccgggc tggectccca 60
caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtctgaggg 120
agaggaaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgcct 180
gtctctgac acaattaagg gataaaatct ctgaaggat gacgggaaga cgatccctcg 240
aatactgatg agtgggtccc ttgacacac acaggcagca gcctggggcc cgtgactttt 300
cctctcagge ctgttctct gttcacact caatgtgtgt gggggctga gtccagcact 360
tctgagtcct tcagctcca ctcaggcag gaccagaagt cgtgttccc tctcaggga 420
ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccagge tgggtctgg 480
gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgtccatga cagatgcaaa atgctgaat gatctgactc ttctgacag 600

<210> 148
<211> 600
<212> DNA
<213> homo sapiens

<400> 148
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccgggc tggectccca 60
caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtctgaggg 120
agaggaaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgcct 180
gtctctgac acaattaagg gataaaatct ctgaaggat gacgggaaga cgatccctcg 240
aatactgatg agtgggtccc ttgacacac acaggcagca gcctggggcc cgtgactttt 300
cctctcagge ctgttctct gttcacact caatgtgtgt gggggctga gtccagcact 360
tctgagtcct tcagctcca ctcaggcag gaccagaagt cgtgttccc tctcaggga 420
ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccagge tgggtctgg 480
gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgtccatga cagatgcaaa atgctgaat gatctgactc ttctgacag 600

<210> 149
<211> 600
<212> DNA
<213> homo sapiens

<400> 149
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccgggc tggectccca 60
caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtctgaggg 120
agaggaaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgcct 180

gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
 ccttcaggc cttgttctct gcttcacact caatgtgtgt gggggtctga gtccagcact 360
 tctgagtctt tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gatctgactc ttctgacag 600

<210> 150

<211> 600

<212> DNA

<213> homo sapiens

<400> 150

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctcccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaataatgc cctccctctg gtctgagggg 120
 agaggaaatcc tctgggttt ccagatcctg taccagagag tgactctgag gttccgcct 180
 gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
 ccttcaggc cttgttctct gcttcacact caatgtgtgt gggggtctga gtccagcact 360
 tctgagtctt tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gatctgactc ttctgacag 600

<210> 151

<211> 600

<212> DNA

<213> homo sapiens

<400> 151

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctcccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaataatgc cctccctctg gtctgagggg 120
 agaggaaatcc tctgggttt ccagatcctg taccagagag tgactctgag gttccgcct 180
 gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
 ccttcaggc cttgttctct gcttcacact caatgtgtgt gggggtctga gtccagcact 360
 tctgagtctt tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gatctgactc ttctgacag 600

<210> 152

<211> 600

<212> DNA

<213> homo sapiens

<400> 152

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctcca 60
 caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtctgaggg 120
 agaggaaacc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
 gctctctgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
 cctctcaggc cttgttctct gcttcacact caatgtgtgt gggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgtgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtcttg 480
 gttctgtgct ccttcccca tcccagggt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtccatga cagatgcaa atgcctgaat gatctgactc ttctgacag 600

<210> 153

<211> 600

<212> DNA

<213> homo sapiens

<400> 153

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctcca 60
 caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtctgaggg 120
 agaggaaacc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
 gctctctgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
 cctctcaggc cttgttctct gcttcacact caatgtgtgt gggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgtgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtcttg 480
 gttctgtgct ccttcccca tcccagggt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtccatga cagatgcaa atgcctgaat gatctgactc ttctgacag 600

<210> 154

<211> 600

<212> DNA

<213> homo sapiens

<400> 154

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctcca 60
 caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtctgaggg 120
 agaggaaacc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
 gctctctgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
 cctctcaggc cttgttctct gcttcacact caatgtgtgt gggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgtgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtcttg 480
 gttctgtgct ccttcccca tcccagggt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtccatga cagatgcaa atgcctgaat gatctgactc ttctgacag 600

<210> 155
<211> 600
<212> DNA
<213> homo sapiens

<400> 155

```
gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtctgaggg 120
agagggaatcc tctggggtt ccagatcctg taccagagag tgactctgag gttccgcct 180
gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgateccctg 240
aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
cctctcagge cttgttctct gttcacact caatgtgtgt gggggtctga gtccagcact 360
tctgagtcce tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccagge tgggtcttgg 480
gttctgtgct ccttcccca tcccagggtg cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgtccatga cagatgcaa atgcctgaat gatctgactc ttctgacag 600
```

<210> 156
<211> 600
<212> DNA
<213> homo sapiens

<400> 156

```
gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtctgaggg 120
agagggaatcc tctggggtt ccagatcctg taccagagag tgactctgag gttccgcct 180
gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgateccctg 240
aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
cctctcagge cttgttctct gttcacact caatgtgtgt gggggtctga gtccagcact 360
tctgagtcce tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccagge tgggtcttgg 480
gttctgtgct ccttcccca tcccagggtg cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgtccatga cagatgcaa atgcctgaat gatctgactc ttctgacag 600
```

<210> 157
<211> 600
<212> DNA
<213> homo sapiens

<400> 157

```
gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtctgaggg 120
agagggaatcc tctggggtt ccagatcctg taccagagag tgactctgag gttccgcct 180
gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgateccctg 240
aatactgatg agtgggtccc ttgacacac acaggcagca gccttgggcc cgtgactttt 300
cctctcagge cttgttctct gttcacact caatgtgtgt gggggtctga gtccagcact 360
```

tctgagtcct tcagcctcca ctcagggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccagggtg cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtccatga cagatgcaaa atgcctgaat gatctgactc ttcctgacag 600

<210> 158
 <211> 579
 <212> DNA
 <213> homo sapiens

<400> 158
 gtaccagggg ccacggggcg cctacctgat cgctgtagg tctcccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtctgaggg 120
 agaggaaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
 gctctctgac acaattaagg gataaaatct ctgacggaat gacggaaaga cgatccctcg 240
 aatactgatg actggttccc ttgacaccg gcagcagcct tgggaccgtg acttttctc 300
 tcaggccttg ttctgtctt cacactcaat gtgtgtgggg gtctgagtc agcacttctg 360
 agtccctcag cctccactca ggtcaggacc agaagtcgt gtccctcct cagggaatag 420
 aagattatcc caggtgcctg tgtccaggct ggtgtctggg ttctgtgctc tcttcccat 480
 cccgggtgtc ctgtccattc tcaagatggc cacatgcatg ctggtggagt gtcccatgac 540
 agatgcaaaa tgcctgaatt ttctgactct tcccgtcag 579

<210> 159
 <211> 579
 <212> DNA
 <213> homo sapiens

<400> 159
 gtaccagggg ccacggggcg cctacctgat cgctgtagg tctcccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtctgaggg 120
 agaggaaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
 gctctctgac acaattaagg gataaaatct ctgacggaat gacggaaaga cgatccctcg 240
 aatactgatg actggttccc ttgacaccg gcagcagcct tgggaccgtg acttttctc 300
 tcaggccttg ttctgtctt cacactcaat gtgtgtgggg gtctgagtc agcacttctg 360
 agtccctcag cctccactca ggtcaggacc agaagtcgt gtccctcct cagggaatag 420
 aagattatcc caggtgcctg tgtccaggct ggtgtctggg ttctgtgctc tcttcccat 480
 cccgggtgtc ctgtccattc tcaagatggc cacatgcatg ctggtggagt gtcccatgac 540
 agatgcaaaa tgcctgaatt ttctgactct tcccgtcag 579

<210> 160
 <211> 579
 <212> DNA
 <213> homo sapiens

<400> 160
 gtaccagggg ccacggggcg cctacctgat cgctgtagg tctcccgggc tggcctccca 60

```

caaggagggg agacaattgg gaccaacact agaataatgc cctccctctg gtctgaggg 120
agagggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
gctctctgac acaattaagg gataaaatct ctgacggaat gacggaaaga cgtccctcg 240
aatactgatg actggttccc ttgacaccg gcagcagcct tgggaccgtg acttttctc 300
tcaggccttg ttctctgctt cacactcaat gtgtgtgggg gtctgagtc agcacttctg 360
agtccctcag cctccactca ggtcaggacc agaagtcgct gtccctcct cagggaatag 420
aagattatcc caggtgcctg tgtccaggct ggtgtctggg ttctgtgctc tcttcccat 480
cccgggtgtc ctgtccattc tcaagatggc cacatgcatg ctggtggagt gtcccatgac 540
agatgcaaaa tgcctgaatt ttctgactct tcccgtcag 579

```

<210> 161
 <211> 579
 <212> DNA
 <213> homo sapiens

```

<400> 161
gtaccagggg ccacggggcg cctacctgat cgctgtagg tctccgggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaataatgc cctccctctg gtctgaggg 120
agagggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
gctctctgac acaattaagg gataaaatct ctgacggaat gacggaaaga cgtccctcg 240
aatactgatg actggttccc ttgacaccg gcagcagcct tgggaccgtg acttttctc 300
tcaggccttg ttctctgctt cacactcaat gtgtgtgggg gtctgagtc agcacttctg 360
agtccctcag cctccactca ggtcaggacc agaagtcgct gtccctcct cagggaatag 420
aagattatcc caggtgcctg tgtccaggct ggtgtctggg ttctgtgctc tcttcccat 480
cccgggtgtc ctgtccattc tcaagatggc cacatgcatg ctggtggagt gtcccatgac 540
agatgcaaaa tgcctgaatt ttctgactct tcccgtcag 579

```

<210> 162
 <211> 579
 <212> DNA
 <213> homo sapiens

```

<400> 162
gtaccagggg ccacggggcg cctacctgat cgctgtagg tctccgggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaataatgc cctccctctg gtctgaggg 120
agagggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
gctctctgac acaattaagg gataaaatc ctgacggaat gacggaaaga cgtccctcg 240
aatactgatg actggttccc ttgacaccg gcagcagcct tgggaccgtg acttttctc 300
tcaggccttg ttctctgctt cacactcaat gtgtgtgggg gtctgagtc agcacttctg 360
agtccctcag cctccactca ggtcaggacc agaagtcgct gtccctcct cagggaatag 420
aagattatcc caggtgcctg tgtccaggct ggtgtctggg ttctgtgctc tcttcccat 480
cccgggtgtc ctgtccattc tcaagatggc cacatgcatg ctggtggagt gtcccatgac 540
agatgcaaaa tgcctgaatt ttctgactct tcccgtcag 579

```

<210> 163
 <211> 579

<212> DNA

<213> homo sapiens

<400> 163

```

gtaccagggg ccacggggcg cctacctgat cgctgtagg tctccgggc tggcctcca 60
caaggagggg agacaattgg gaccaacact agaataatgc cctccctctg gtccgaggg 120
agagggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
gctctctgac acaattaagg gataaaatct ctgacggaat gacgggaaaga cgatccctcg 240
aatactgatg actggttccc ttgacaccg gcagcagcct tgggaccgtg acttticctc 300
tcaggccttg ttctctgctt cacactcaat gtgtgtgggg gtctgagtc agcacttctg 360
agtcctcag cctccactca ggtcaggacc agaagtcgt gtccctcct cagggaatag 420
aagattatcc cagggtccg tgcagggt ggtgtctgg ttctgtctc tcttcccat 480
cccgggtgc ctgtccatt tcaagatgg cacatgatg ctggtgaggt gtcccatgac 540
agatgcaaaa tgcctgaatt ttctgactct tcccgtag 579

```

<210> 164

<211> 600

<212> DNA

<213> homo sapiens

<400> 164

```

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctcca 60
caaggagggg agacaattgg gaccaacact agaataatgc cctccctctg gtccgaggg 120
agagggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
gctctctgac acaattaagg gataaaatct ctgaaggaaat gacgggaaaga cgatccctcg 240
aatactgatg agtgggtccc ttgacacac accggcagca gccttgggcc cgtgactttt 300
cctctcagge cttgttctt gttcacact caatgtgtgt ggggggtctga gtccagcact 360
tctgagtcct tcagcctcca ctcaggtag gaccagaagt cgctgttccc tcttcaggga 420
ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccagge tgggtgtctg 480
gttctgtgt ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
gttggaggag tgtccatga cagatgcaaa atgcctgaat gtctgactc ttctgacag 600

```

<210> 165

<211> 600

<212> DNA

<213> homo sapiens

<400> 165

```

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctcca 60
caaggagggg agacaattgg gaccaacact agaataatgc cctccctctg gtccgaggg 120
agagggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
gctctctgac acaattaagg gataaaatct ctgaaggaaat gacgggaaaga cgatccctcg 240
aatactgatg agtgggtccc ttgacacac accggcagca gccttgggcc cgtgactttt 300
cctctcagge cttgttctt gttcacact caatgtgtgt ggggggtctga gtccagcact 360
tctgagtcct tcagcctcca ctcaggtag gaccagaagt cgctgttccc tcttcaggga 420
ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccagge tgggtgtctg 480

```

gttctgtgct ccttcccca tcccagggtg cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgcctcatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 166
<211> 600
<212> DNA
<213> homo sapiens

<400> 166
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccggggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtccctgagg 120
agaggaaatcc tctggggttt ccagatcctg taccagagag tgactctgag gttccgcct 180
gctctctgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgtccctcg 240
aatactgatg agtgggtccc ttgacacac accggcagca gccttggggc cgtgactttt 300
cctctcaggc cttgttctct gttcacact caatgtgtgt ggggggtctga gtccagcact 360
tctgagtccc tcagcctcca ctacaggtcag gaccagaagt cgtgttccc tcttcaggga 420
ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtctctg 480
gttctgtgct ccttcccca tcccagggtg cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgcctcatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 167
<211> 600
<212> DNA
<213> homo sapiens

<400> 167
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccggggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtccctgagg 120
agaggaaatcc tctggggttt ccagatcctg taccagagag tgactctgag gttccgcct 180
gctctctgac acaattaagg gatanaatct ctgaaggaaat gacgggaaga cgtccctcg 240
aatactgatg agtgggtccc ttgacacac accggcagca gccttggggc cgtgactttt 300
cctctcaggc cttgttctct gttcacact caatgtgtgt ggggggtctga gtccagcact 360
tctgagtccc tcagcctcca ctacaggtcag gaccagaagt cgtgttccc tcttcaggga 420
ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtctctg 480
gttctgtgct ccttcccca tcccagggtg cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgcctcatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 168
<211> 600
<212> DNA
<213> homo sapiens

<400> 168
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccggggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtccctgagg 120
agaggaaatcc tctggggttt ccagatcctg taccagagag tgactctgag gttccgcct 180

gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcagca gccttgggcc cgtgactttt 300
 cctctcaggc cttgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact 360
 tctgagtcce tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccagggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 169
 <211> 600
 <212> DNA
 <213> homo sapiens

<400> 169

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctcccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatatcgc cctccctctg gtcctgaggg 120
 agaggaaacc tcttgggttt ccagatcctg taccagagag tgactctgag gttccgccct 180
 gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcagca gccttgggcc cgtgactttt 300
 cctctcaggc cttgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact 360
 tctgagtcce tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccagggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 170
 <211> 600
 <212> DNA
 <213> homo sapiens

<400> 170

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctcccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatatcgc cctccctctg gtcctgaggg 120
 agaggaaacc tcttgggttt ccagatcctg taccagagag tgactctgag gttccgccct 180
 gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcagca gccttgggcc cgtgactttt 300
 cctctcaggc cttgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact 360
 tctgagtcce tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccagggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 171
 <211> 600
 <212> DNA
 <213> homo sapiens

<400> 171

gtaccggggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctcca 60
 caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtctgaggg 120
 agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgcct 180
 gctctgtac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcagca gcctggggcc cgtgactttt 300
 cctctcagcg ctgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtcttg 480
 gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 172

<211> 600

<212> DNA

<213> homo sapiens

<400> 172

gtaccggggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctcca 60
 caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtctgaggg 120
 agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgcct 180
 gctctgtac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcagca gcctggggcc cgtgactttt 300
 cctctcagcg ctgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtcttg 480
 gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 173

<211> 600

<212> DNA

<213> homo sapiens

<400> 173

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctcca 60
 caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtctgaggg 120
 agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgcct 180
 gctctgtac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcagca gcctggggcc cgtgactttt 300
 cctctcagcg ctgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtcttg 480
 gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtccatta cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 174
 <211> 600
 <212> DNA
 <213> homo sapiens

<400> 174

```
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccgggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaatacgc cctccctctg gtctgaggg 120
agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
gctctgtgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgateccctg 240
aatactgatg agtgggtccc ttgacacac accggcagca gccttgggcc cgtgactttt 300
cctctcaggc cttgttctt gttcacact caatgtgtgt gggggtctga gtccagcact 360
tctgagtcct tcagccctca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtcttgg 480
gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgtccatga cagatgcaa atgcctgaat gttctgactc ttctgacag 600
```

<210> 175
 <211> 600
 <212> DNA
 <213> homo sapiens

<400> 175

```
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccgggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaatacac cctccctctg gtctgaggg 120
agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
gctctgtgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgateccctg 240
aatactgatg agtgggtccc ttgacacac accggcagca gccttgggcc cgtgactttt 300
cctctcaggc cttgttctt gttcacact caatgtgtgt gggggtctga gtccagcact 360
tctgagtcct tcagccctca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
ctagaatttt ccacggaata ggagattatc ccaggtgcct gtgtccaggc tgggtcttgg 480
gttctgtgct ccttcccca tcccaggtgt cctgtccatt ctcaagatag ccacatgtgt 540
gctggaggag tgtcccatta cagatgcaa atgcctgaat gttctgactc ttctgacag 600
```

<210> 176
 <211> 600
 <212> DNA
 <213> homo sapiens

<400> 176

```
gtaccagggg ccacggggcg cctccctgat cgcctgtaga tctccgggc tggcctccca 60
caaggagggg agacaattgg gaccaacact agaatacac cctccctctg gtctgaggg 120
agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gtccgccct 180
gctctgtgac acaattaagg gataaaatct ctgaaggaaat gacgggaaga cgateccctg 240
aatactgatg agtgggtccc ttgacacac accggcagca gccttgggcc cgtgactttt 300
cctctcaggc cttgttctt gttcacact caatgtgtgt gggggtctga gtccagcact 360
```


tctgagtcctc tcagcctcca ctcagggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtgcct gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccagggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 177
 <211> 600
 <212> DNA
 <213> homo sapiens

<400> 177

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtcctgaggg 120
 agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gttccgccct 180
 gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcagca gccttgggccc cgtgactttt 300
 cctctcaggc cttgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact 360
 tctgagtcctc tcagcctcca ctcagggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtgctt gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccagggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 178
 <211> 600
 <212> DNA
 <213> homo sapiens

<400> 178

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agaatatgc cctccctctg gtcctgaggg 120
 agaggaatcc tctgggttt ccagatcctg taccagagag tgactctgag gttccgccct 180
 gctctctgac acaattaagg gataaaatct ctgaaggaat gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcagca gccttgggccc cgtgactttt 300
 cctctcaggc cttgttctct gcttcacact caatgtgtgt ggggggtctga gtccagcact 360
 tctgagtcctc tcagcctcca ctcagggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtgctt gtgtccaggc tgggtgtctgg 480
 gttctgtgct ccttcccca tcccagggtgt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtcccatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 179
 <211> 600
 <212> DNA
 <213> homo sapiens

<400> 179

gtaccagggg ccacggggcg cctccctgat cgctgtaga tctccgggc tggcctccca 60

caaggagggg agacaattgg gaccaacact agaataatgc cctccctctg gtctgaggg 120
 agaggaatcc tctggggtt ccagatcctg taccagagag tgactctgag gtccgccct 180
 gctctctgac acaattagg gataaaatct ctgaaggaa gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcagca gcctggggcc cgtgactttt 300
 cctctcaggc ctgttctct gcttcacact caatgtgtgt gggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 ctagaatttt ccacggaata ggagattatc ccagggtcct gtgtccaggc tgggtctctg 480
 gttctgtgct ccttcccca tcccagggt cctgtccatt ctcaagatag ccacatgtgt 540
 gctggaggag tgtccatga cagatgcaaa atgcctgaat gttctgactc ttctgacag 600

<210> 180
 <211> 583
 <212> DNA
 <213> homo sapiens

<400> 180
 gtaccagggg ccacggggcg ccttctctgat cgctgtaga tctccgggc tggcctccca 60
 caaggagggg agacaattgg gaccaacact agatcacc ctcctctgc tctgagggga 120
 gaggaatcct cctgggttcc cagattctgt accagagagt gactctgagg ttccgccctg 180
 ctctctgaca caattaaggg ataaaaatct ctgaaggaa gacgggaaga cgatccctcg 240
 aatactgatg agtgggtccc ttgacacac accggcggca gcctggggcc cgtgactttt 300
 cctctcaggc cctgttctct gcttcacact caatatgtgt gggggtctga gtccagcact 360
 tctgagtcct tcagcctcca ctcaggtcag gaccagaagt cgctgttccc tcttcaggga 420
 atagaagatt atcccagggt cctgtgtcca ggctgggtgc tgggttctgt gctctctcc 480
 ccattcccagg tgcctgtcc atctcaaaa tggccacatg cgtgctggtg gagtgtccca 540
 tgacagatgc aaaatggctg aattttctga ctctccctg cag 583

<210> 181
 <211> 18
 <212> DNA
 <213> homo sapiens

<400> 181
 ggcaggtctc agcgactg 18

<210> 182
 <211> 19
 <212> DNA
 <213> homo sapiens

<400> 182
 ctctgtgggg agaagcaac 19

<210> 183
 <211> 17
 <212> DNA

<213> homo sapiens

<400> 183

gggagcggcg ccgggac

17

<210> 184

<211> 18

<212> DNA

<213> homo sapiens

<400> 184

gaagcaaggg gcccgccc

18

<210> 185

<211> 18

<212> DNA

<213> homo sapiens

<400> 185

cgccctggcgg ggggggcaa

18

<210> 186

<211> 18

<212> DNA

<213> homo sapiens

<400> 186

gtgagtgcgg ggtcgtgg

18

<210> 187

<211> 18

<212> DNA

<213> homo sapiens

<400> 187

gccgggagga gggacggt

18

<210> 188

<211> 17

<212> DNA

<213> homo sapiens

<400> 188

ggcgcgcccc gcgggga

17

<210> 189

<211> 18
<212> DNA
<213> homo sapiens

<400> 189
ggaggagggt cgggcgga 18

<210> 190
<211> 19
<212> DNA
<213> homo sapiens

<400> 190
agtgtcttcg cggtcgctc 19

<210> 191
<211> 19
<212> DNA
<213> homo sapiens

<400> 191
ctcagattct cccagacg 19

<210> 192
<211> 20
<212> DNA
<213> homo sapiens

<400> 192
catgccgagg gttctccca 20

<210> 193
<211> 19
<212> DNA
<213> homo sapiens

<400> 193
ctggccctga cccagacca 19

<210> 194
<211> 19
<212> DNA
<213> homo sapiens

<400> 194
cctgacccag acctgggca 19

<210> 195
<211> 19
<212> DNA
<213> homo sapiens

<400> 195
caggatatctg cggagcccg 19

<210> 196
<211> 21
<212> DNA
<213> homo sapiens

<400> 196
gtctgtcagg aagagtcaga a 21

<210> 197
<211> 22
<212> DNA
<213> homo sapiens

<400> 197
gtggaaaatt ctagtccctg aa 22

<210> 198
<211> 20
<212> DNA
<213> homo sapiens

<400> 198
agatctacag gcgatcagga 20

<210> 199
<211> 19
<212> DNA
<213> homo sapiens

<400> 199
gccagcccgg gaggttctat 19

<210> 200
<211> 21
<212> DNA
<213> homo sapiens

<400> 200

cagagtcact ctctgtaca g

21

<210> 201

<211> 19

<212> DNA

<213> homo sapiens

<400> 201

gcgatcgtct tcccgtcac

19

<210> 202

<211> 21

<212> DNA

<213> homo sapiens

<400> 202

agagtcactc tctggtacag a

21

<210> 203

<211> 19

<212> DNA

<213> homo sapiens

<400> 203

ctcctcgtcc ccaggctct

19

<210> 204

<211> 21

<212> DNA

<213> homo sapiens

<400> 204

tccatgaggt attctacac c

21

<210> 205

<211> 18

<212> DNA

<213> homo sapiens

<400> 205

ggccagggtc tcagacca

18

<210> 206

<211> 17

<212> DNA

<213> homo sapiens

<400> 206
cccgccccgg cagtgga 17

<210> 207
<211> 20
<212> DNA
<213> homo sapiens

<400> 207
gttctcacac catccagatg 20

<210> 208
<211> 21
<212> DNA
<213> homo sapiens

<400> 208
tcacaccctc cagatgatg t 21

<210> 209
<211> 18
<212> DNA
<213> homo sapiens

<400> 209
gggtaccagc aggacgct 18

<210> 210
<211> 21
<212> DNA
<213> homo sapiens

<400> 210
tccatgaggt atttcaccac a 21

<210> 211
<211> 21
<212> DNA
<213> homo sapiens

<400> 211
ggttctcaca ccatccagat a 21

<210> 212
<211> 20
<212> DNA

<213> homo sapiens

<400> 212

gttctcacac catccagagg

20

<210> 213

<211> 18

<212> DNA

<213> homo sapiens

<400> 213

gagccccgct tcaacgcc

18

<210> 214

<211> 19

<212> DNA

<213> homo sapiens

<400> 214

cttctccgc gggatatga

19

<210> 215

<211> 18

<212> DNA

<213> homo sapiens

<400> 215

gccggagtat tgggaccg

18

<210> 216

<211> 19

<212> DNA

<213> homo sapiens

<400> 216

ctggccctga ccctgacca

19

<210> 217

<211> 18

<212> DNA

<213> homo sapiens

<400> 217

gcagggtccc cagggtcca

18

<210> 218

<211> 19
<212> DNA
<213> homo sapiens

<400> 218
cctccaggta ggctctcaa 19

<210> 219
<211> 19
<212> DNA
<213> homo sapiens

<400> 219
cctccaggta ggctctcca 19

<210> 220
<211> 19
<212> DNA
<213> homo sapiens

<400> 220
cctccaggta ggctctctg 19

<210> 221
<211> 19
<212> DNA
<213> homo sapiens

<400> 221
ccactccacg cacgtgcca 19

<210> 222
<211> 18
<212> DNA
<213> homo sapiens

<400> 222
ggagcgcgat ccgcaggc 18

<210> 223
<211> 19
<212> DNA
<213> homo sapiens

<400> 223
ggagccactc cacggaccg 19

<210> 224
<211> 18
<212> DNA
<213> homo sapiens

<400> 224
gagccactcc acgcactc 18

<210> 225
<211> 21
<212> DNA
<213> homo sapiens

<400> 225
ggccttcaca ttcggtgtg t 21

<210> 226
<211> 19
<212> DNA
<213> homo sapiens

<400> 226
caggtatctg cggagcccg 19

<210> 227
<211> 20
<212> DNA
<213> homo sapiens

<400> 227
tggctccaat actcaggcct 20

<210> 228
<211> 18
<212> DNA
<213> homo sapiens

<400> 228
gcagggtccc caggttcg 18

<210> 229
<211> 18
<212> DNA
<213> homo sapiens

<400> 229

gggccgcctc ccagttgt

18

<210> 230

<211> 20

<212> DNA

<213> homo sapiens

<400> 230

tctgtgagtg ggcctacaca

20

<210> 231

<211> 21

<212> DNA

<213> homo sapiens

<400> 231

ccttcacatt ccgtgtctgc a

21

<210> 232

<211> 18

<212> DNA

<213> homo sapiens

<400> 232

gagccactcc acgcacgt

18

<210> 233

<211> 20

<212> DNA

<213> homo sapiens

<400> 233

ccactcggtc agtctctgac

20

<210> 234

<211> 20

<212> DNA

<213> homo sapiens

<400> 234

gagcgaggt cctcgttcaa

20

<210> 235

<211> 20

<212> DNA

<213> homo sapiens

<400> 235
gtctgtgagt gggccatcat 20

<210> 236
<211> 20
<212> DNA
<213> homo sapiens

<400> 236
cagccataca tcttcaggac 20

<210> 237
<211> 17
<212> DNA
<213> homo sapiens

<400> 237
gcgccgggag gagggtc 17

<210> 238
<211> 18
<212> DNA
<213> homo sapiens

<400> 238
atctcggacc cggagact 18

<210> 239
<211> 22
<212> DNA
<213> homo sapiens

<400> 239
gtttcatttt cagtttaggc ca 22

<210> 240
<211> 23
<212> DNA
<213> homo sapiens

<400> 240
cgggagatct acaggcgatc agg 23

<210> 241
<211> 17
<212> DNA

<213> homo sapiens

<400> 241

gtcgtgacct gcgcccc

17

<210> 242

<211> 19

<212> DNA

<213> homo sapiens

<400> 242

ggcgggggcg gggctcggg

19

<210> 243

<211> 19

<212> DNA

<213> homo sapiens

<400> 243

ggcgtgacc ttccgcccc

19

<210> 244

<211> 15

<212> DNA

<213> homo sapiens

<400> 244

cccggttca ttttc

15

<210> 245

<211> 20

<212> DNA

<213> homo sapiens

<400> 245

cttcacattc cgtgtctct

20

<210> 246

<211> 129

<212> DNA

<213> homo sapiens

<400> 246

gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgaggg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctct 120
cgccccag 129

<210> 247
<211> 128
<212> DNA
<213> homo sapiens

<400> 247
gtgagtgcgg gtcgggaggg aaatggcctc tgcggggagg agcgagggga ccgcaggcgg 60
ggg'gcagga cctgaggagc cgcgccggga ggagggtcgg gcgggtctca gcccctctc 120
acccccag 128

<210> 248
<211> 128
<212> DNA
<213> homo sapiens

<400> 248
gtgagtgcgg gtcgggaggg aaatggcctc tgcggggagg agcgagggga ccgcaggcgg 60
ggg'gcagga cctgaggagc cgcgccggga ggagggtcgg gcgggtctca gcccctctc 120
gccccag 128

<210> 249
<211> 129
<212> DNA
<213> homo sapiens

<400> 249
gtgagtgcgg gatcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
gggggcagga acccggggag ccgcgccggg aggagggtct ggcggtctc agcccctctc 120
ggccccag 129

<210> 250
<211> 128
<212> DNA
<213> homo sapiens

<400> 250
gtgagtgcgg gtcgggaggg aaatggcctc tgcggggagg agcgagggga ccgcaggcgg 60
ggg'gcagga cctgaggagc cgcgccggga ggagggtcgg gcgggttca gcccctctc 120
gccccag 128

<210> 251
<211> 128
<212> DNA
<213> homo sapiens

<400> 251

gtgagtgcgg gtcgggaggg aaatggcctc tgcggggagg agcgagggga ccgcaggcgg 60
ggggcgagga cctgaggagc cgcgccggga ggagggtcgg gcgggttca gcccctctc 120
gccccag 128

<210> 252

<211> 129

<212> DNA

<213> homo sapiens

<400> 252

gtgagtgcgg gtcggcagg gaaatggcct ctgtggggag gagcgaggga accgcaggcg 60
ggggcgagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctct 120
cgccccag 129

<210> 253

<211> 128

<212> DNA

<213> homo sapiens

<400> 253

gtgagtgcgg gtcgggaggg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
ggggcgagga cccggggagc cgcgccggga ggagggtcgg gcgggtctca gcccctctc 120
gccccag 128

<210> 254

<211> 129

<212> DNA

<213> homo sapiens

<400> 254

gtgagtgcgg gtcggcagg gaaatggcct ctgtggggag gagcgaggga accgcaggcg 60
ggggcgagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctct 120
cgccccag 129

<210> 255

<211> 129

<212> DNA

<213> homo sapiens

<400> 255

gtgagtgcgg gtcggcagg gaaatggcct ctgtggggag gagcgaggga accgcaggcg 60
ggggcgagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctct 120
cgccccag 129

<210> 256

<211> 129

<212> DNA

<213> homo sapiens

<400> 256

```
gtgagtgcgg ggtcggcagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgcagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctct 120
cgccccag 129
```

<210> 257

<211> 129

<212> DNA

<213> homo sapiens

<400> 257

```
gtgagtgcgg ggtcggcagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgcagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctct 120
cgccccag 129
```

<210> 258

<211> 128

<212> DNA

<213> homo sapiens

<400> 258

```
gtgagtgcgg gtcgggaggg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
ggggcgcagga cccggggagc cgccgggga ggagggtcgg gcgggtctca gcccctctc 120
gccccag 128
```

<210> 259

<211> 128

<212> DNA

<213> homo sapiens

<400> 259

```
gtgagtgcgg gtcgggaggg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
ggggcgcagga cccggggagc cgccgggga ggagggtcgg gcgggtctca gcccctctc 120
gccccag 128
```

<210> 260

<211> 128

<212> DNA

<213> homo sapiens

<400> 260

```
gtgagtgcgg gtcgggaggg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
ggggcgcagga cccggggagc cgccgggga ggagggtcgg gcgggtctca gcccctctc 120
```


gccccccag

128

<210> 261

<211> 129

<212> DNA

<213> homo sapiens

<400> 261

gtgagtgcgg ggtcggcagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctcct 120
gccccccag 129

<210> 262

<211> 129

<212> DNA

<213> homo sapiens

<400> 262

gtgagtgcgg ggtcggcagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctcct 120
tgccccccag 129

<210> 263

<211> 129

<212> DNA

<213> homo sapiens

<400> 263

gtgagtgcgg ggtcggcagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctcct 120
tgccccccag 129

<210> 264

<211> 129

<212> DNA

<213> homo sapiens

<400> 264

gtgagtgcgg ggtcggcagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctcct 120
cgccccccag 129

<210> 265

<211> 129

<212> DNA

<213> homo sapiens

<400> 265

gtgagtgcgg ggtcggcagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctcct 120
cgccccag 129

<210> 266

<211> 129

<212> DNA

<213> homo sapiens

<400> 266

gtgagtgcgg ggtcggcagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acccggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctcct 120
cgccccag 129

<210> 267

<211> 129

<212> DNA

<213> homo sapiens

<400> 267

gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acctgaggag ccgcgccggg aggagggtcg ggcgggtctc agcccctcct 120
cgccccag 129

<210> 268

<211> 129

<212> DNA

<213> homo sapiens

<400> 268

gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acctgaggag ccgcgccggg aggagggtcg ggcgggtctc agcccctcct 120
cgccccag 129

<210> 269

<211> 129

<212> DNA

<213> homo sapiens

<400> 269

gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acctgaggag ccgcgccggg aggagggtcg ggcgggtctc agcccctcct 120
cgccccag 129

<210> 270

<211> 129
 <212> DNA
 <213> homo sapiens

<400> 270

```
gtgagtgcgg gtcgggcagg gaaaggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg accgggggag ccgcgccggg aggagggtcg ggcgggtctc agccctcctc 120
cgccccag 129
```

<210> 271
 <211> 128
 <212> DNA
 <213> homo sapiens

<400> 271

```
gtgagtgcgg gtcgggaggg aaatggcctc tgccgggagg agcgagggga ccgcaggcgg 60
ggggcgagg cctgaggagc cgcccgagg ggagggtcgg ggcgggtctc gcccctcctc 120
gccccag 128
```

<210> 272
 <211> 128
 <212> DNA
 <213> homo sapiens

<400> 272

```
gtgagtgcgg gtcgggaggg aaatggcctc tgccgggagg agcgagggga ccgcaggcgg 60
ggggcgagg cctgaggagc cgcccgagg ggagggtcgg ggcgggtctc gcccctcctc 120
gccccag 128
```

<210> 273
 <211> 128
 <212> DNA
 <213> homo sapiens

<400> 273

```
gtgagtgcgg gtcgggaggg aaatggcctc tgccgggagg agcgagggga ccgcaggcgg 60
ggggcgagg cctgaggagc cgcccgagg ggagggtcgg ggcgggtctc gcccctcctc 120
gccccag 128
```

<210> 274
 <211> 128
 <212> DNA
 <213> homo sapiens

<400> 274

```
gtgagtgcgg gtcgggaggg aaatggcctc tgccgggagg agcgagggga ccgcaggcgg 60
```

ggg'gcagga cctgaggagc cgcgccggga ggagggtcgg gcgggtctca gcccctctc 120
gccccag 128

<210> 275

<211> 128

<212> DNA

<213> homo sapiens

<400> 275

gtgagtgcgg gtcggcagg aaatggcctc tgtggggagg agcgaggga cgcaggcgg 60
ggg'gcagga cccggggagc cgcgccggga ggagggtcgg gcgggtctca gctcctctc 120
gccccag 128

<210> 276

<211> 129

<212> DNA

<213> homo sapiens

<400> 276

gtgagtgcgg gtcggcagg gaaatggcct ctgtggggagg gagcgaggga accgcaggcg 60
ggg'gcagga accggggag cgcgccggga aggagggtcg gcgggtctc agcccctct 120
cgccccag 129

<210> 277

<211> 128

<212> DNA

<213> homo sapiens

<400> 277

gtgagtgcgg gtcggcagg aaatggcctc tgtggggagg agcgaggga cgcaggcgg 60
ggg'gcagga cccggggagc cgcgccggga ggagggtcgg gcgggtctca gctcctctc 120
gccccag 128

<210> 278

<211> 128

<212> DNA

<213> homo sapiens

<400> 278

gtgagtgcgg gtcggcagg aaatggcctc tgtggggagg agcgaggga cgcaggcgg 60
ggg'gcagga cccggggagc cgcgccggga ggagggtcgg gcgggtctca gctcctctc 120
gccccag 128

<210> 279

<211> 128

<212> DNA

<213> homo sapiens

<400> 279

gtgagtgcgg gtcgggaggg aaatggcctc tgccgggagg agcgagggga ccgcaggcgg 60
ggggcgagga cctgaggagc cgcgccggga ggagggtcgg gcgggtctca gcccctctc 120
acccccag 128

<210> 280

<211> 129

<212> DNA

<213> homo sapiens

<400> 280

gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagagagggg accgcaggcg 60
ggggcgagga accgggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctct 120
cgccccag 129

<210> 281

<211> 129

<212> DNA

<213> homo sapiens

<400> 281

gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagagagggg accgcaggcg 60
ggggcgagga accgggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctct 120
cgccccag 129

<210> 282

<211> 128

<212> DNA

<213> homo sapiens

<400> 282

gtgagtgcgg gtcggcaggg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
ggggcgagga cccggggagc cgcgccggga ggagggtcgg gcgggtctca gcccctctc 120
gccccag 128

<210> 283

<211> 129

<212> DNA

<213> homo sapiens

<400> 283

gtgagtgcgg ggtcggcagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagga accgggggag ccgcgccggg aggagggtcg ggcgggtctc agcccctct 120
cgccccag 129

<210> 284
 <211> 129
 <212> DNA
 <213> homo sapiens

<400> 284

gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
 ggggctcagg acccggggag ccgcgccggg aggagggtcg ggcggtctc agccctcct 120
 cggccccag 129

<210> 285
 <211> 128
 <212> DNA
 <213> homo sapiens

<400> 285

gtgagtgcgg gtcgggagg aaatggcctc tgccgggagg agcgagggga ccgcaggcgg 60
 gggcgagga cctgaggagc cgcgccggga ggagggtcgg gcgggtctca gcccctcctc 120
 acccccag 128

<210> 286
 <211> 128
 <212> DNA
 <213> homo sapiens

<400> 286

gtgagtgcgg gtcggcagg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
 gggcgagga cccggggagc cgcgccggga ggagggtcgg gcgggtctca gcccctcctc 120
 gccccag 128

<210> 287
 <211> 128
 <212> DNA
 <213> homo sapiens

<400> 287

gtgagtgcgg gtcggcagg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
 gggcgagga cccggggagc cgcgccggga ggagggtcgg gcgggtctca gcccctcctc 120
 gccccag 128

<210> 288
 <211> 129
 <212> DNA
 <213> homo sapiens

<400> 288

gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acctgaggag ccgcgccggg aggagggtcg ggcgggtctc agccctctct 120
cgccccag 129

<210> 289
<211> 129
<212> DNA
<213> homo sapiens

<400> 289
gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acctgaggag ccgcgccggg aggagggtcg ggcgggtctc agccctctct 120
cgccccag 129

<210> 290
<211> 129
<212> DNA
<213> homo sapiens

<400> 290
gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acctgaggag ccgcgccggg aggagggtcg ggcgggtctc agccctctct 120
cgccccag 129

<210> 291
<211> 129
<212> DNA
<213> homo sapiens

<400> 291
gtgagtgcgg ggtcgggagg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgagg acctgaggag ccgcgccggg aggagggtcg ggcgggtctc agccctctct 120
cgccccag 129

<210> 292
<211> 128
<212> DNA
<213> homo sapiens

<400> 292
gtgagtgcgg gtcgggaggg aaatggcctc tgtggggagg agcgaggga ccgcaggcgg 60
ggggcgagg cccggggagg ccgcgccggg ggagggtctg ggcgggtctc agccctctct 120
gccccag 128

<210> 293
<211> 128

<212> DNA

<213> homo sapiens

<400> 293

```
gtgagtgcgg gtcgggaggg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
gggcgcagga cccggggagc cgcgccggga ggagggtctg gcgggtctca gcccctctc 120
gccccag                                     128
```

<210> 294

<211> 128

<212> DNA

<213> homo sapiens

<400> 294

```
gtgagtgcgg gtcgggaggg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
gggcgcagga cccggggagc cgcgccggga ggagggtctg gcgggtctca gcccctctc 120
gccccag                                     128
```

<210> 295

<211> 128

<212> DNA

<213> homo sapiens

<400> 295

```
gtgagtgcgg gtcggcaggg aaatggcctc ttagggagg agcaagggga ccgcaggcgg 60
gggcgcagga cccggggagc cgcgccggga ggagggtcgg gcgggtctca gcccctctc 120
gccccag                                     128
```

<210> 296

<211> 129

<212> DNA

<213> homo sapiens

<400> 296

```
gtgagtgcgg gtcgggaggg gaaatggcct ctgtggggag gagcgagggg accgcaggcg 60
ggggcgcagg acctgaggag ccgcgccggg aggagggtcg ggccgggtctc agcccctcct 120
cgccccag                                     129
```

<210> 297

<211> 128

<212> DNA

<213> homo sapiens

<400> 297

```
gtgagtgcgg gtcgggaggg aaatggcctc tgtggggagg agcgagggga ccgcaggcgg 60
gggcgcagga cccggggagc cgcgccggga ggagggtctg gcgggtctca gcccctctc 120
```


gccccag

128

<210> 298

<211> 128

<212> DNA

<213> homo sapiens

<400> 298

gtgagtgcgg gtcgggaggg aaatggcctc tgcggggagg agcgagggga ccgcaggcgg 60
 gggcgagga cctgaggagc cgcgccggga ggagggtcgg gcgggtctca gcccctctc 120
 gccccag 128

<210> 299

<211> 128

<212> DNA

<213> homo sapiens

<400> 299

gtgagtgcgg gtcgggaggg aaatggcctc tgcggggagg agcgagggga ccgcaggcgg 60
 gggcgagga cccggggagc cgcgccggta ggagggtcgg gcgggtctca gcccctctc 120
 gccccag 128

<210> 300

<211> 245

<212> DNA

<213> homo sapiens

<400> 300

gtgagtgacc ccggcccggg gcgcaggta cgactcccca tccccacgt acggcccggg 60
 tcgcccagag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgcccagacc 120
 ctgaccggc gagagcccca ggcgcgttta cccggttca tttcagttg aggccaaaat 180
 ccccgcggtt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggtcggg 240
 gccag 245

<210> 301

<211> 245

<212> DNA

<213> homo sapiens

<400> 301

gtgagtgacc ccggcccggg gcgcaggta cgactcccca tccccacgt acggcccggg 60
 tcgcccagag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctgaccggc gagagcccca ggcgcgttta cccggttca tttcagttg aggccaaaat 180
 ccccgcggtt tggtcggggc ggggcggggc tcgggggact gggctgaccg cggggccggg 240
 gccag 245

<210> 302
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 302
 gtgagtacc ccggcccggg gcgcaggtca cgactcccca tccccacgg acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctgaccggc gagagcccca ggcgcggtta cccggtttca tttcagttg aggccaaaat 180
 ccccgcggtt tggtcggggc gggcgggggc tcggggggac ggggctgacc gcggggccgg 240
 ggccag 246

<210> 303
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 303
 gtgagtacc ccggcccggg gcgcaggtca cgactcccca tccccacgg acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctgaccggc gagagcccca ggcgcggtta cccggtttca tttcagttg aggccaaaat 180
 ccccgcggtt tggtcggggc gggcgggggc tcggggggac ggggctgacc cgggggccgg 240
 gccag 245

<210> 304
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 304
 gtgagtacc ccggcccggg gcgcaggtca cgactcccca tccccacgg acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctgaccggc gagagcccca ggcgcggtta cccggtttca tttcagttg aggccaaaat 180
 ccccgcggtt tggtcggggc gggcgggggc tcggggggac tgggctgacc gcggggccgg 240
 ggccag 246

<210> 305
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 305
 gtgagtacc ccggcccggg gcgcaggtca cgactcccca tccccacgg acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctgaccggc gagagcccca ggcgcggtta cccggtttca tttcagttg aggccaaaat 180
 ccccgcggtt tggcgggggc gggcgggggc tcggggggac tgggctgacc gcggggccgg 240

ggccag

246

<210> 306
<211> 246
<212> DNA
<213> homo sapiens

<400> 306

gtgagtacc cggcctggg ggcaggta cgaactccca tccccacgt acggcccggg 60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgccaaacc 120
ctgaccggc gagagccca ggcgcgttta cccggttca tttcagttg aggccaaaat 180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggcctg 240
ggccag 246

<210> 307
<211> 245
<212> DNA
<213> homo sapiens

<400> 307

gtgagtacc cggcctggg ggcaggta cgaactccca tccccacgt acggcccggg 60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgccaaacc 120
ctgaccggc gagagccca ggcgcgttta cccggttca tttcagttg aggccaaaat 180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggcctg 240
gccag 245

<210> 308
<211> 245
<212> DNA
<213> homo sapiens

<400> 308

gtgagtacc cggcctggg ggcaggta cgaactccca tccccacgt acggcccggg 60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgccaaacc 120
ctgaccggc gagagccca ggcgcgttta cccggttca tttcagttg aggccaaaat 180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggcctg 240
gccag 245

<210> 309
<211> 245
<212> DNA
<213> homo sapiens

<400> 309

gtgagtacc cggcctggg ggcaggta cgaactccca tccccacgt acggcccggg 60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgccaaacc 120

ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggcctgg 240
gccag 245

<210> 310
<211> 245
<212> DNA
<213> homo sapiens

<400> 310
gtgagtacc ccggcccggg ggcaggtca cgactccca tccccacgt acggcccggg 60
tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cggccagacc 120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggcctgg 240
gccag 245

<210> 311
<211> 245
<212> DNA
<213> homo sapiens

<400> 311
gtgagtacc ccggcccggg ggcaggtca cgactccca tccccacgt acggcccggg 60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cggccaaacc 120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggcctgg 240
gccag 245

<210> 312
<211> 246
<212> DNA
<213> homo sapiens

<400> 312
gtgagtacc ccggcctggg ggcaggtca cgactccca tccccacgt acggcccggg 60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cggccaaacc 120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggctgacc gggggcctg 240
ggccag 246

<210> 313
<211> 246
<212> DNA
<213> homo sapiens

<400> 313

```

gtgagtacc cggcctggg ggcaggtca cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgcccaaacc  120
ctcgaccggc gagagcccca ggcgcgttta ccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggcctg  240
ggccag                                     246

```

<210> 314
 <211> 246
 <212> DNA
 <213> homo sapiens

```

<400> 314
gtgagtacc cggccccggg ggcaggtca cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgccagacc  120
ctcgaccggc gagagcccca ggcgcgttta ccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggcctg  240
ggccag                                     246

```

<210> 315
 <211> 243
 <212> DNA
 <213> homo sapiens

```

<400> 315
gtgagtacc cggccccggg ggcaggtca cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac ccccgaggcc gcgggaccgc cccagaccct  120
cgaccggcga gagcccaggc gcgtttacc ggtttcatt tcagttgagg ccaaaatccc  180
cgcggggttg tcggggcggg gcggggctcg gggggacggg gctgaccgcg ggggcggggc  240
cag                                     243

```

<210> 316
 <211> 244
 <212> DNA
 <213> homo sapiens

```

<400> 316
gtgagtacc cggccccggg ggcaggtca cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac ccccgaggcc gcgggaccgc cccagaccct  120
cgaccggcga gagccccagg gcggtttacc cggtttcatt ttcagttgag gccaaaatcc  180
ccgcgggttg gtcggggcgg ggcggggctc ggggggacgg ggctgaccgc gggggcgggg  240
ccag                                     244

```

<210> 317
 <211> 244
 <212> DNA
 <213> homo sapiens

<400> 317

```

gtgagtgacc cgggcccggg gcgcagggtca cgactcccca tccccacgt acggccccggg   60
tcgccccgag tctccgggtc cgagatccac ccccgaggcc gcgggacccg cccagaccct   120
cgaccggcga gagccccagg cgcgtttacc cggtttcatt ttcagttgag gccaaaatcc   180
ccgcgggttg gtcggggcgg ggccggggctc ggggggacgg ggctgaccgc gggggcgggg   240
ccag                                     244

```

<210> 318

<211> 244

<212> DNA

<213> homo sapiens

<400> 318

```

gtgagtgacc cgggcccggg gcgcagggtca cgactcccca tccccacgt acggccccggg   60
tcgccccgag tctccgggtc cgagatccac ccccgaggcc gcgggacccg cccagaccct   120
cgaccggcga gagccccagg cgcgtttacc cggtttcatt ttcagttgag gccaaaatcc   180
ccgcgggttg gtcggggcgg ggccggggctc ggggggacgg ggctgaccgc gggggcgggg   240
ccag                                     244

```

<210> 319

<211> 244

<212> DNA

<213> homo sapiens

<400> 319

```

gtgagtgacc cgggcccggg gcgcagggtca cgactcccca tccccacgt acggccccggg   60
tcgccccgag tctccgggtc cgagatccac ccccgaggcc gcgggacccg cccagaccct   120
cgaccggcga gagccccagg cgcgtttacc cggtttcatt ttcagttgag gccaaaatcc   180
ccgcgggttg gtcggggcgg ggccggggctc ggggggacgg ggctgaccgc ggggccgggg   240
ccag                                     244

```

<210> 320

<211> 245

<212> DNA

<213> homo sapiens

<400> 320

```

gtgagtgacc cgggcccggg gcgcagggtca cgactcccca tccccacgt acggccccggg   60
tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc   120
ctcgaccggc gagagcccca ggccggttta ccggtttca tttcagttg aggccaaaat   180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggccggg   240
gccag                                     245

```

<210> 321

<211> 245

<212> DNA

<213> homo sapiens

<400> 321

```

gtgagtgacc ccggcccggg gcgcaggta cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc  120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggccggg  240
gccag                                     245

```

<210> 322

<211> 245

<212> DNA

<213> homo sapiens

<400> 322

```

gtgagtgacc ccggcccggg gcgcaggta cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc  120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggccggg  240
gccag                                     245

```

<210> 323

<211> 245

<212> DNA

<213> homo sapiens

<400> 323

```

gtgagtgacc ccggcccggg gcgcaggta cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc  120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggccggg  240
gccag                                     245

```

<210> 324

<211> 245

<212> DNA

<213> homo sapiens

<400> 324

```

gtgagtgacc ccggcccggg gcgcaggta cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc  120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggccggg  240
gccag                                     245

```

<210> 325

<211> 246
 <212> DNA
 <213> homo sapiens

<400> 325

```
gtgagtgacc ccggcccggg ggcaggtca cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgcccagacc  120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggccgg  240
ggccag                                     246
```

<210> 326
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 326

```
gtgagtgacc ccggcccggg ggcaggtca cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgcccagacc  120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggccgg  240
ggccag                                     246
```

<210> 327
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 327

```
gtgagtgacc ccggcccggg ggcaggtca cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgcccagacc  120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggccgg  240
ggccag                                     246
```

<210> 328
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 328

```
gtgagtgacc ccggcccggg ggcaggtca cgactccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgcccagacc  120
ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat  180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggccgg  240
ggccag                                     246
```


<210> 329
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 329
 gtgagtgacc ccggccccggg ggcgaggta cgaactccca tccccacgt acggccccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcggggacc cgcccagacc 120
 ctgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgcggtg tggtcggggc ggggcggggc tcggggggac ggggtgacc gcggggccgg 240
 ggccag 246

<210> 330
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 330
 gtgagtgacc ccggccccggg ggcgaggta cgaactccca tccccacgt acggccccggg 60
 tcgccccgag tctccgggtc cgagatccaa cccctgagg ccgcggggacc cgcccagacc 120
 ctgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgcggtg tggtcggggc ggggcggggc tcggggggact ggggtgaccg cgggggccggg 240
 gccag 245

<210> 331
 <211> 244
 <212> DNA
 <213> homo sapiens

<400> 331
 gtgagtgacc ccggccccggg ggcgaggta cgaactccca tccccacgt acggccccggg 60
 tcgccccgag tctccgggtc cgagatccgc ccccgaggcc gcgggacccg cccagaccct 120
 cgaccggcga gagccccagg cgcgtttacc cggtttcatt ttcagttgag gccaaaatcc 180
 ccgcgggttg gtcggggcgg ggcggggctc ggggggacgg ggctgaccgc ggggcccggg 240
 ccag 244

<210> 332
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 332
 gtgagtgacc ccggccccggg ggcgaggta cgaactccca tccccacgg acggccccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcggggacc cgcccagacc 120
 ctgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgcggtg tggtcggggc ggggcggggc tcggggggac ggggtgacc gcggggcctg 240

ggccag

246

<210> 333

<211> 246

<212> DNA

<213> homo sapiens

<400> 333

gtgagtgacc ccggcccggg gcgcaggta cgactcccca tccccacgt acggcccggg 60
tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcccggacc cgcccagacc 120
ctcgaccggc gagagcccca ggcgcggtta cccgggttca ttctcagttg aggccaaaat 180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggccgg 240
ggccag 246

<210> 334

<211> 246

<212> DNA

<213> homo sapiens

<400> 334

gtgagtgacc ccggcccggg gcgcaggta cgactcccca tccccacgg acggcccggg 60
tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcccggacc cgcccagacc 120
ctcgaccggc gagagcccca ggcgcggtta cccgggttca ttctcagttg aggccaaaat 180
ccccgcgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggccgg 240
ggccag 246

<210> 335

<211> 243

<212> DNA

<213> homo sapiens

<400> 335

gtgagtgacc ccggcccggg gcgcaggta cgactcccca tccccacgt acggcccggg 60
tcgccccgag tctccgggtc cgagatccac ccccgaggcc gcgggaccgc cccagacct 120
cgaccggcga gagccccagg cgcgtttacc cggtttcatt ttctcagttg gccaaaatcc 180
ccgcgggttg gtcggggcgg ggcggggctc gggggacggg gctgaccgcg gggccggggc 240
cag 243

<210> 336

<211> 21

<212> DNA

<213> homo sapiens

<400> 336

gccttccaa ccattccctt a

21

<210> 337
 <211> 243
 <212> DNA
 <213> homo sapiens

<400> 337
 gtgagtgacc cgggcccggg ggcgaggta cgaactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ccccgaggcc gcgggacccg cccagaccct 120
 cgaccggcga gagccccagg gcggtttacc cggtttcatt ttcagttgag gccaaaatcc 180
 ccgcggttg gtcggggcgg ggcggggctc gggggacgg gctgaccgcg gggccggggc 240
 cag 243

<210> 338
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 338
 gtgagtgacc cgggcccggg ggcgaggta cgaactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cggccagacc 120
 ctgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgcggtt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggcctgg 240
 gccag 245

<210> 339
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 339
 gtgagtgacc cgggcctggg ggcgaggta cgaactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cggccaaacc 120
 ctgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgcggtt tggtcggggc ggggcggggc tcgggggacg gggctgaccg cggggcctgg 240
 gccag 245

<210> 340
 <211> 243
 <212> DNA
 <213> homo sapiens

<400> 340
 gtgagtgacc cgggcccggg ggcgaggta cgaactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ccccgaggcc gcgggacccg cccagaccct 120
 cgaccggcga gagccccagg gcggtttacc ggtttcattt tcagttgagg ccaaaatccc 180
 cgcgggttg tggggcggg gcggggctcg gggggacgg gctgaccgcg gggcctgggc 240

cag

243

<210> 341

<211> 245

<212> DNA

<213> homo sapiens

<400> 341

```

gtgagtgacc ccggcccggg gcgcaggtca cgactcccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac ctcctgagg ccgcgggacc cgcccagacc   120
ctcgaccggc gagagcccca ggcgcggtta cccggtttca tttcagttg aggccaaaat   180
ccccgcgggt tggtcggggc ggggcggggc tcgggggact gggtgaccg cggggccggg   240
gccag                                     245

```

<210> 342

<211> 244

<212> DNA

<213> homo sapiens

<400> 342

```

gtgagtgacc ccggcccggg gcgcaggtca cgactcccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac ctcctgagg ccgcgggacc cgcccagacc   120
ctcgaccggc gagagcccag gcgcgtttac ccggtttcat tttcagttg ggccaaaatc   180
ccccgcgggt tggtcggggc ggggcggggc cgggggacgg gggtgaccg ggggcctggg   240
ccag                                     244

```

<210> 343

<211> 245

<212> DNA

<213> homo sapiens

<400> 343

```

gtgagtgacc ccggcccggg gcgcaggtca cgactcccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccgc ctcctgagg ccgcgggacc cgcccagacc   120
ctcgaccggc gagagcccca ggcgcggtta cccggtttca tttcagttg aggccaaaat   180
ccccgcgggt tggtcggggc ggggcggggc tcgggggacg gggtgaccg cggggcctgg   240
gccag                                     245

```

<210> 344

<211> 246

<212> DNA

<213> homo sapiens

<400> 344

```

gtgagtgacc ccggcccggg gcgcaggtca cgactcccca tccccacgt acggcccggg   60
tcgccccgag tctccgggtc cgagatccac ctcctgagg ccgcgggacc cgcccagacc   120

```

ctcgaccggc gagaggcccc aggcgcgttt acccggtttc atttcagtt gagccaaaa 180
 tccccgcggg ttggtcgggg cggggcgggg ctcgggggac ggtgctgacc cgggggccgg 240
 ggccag 246

<210> 345
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 345
 gtgagtgacc ccggcccggg ggcaggtca cgactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cggccagacc 120
 ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgccggg ttggtcgggg cgggcggggc tcgggggacg ggtgctgacc cggggccggg 240
 gccag 245

<210> 346
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 346
 gtgagtgacc ccggcccggg ggcaggtca cgactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cggccagacc 120
 ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgccggg ttggtcgggg cgggcggggc tcgggggacg ggtgctgacc cggggccggg 240
 gccag 245

<210> 347
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 347
 gtgagtgacc ccggcccggg ggcaggtca cgactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cggccagacc 120
 ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgccggg ttggtcgggg cgggcggggc tcgggggacg ggtgctgacc cggggccggg 240
 gccag 245

<210> 348
 <211> 244
 <212> DNA
 <213> homo sapiens

<400> 348

gtgagtacc ccggcccggg gcgcaggta cgactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctgaccggc gagaccccag gcgcgtttac ccggtttcat tticagtga ggccaaaatc 180
 cccgcgggtt ggtcggggcg gggcggggct cgggggacgg ggcctaccgc ggggccgggg 240
 ccag 244

<210> 349
 <211> 20
 <212> DNA
 <213> homo sapiens

<400> 349
 tccatgtcct tctgaagca 20

<210> 350
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 350
 gtgagtacc ccggcccggg gcgcaggta cgactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctgaccggc gagagcccga ggcgcttta cccggtttca tticagtga aggccaaaat 180
 cccgcgggtt tggcggggc gggcggggc tcgggggacg ggcctaccgc cggggccggg 240
 gccag 245

<210> 351
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 351
 gtgagtacc ccggcccggg gcgcaggta cgactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctgaccggc gagagcccga ggcgcttta cccggtttca tticagtga aggccaaaat 180
 cccgcgggtt tggcggggc gggcggggc tcgggggacg ggcctaccgc cggggccggg 240
 gccag 245

<210> 352
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 352
 gtgagtacc ccggcccggg gcgcaggta cgactccca tccccacgt acggcccggg 60
 tcgccccgag tctccgggtc cgagatccac cccctgagg ccgcgggacc cgcccagacc 120

ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgccgggt tggtcagggc ggggcggggc tcggggggac ggggctgacc gcggggccgg 240
 gccag 246

<210> 353
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 353
 gtgagtgacc ccggcccggg ggcgaggta cgactcccca tccccacgt acggcccggg 60
 tcgcccagag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgccgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc cgggggccgg 240
 gccag 245

<210> 354
 <211> 245
 <212> DNA
 <213> homo sapiens

<400> 354
 gtgagtgacc ccggcccggg ggcgaggta cgactcccca tccccacgt acggcccggg 60
 tcgcccagag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgccgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc cgggggccgg 240
 gccag 245

<210> 355
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 355
 gtgagtgacc ccggcccggg ggcgaggta cgactcccca tccccacgt acggcccggg 60
 tcgcccagag tctccgggtc cgagatccac ctccctgagg ccgcgggacc cgcccagacc 120
 ctcgaccggc gagagcccca ggcgcgttta cccggtttca tttcagttg aggccaaaat 180
 ccccgccgggt tggtcggggc ggggcggggc tcggggggac ggggctgacc gcggggccgg 240
 gccag 246

<210> 356
 <211> 246
 <212> DNA
 <213> homo sapiens

<400> 356

gtgagtgacc ccggcctggg ggcgaggta cgaacctcc ccaacccga cgtacggccc 60
 gggctcctc gagtcttag gtccgagat caccgcagg ccgcgggacc cgcccagaac 120
 ctgcaccga gagagccca ggcgactta ccggtttca tticagttg aggtcaaat 180
 ccccgcggtt tggcggggc gggcggggc tcggggggac ggggctgacc gcgaggcctg 240
 ggccag 246

<210> 357
 <211> 575
 <212> DNA
 <213> homo sapiens

<400> 357
 gtaccagggg cagtgggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
 cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
 gcatgagttt tctgagttt ccttgaggg cccctcttc tcttaggac aattaaggga 180
 tgactctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtccct 240
 ttgacctg cagcagcctt gggaccgtg actttctc tcaggcctt tctctgcct 300
 cacactcagt gtgttggg cctgattcc agcactctg agtcactta cctccactca 360
 gatcaggagc agaagtcctt gtccccgt cagagactg aacttccaa tgaataggag 420
 attatccag gtgcctgcgt ccaggctgt gtctgggtc tgtgcccct cccacccca 480
 ggtgtcctgt ccattctcag gctggtcaca tgggtgttc tagggtgtcc catgagagat 540
 gcaaagcgc tgaattttct gactctccc atcag 575

<210> 358
 <211> 574
 <212> DNA
 <213> homo sapiens

<400> 358
 gtaccagggg cagtgggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
 cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
 gcatgagttt tctgagttt ccttgaggg cccctcttc tcttagaca attaaggaa 180
 gacgtctct aggaaatgga ggggaagaca gtcctagaa tactgatcag ggggtccct 240
 tgacctgc agcagcctt ggaaccgtg ctttctct caggcctt tctctgctc 300
 acactcagtg tgttggggc tctgattca gcacttctg gtcacttac ctccactcag 360
 atcaggagca gaagtcctt tccccgtc agagactga acttccaa gaataggaga 420
 ttatccagg tgcctgcgtc caggctgtg tctgggtt gtgcccct cccacccag 480
 gtgtcctgt cattctcagg ctggtcacat ggtgtgtct aggtgtccc atgaaagatg 540
 caaagcgt gaattttct acttccca tcag 574

<210> 359
 <211> 572
 <212> DNA
 <213> homo sapiens

<400> 359


```

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
gcatgagttt tctgagttt cctctgagg cccctcttc tcttagaca attaaggat 180
gacgtctctg aggaaatgga ggggaagaca gtcctagaa tactgatcag gggccccctt 240
tgaccctgc agcagccttg ggaaccgtga ctttctct caggccttg tctctgcctc 300
acactcagt tgttggggg tctgattcca gcacttctg gtcacttac ctccactcag 360
atcaggagca gaagtcctg tccccgctc agagactcg actttccat gaataggaga 420
ttatccagg tgcctgcatc cgtgggtgc tgggttctg gcccttccc caccaggt 480
gtctgtcca ttctcaggt ggtcacatgg gtgtcctag ggtgtccat gagagatgca 540
aagcgctga atttctgac tcttccatc ag 572

```

<210> 360

<211> 575

<212> DNA

<213> homo sapiens

<400> 360

```

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
gcatgagttt tctgagttt cctctgagg cccctcttc tcttaggac aattaaggga 180
tgacgtctct gaggaatgt aggggaagac agtcctaga atactgatca ggggtccct 240
tgaccctgc cagcagcctt ggaaccgtg actttctc tcaggccttg tctctgcct 300
cacactcagt gtgttgggg ctctgattcc agcacttctg agtcactta ctccactca 360
gatcaggagc agaagtcct gttccccgt cagagactcg aactttcaa tgaataggag 420
attatccag gtgcctgct ccaggtggt gtctgggttc tgtccccct cccacccca 480
ggtgtcctg ccattctcag gctgtcaca tgggtgtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaatttct gacttctcc atcag 575

```

<210> 361

<211> 572

<212> DNA

<213> homo sapiens

<400> 361

```

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
cgagaagaag aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
gcatgagttt tctgagttt cctctgagg cccctcttc tcttaggac aattaaggga 180
tgacgtctct gaggaatgt aggggaagac agtcctaga atactgatca ggggtccct 240
tgaccctgc cagcagcctt gggaaccatg actttctc tcaggccttg tctctgcct 300
cacactcagt gtgttgggg ctctgattcc agcacttctg agtcactta ctccactca 360
gatcaggagc agaagtctct gttccccgt cagagactcg aactttcaa tgaatagatt 420
atccaggtg cctgcgtcca ggctgggtgc tgggttctg gtccttccc caccaggt 480
gtctgtcca ttctcaggt ggtcacatgg gtgtcctag ggtgtccat gagagatgca 540
aagcgctga atttctgac tcttccatc ag 572

```

<210> 362

<211> 572
 <212> DNA
 <213> homo sapiens

<400> 362

```
gtaccagggg cagtggggag cctccccat ctctatagg tcgccgggga tggcctcca 60
cgagaagaag aggaaaatgg gatcagcgct agaatgtcgc cctccctga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccctcttc tcttaggac aattaaggga 180
tgacgtctct gaggaaatgg aggggaagac agtcctaga atactgatca ggggtccct 240
ttgaccctg cagcagcctt gggaaccatg actttcttc tcaggccttg ttcttgct 300
cacactcagt gtgttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtctct gtccccgct cagagactcg aactttcaa tgaatagatt 420
atcccagggt cctgcgtcca ggctggtgct tgggttctgt gtccctccc caccaggt 480
gtctgtcca ttctcaggct ggtcacatgg gtgtcctag ggtgtccat gagagatgca 540
aagcgctga atttctgac tctccatc ag 572
```

<210> 363
 <211> 575
 <212> DNA
 <213> homo sapiens

<400> 363

```
gtaccagggg cagtggggag cctccccat ctctatagg tcgccgggga tggcctcca 60
cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctccctga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccctcttc tcttaggac aattaaggga 180
tgacgtctct gaggaaatgg aggggaagac agtcctagg atagtgatca ggggtccct 240
ttgaccctg cagcagcctt gggaaccgtg actttcttc tcaggccttg ttcttgct 300
cacactcagt gtgttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttcaa tgaataggag 420
attatccag gtgcctgct ccaggctgt gtctgggttc tgtccctt cccaccca 480
ggtgtcctgt ccattctcag gctgtcaca tgggtgttcc tagggtgtcc catgagagat 540
gcaaagcgc tgaatttct gactctccc atcag 575
```

<210> 364
 <211> 575
 <212> DNA
 <213> homo sapiens

<400> 364

```
gtaccagggg cagtggggag cctccccat ctctatagg tcgccgggga tggcctcca 60
cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctccctga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccctcttc tcttaggac aattaaggga 180
tgacgtctct gaggaaatgg aggggaagac agtcctagg atagtgatca ggggtccct 240
ttgaccctg cagcagcctt gggaaccgtg actttcttc tcaggccttg ttcttgct 300
cacactcagt gtgttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttcaa tgaataggag 420
```

attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgcccctt cccacccca 480
 ggtgtcctgt ccattctcag gctggtcaca tgggtgggtcc tagggtgtcc catgagagat 540
 gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 365
 <211> 575
 <212> DNA
 <213> homo sapiens

<400> 365
 gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
 cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
 gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga 180
 tgacgtctct gaggaaatgg aggggaagac agtcctagg atagtatca ggggtccct 240
 ttgaccctg cagcagcctt gggaaccgtg actttctc tcaggccttg ttctctgct 300
 cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
 gatcaggagc agaagtcctt gtccccgt cagagactcg aactttcaa tgaataggag 420
 attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgcccctt cccacccca 480
 ggtgtcctgt ccattctcag gctggtcaca tgggtgggtcc tagggtgtcc catgagagat 540
 gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 366
 <211> 575
 <212> DNA
 <213> homo sapiens

<400> 366
 gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
 cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
 gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga 180
 tgacgtctct gaggaaatgg aggggaagac agtcctagg atagtatca ggggtccct 240
 ttgcccctg cagcagcctt gggaaccgtg actttctc tcaggccttg ttctctgct 300
 cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
 gatcaggagc agaagtcctt gtccccgt cagagactcg aactttcaa tgaataggag 420
 attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgcccctt cccacccca 480
 ggtgtcctgt ccattctcag gctggtcaca tgggtgggtcc tagggtgtcc catgagagat 540
 gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 367
 <211> 575
 <212> DNA
 <213> homo sapiens

<400> 367
 gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
 cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120

```

gcatgagttt tctgagttt cctctgagg cccctcttc tctctaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtccttagg atagtatca ggggtccct 240
ttgaccctg cagcagcctt gggaaccgtg actttctc tcaggccttg ttcttgct 300
cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttccaa tgaataggag 420
attatcccag gtgctgcgt ccaggctggt gtctgggttc tgtgcccctt cccacccca 480
gggtgctctt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaattttct gactcttccc atcag 575

```

<210> 368

<211> 575

<212> DNA

<213> homo sapiens

<400> 368

```

gtaccagggg cagtggggag ccttcccat ctcctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
gcatgagttt tctgagttt cctctgagg cccctcttc tctctaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtccttagg atagtatca ggggtccct 240
ttgaccctg cagcagcctt gggaaccgtg actttctc tcaggccttg ttcttgct 300
cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttccaa tgaataggag 420
attatcccag gtgctgcgt ccaggctggt gtctgggttc tgtgcccctt cccacccca 480
gggtgctctt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaattttct gactcttccc atcag 575

```

<210> 369

<211> 572

<212> DNA

<213> homo sapiens

<400> 369

```

gtaccagggg cagtggggag ccttcccat ctcctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
gcatgagttt tctgagttt cctctgagg cccctcttc tctctaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtccttagg atagtatca ggggtccct 240
ttgaccctg cagcagcctt gggaaccatg actttctc tcaggccttg ttcttgct 300
cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtctct gtccccgct cagagactcg aactttccaa tgaatagatt 420
atcccagggt cctgcgtcca ggctgggtgc tgggttctgt gcccctccc caccaggt 480
gtctgtcca ttctcagggt ggtcacatgg gtgttctag ggtgtccat gagagatgca 540
aagcgcctga attttctgac tcttccatc ag 572

```

<210> 370

<211> 575

<212> DNA

<213> homo sapiens

<400> 370

```

gtaccagggg cagtgggggag ccttcccat ctctatagg tcgccgggga tggcctcca 60
cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
gcatgagttt tcttgagttt cctctgaggg cccctcttc tcttaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtccttagg atagtgatca ggggtccct 240
ttgacccctg cagcagcctt gggaaccgtg actttcctc tcaggccttg ttctctgcct 300
cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttcaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtccccctt cccacacca 480
gggtgctctg ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaatttct gactcttccc atcag 575

```

<210> 371

<211> 575

<212> DNA

<213> homo sapiens

<400> 371

```

gtaccagggg cagtgggggag ccttcccat ctctatagg tcgccgggga tggcctcca 60
cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
gcatgagttt tcccgagttt cctctgaggg cccctcttc tcttaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtccttaga atactgatca ggggtccct 240
ttgacccctg cagcagcctt gggaaccgtg actttcctc tcaggccttg ttctctgcct 300
cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttcaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtccccctt cccacacca 480
gggtgctctg ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaatttct gactcttccc atcag 575

```

<210> 372

<211> 575

<212> DNA

<213> homo sapiens

<400> 372

```

gtaccagggg cagtgggggag ccttcccat ctctatagg tcgccgggga tggcctcca 60
cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
gcatgagttt tcttgagttt cctctgaggg cccctcttc tcttaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtccttaga atactgatca ggggtccct 240
ttgacccctg cagcagcctt gggaaccgtg actttcctc tcaggccttg ttctctgcct 300
cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttcaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtccccctt cccacacca 480
gggtgctctg ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540

```

gcaaagcgcc tgaattttct gactcttccc atcag

575

<210> 373

<211> 575

<212> DNA

<213> homo sapiens

<400> 373

gtaccagggg cagtgggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
 cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
 gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga 180
 tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtcccct 240
 ttgaccctg cagcagcctt gggaaccgtg actttcctc tcaggccttg ttcttgctt 300
 cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
 gatcaggagc agaagtcctt gtccccctc cagagactcg aactttccaa tgaataggag 420
 attatcccag gtgcctgcgt ccaggctggt gctgggttc tgtgccccit cccacacca 480
 ggtgtcctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
 gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 374

<211> 575

<212> DNA

<213> homo sapiens

<400> 374

gtaccagggg cagtgggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
 cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
 gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga 180
 tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtcccct 240
 ttgaccctg cagcagcctt gggaaccgtg actttcctc tcaggccttg ttcttgctt 300
 cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
 gatcaggagc agaagtcctt gtccccctc cagagactcg aactttccaa tgaataggag 420
 attatcccag gtgcctgcgt ccaggctggt gctgggttc tgtgccccit cccacacca 480
 ggtgtcctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
 gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 375

<211> 572

<212> DNA

<213> homo sapiens

<400> 375

gtaccagggg cagtgggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
 cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
 gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga 180
 tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtcccct 240

```

ttgaccctg cagcagcctt gggaaccatg acttttcctc tcaggccttg ttctctgcct 300
cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtctct gtccccgcct cagagactcg aactttccaa tgaatagatt 420
atcccagggt cctgcgtcca ggctgggtgc tgggttctgt gccccttccc caccaggt 480
gtcctgtcca ttctcaggct ggtcacatgg gtggtcctag ggtgtccat gagagatgca 540
aagcgctga atttctgac tcttccatc ag 572

```

<210> 376
 <211> 572
 <212> DNA
 <213> homo sapiens

```

<400> 376
gtaccagggg cagtggggag ccttccccat ctctatagg tcgccgggga tggcctccaa 60
cgagaagaag aggaaaatgg gatcagcgtc agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccccttctc tctctaggac aattaaggga 180
tgactctctc gaggaatgg aggggaagac agtcctaga atactgatca ggggtccct 240
ttgaccctg cagcagcctt gggaaccatg acttttcctc tcaggccttg ttctctgcct 300
cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtctct gtccccgcct cagagactcg aactttccaa tgaatagatt 420
atcccagggt cctgcgtcca ggctgggtgc tgggttctgt gccccttccc caccaggt 480
gtcctgtcca ttctcaggct ggtcacatgg gtggtcctag ggtgtccat gagagatgca 540
aagcgctga atttctgac tcttccatc ag 572

```

<210> 377
 <211> 572
 <212> DNA
 <213> homo sapiens

```

<400> 377
gtaccagggg cagtggggag ccttccccat ctctatagg tcgccgggga tggcctccaa 60
cgagaagaag aggaaaatgg gatcagcgtc agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccccttctc tctctaggac aattaaggga 180
tgactctctc gaggaatgg aggggaagac agtcctaga atactgatca ggggtccct 240
ttgaccctg cagcagcctt gggaaccatg acttttcctc tcaggccttg ttctctgcct 300
cacactcagt gtgtttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtctct gtccccgcct cagagactcg aactttccaa tgaatagatt 420
atcccagggt cctgcgtcca ggctgggtgc tgggttctgt gccccttccc caccaggt 480
gtcctgtcca ttctcaggct ggtcacatgg gtggtcctag ggtgtccat gagagatgca 540
aagcgctga atttctgac tcttccatc ag 572

```

<210> 378
 <211> 572
 <212> DNA
 <213> homo sapiens

<400> 378

```

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccaa   60
cgagaagaag aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg   120
gcatgagttt tctgagttt cctctgagg cccctcttc tcttaggac aattaaggga   180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtccct   240
ttgaccctg cagcagcctt gggaaccatg actttctc tcaggcctg ttcttgcct   300
cacactcagt gtgttggg ctctgattcc agcactctg agtcactta cctccactca   360
gatcaggagc agaagtctct gtccccgct cagagactcg aactttcaa tgaatagatt   420
atcccagggt cctgcgtcca ggctgggtgc tgggttctgt gcccctccc caccaggt   480
gtctgtcca ttccaggct ggtcacatgg gtgtcctag ggtgtccat gagagatgca   540
aagcgctga attttctgac tcttccatc ag                               572

```

<210> 379

<211> 574

<212> DNA

<213> homo sapiens

<400> 379

```

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccaa   60
cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccgtga atggagaatg   120
gcatgagttt tctgagttt cctctgagg cccctcttc tcttagaca attaaggaat   180
gacgtctctg aggaatgga gggaagaca gtcctagaa tactgatcag ggggtccct   240
tgaccctgc agcagcctg ggaaccgtga ctttctct caggcctgt tcttgcctc   300
acactcagt gtgttgggc tctgattcca gcactctga gtcacttac ctcactcag   360
atcaggagca gaagtccctg ttccccgct agagactcga actttcaat gaataggaga   420
ttatcccagg tgctgcgtc caggctgggt tctgggtct gtgcccctc cccaccag   480
gtgtcctgtc cattctcagg ctgtcacat ggggtgtcct aggtgtccc atgaaagatg   540
caaagcgct gaatttctg actttccca tcag                               574

```

<210> 380

<211> 575

<212> DNA

<213> homo sapiens

<400> 380

```

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccaa   60
cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg   120
gcatgagttt tctgagttt cctctgagg cccctcttc tcttaggac aattaaggga   180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtccct   240
ttgaccctg cagcagcctt gggaaccgtg actttctc tcaggcctg ttcttgcct   300
cacactcagt gtgttggg ctctgattcc agcactctg agtcactta cctccactca   360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttcaa tgaataggag   420
attatcccag gtgctgcgt ccaggctggt gtctgggttc tgtgcccct cccaccacca   480
ggtgtcctgt ccattctcag gctgtcaca tgggtgtcc tagggtgtcc catgagagat   540
gcaaagccc tgaatttct gacttctcc atcag                               575

```


<210> 381
 <211> 572
 <212> DNA
 <213> homo sapiens

<400> 381

```
gtaccagggg cagtgggggag ccttcccat ctcctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctagaca attaaggat 180
gacgtctctg aggaaatgga ggggaagaca gtcctagaa tac gatcag ggggtccctt 240
tgacctctgc agcagccttg ggaaccgtga ctttctct caggccttgt tctctgcctc 300
acactcagtg tgtttggggc tctgattcca gcacttctga gtcactttac ctccactcag 360
atcaggagca gaagtcctg tccccgctc agagactcga acttccaat gaataggaga 420
ttatcccagg tgcctgcac cgtgtgtgtc tgggttctgt gcccctccc caccacaggt 480
gtctgtcca ttctcaggct ggtcacatgg gtgttcctag ggtgtgccat gagagatgca 540
aagcgctga attttctgac tcttccatc ag 572
```

<210> 382
 <211> 572
 <212> DNA
 <213> homo sapiens

<400> 382

```
gtaccagggg cagtgggggag ccttcccat ctcctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctagaca attaaggaat 180
gacgtctctg aggaaatgga ggggaagaca gtcctagaa tactgatcag ggggtccctt 240
tgacctctgc agcagccttg ggaaccgtga ctttctct caggccttgt tctctgcctc 300
acactcagtg tgtttggggc tctgattcca gcacttctga gtcactttac ctccactcag 360
atcaggagca gaagtcctg tccccgctc agagactcga acttccaat gaataggaga 420
ttatcccagg tgcctgcac cgtgtgtgtc tgggttctgt gcccctccc caccacaggt 480
gtctgtcca ttctcaggct ggtcacatgg gtgttcctag ggtgtgccat gagagatgca 540
aagcgctga attttctgac tcttccatc ag 572
```

<210> 383
 <211> 572
 <212> DNA
 <213> homo sapiens

<400> 383

```
gtaccagggg cagtgggggag ccttcccat ctcctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctagaca attaaggat 180
gacgtctctg aggaaatgga ggggaagaca gtcctagaa tactgatcag ggggtccctt 240
tgacctctgc agcagccttg ggaaccgtga ctttctct caggccttgt tctctgcctc 300
acactcagtg tgtttggggc tctgattcca gcacttctga gtcactttac ctccactcag 360
```

```

atcaggagca gaagtcctg tccccgctc agagactcga actttccaat gaataggaga 420
ttatcccagg tgectgcac cgctgggtgc tgggttctgt gcccctccc caccacaggt 480
gtcctgtcca ttctcaggct ggtcacatgg gtggtcctag ggtgtgccat gagagatgca 540
aagcgctga attttctgac tcttcccatc ag 572

```

<210> 384
 <211> 575
 <212> DNA
 <213> homo sapiens

```

<400> 384
gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tcttgagttt ccttgaggg ccccccttc tctctaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtcccct 240
ttgacccttg cagcagcctt gggaaccgtg acttttctc tcaggccttg ttcttgct 300
cacactcagt gtgttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttccaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgccctt cccacccca 480
ggtgtcctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaattttct gactcttccc atcag 575

```

<210> 385
 <211> 575
 <212> DNA
 <213> homo sapiens

```

<400> 385
gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgct agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tcttgagttt ccttgaggg ccccccttc tctctaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtcccct 240
ttgacccttg cagcagcctt gggaaccgtg acttttctc tcaggccttg ttcttgct 300
cacactcagt gtgttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgct cagagactcg aactttccaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgccctt cccacccca 480
ggtgtcctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaattttct gactcttccc atcag 575

```

<210> 386
 <211> 573
 <212> DNA
 <213> homo sapiens

```

<400> 386
gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60

```

cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
 gcatgagttt tctgagttt cctctgagg cccctcttc tcttagaca attaaggga 180
 gacgtctctg aggaaaatga ggggaagaca gtcctagaa tactgatcag ggggccctt 240
 tgaccctgc agcagcctg ggaaccgtga cttctctc aggccttgt ctctgcctca 300
 cactcagtgt gtttggggct ctgattccag cactctgag tcactttacc tccactcaga 360
 tcgggagcag aagtcctgt tccccgtca gagactcga cttccaatg aataggagat 420
 tatcccaggt gcctgcgtcc aggcctgtgt ctgggttctg tggcccttc ccacccag 480
 tgcctgtcc attctcagg tggtcacatg ggtgtccta ggtgtccca tgagagatgc 540
 aaagcgctg aattttctga ctttcccat cag 573

<210> 387

<211> 575

<212> DNA

<213> homo sapiens

<400> 387

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctcca 60
 cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
 gcatgagttt tctgagttt cctctgagg cccctcttc tcttaggac aattaaggga 180
 tgacgtctct gaggaatgg aggggaagac agtcctagg atagtatca ggggtccct 240
 ttgaccctg cagcagcctt gggaaccgtg actttctc tcaggccttg ttctctgcct 300
 cacactcagt gtgttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
 gatcaggagc agaagtcctt gtccccgt cagagactcg aactttcaa tgaataggag 420
 attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgccctt cccacccca 480
 ggtgtcctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
 gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 388

<211> 575

<212> DNA

<213> homo sapiens

<400> 388

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctcca 60
 cgagaagagg aggaaaatgg gatcagcgt agaatgtgc cctccctga atggagaatg 120
 gcatgagttt tctgagttt cctctgagg cccctcttc tcttaggac aattaaggga 180
 tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtccct 240
 ttgaccctg cagcagcctt gggaaccgtg actttctc tcaggccttg ttctctgcct 300
 cacactcagt gtgttgggg ctctgattcc agcacttctg agtcacttta cctccactta 360
 gatcaggagc agaagtcctt gtccccgt cagagactcg aactttcaa tgaataggag 420
 attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgccctt cccacccca 480
 ggtgtcctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
 gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 389

<211> 575

<212> DNA

<213> homo sapiens

<400> 389

```

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca   60
cgagaagagg aggaaaatgg gatcagcgct agaatgtgc cctccctga atggagaatg  120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga   180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtcccct   240
ttgacccctg cagcagcctt gggaaccgtg acttttctc tcaggccttg ttctctgcct   300
cacactcagt gtgtttggg ccttgattcc agcacttctg agtcacttta cctccactca   360
gatcaggagc agaagtcctt gttcccact cagagactcg aactttcaa tgaataggag   420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgccctt cccacacca   480
gggtgtctgt ccattctcag gctggtcaca tgggtgtcc taggggtgcc catgagagat   540
gcaaagcgcc tgaattttct gactcttccc atcag                               575

```

<210> 390

<211> 576

<212> DNA

<213> homo sapiens

<400> 390

```

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca   60
cgagaagagg aggaaaatgg gatcagcgct agaatgtgc cctccctga atggagaatg  120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga   180
tgacgtctct gaggaatgg aggggaagtc agtcctagg aatagtatc aggggtcccc   240
tttgacccct gcagcagcct tgggaaccgt gacttttct ctcaggcctt gttctctgcc   300
tcacactcag tgtgtttggg gctctgattc cagcacttct gactcacttt acctccactc   360
agatcaggag cagaagtccc tgttcccgc tcagagactc gaactttcaa atgaatagga   420
gattatccca ggtgcctgcg tccaggctgg tctctgggtt ctgtgccct tccccacccc   480
agggtgtctg tccatttca ggctgggtcac atgggtgtgc ctagggtgtc ccatgagaga   540
tgcaagcgcc ctgaattttc tgactcttcc catcag                               576

```

<210> 391

<211> 575

<212> DNA

<213> homo sapiens

<400> 391

```

gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca   60
cgagaagagg aggaaaatgg gatcagcgct agaatgtgc cctccctga atggagaatg  120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga   180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtcccct   240
ttgacccctg cagcagcctt gggaaccgtg acttttctc tcaggccttg ttctctgcct   300
cacactcagt gtgtttggg ccttgattcc agcacttctg agtcacttta cctccactca   360
gatcaggagc agaagtcctt gttcccctc cagagactcg aactttcaa tgaataggag   420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgccctt cccacacca   480

```

gggtgctctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 392
<211> 575
<212> DNA
<213> homo sapiens

<400> 392
gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgtc agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtcccct 240
ttgacccctg cagcagcctt gggaaccgtg actttctc tcaggccttg ttctctgct 300
cacactcagt gtgttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgt cagagactcg aactttcaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggg gtctgggttc tgtccccctt cccacacca 480
gggtgctctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 393
<211> 575
<212> DNA
<213> homo sapiens

<400> 393
gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgtc agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagtc agtcctaga atactgatca ggggtcccct 240
ttgacccctg cagcagcctt gggaaccgtg actttctc tcaggccttg ttctctgct 300
cacactcagt gtgttgggg ctctgattcc agcacttctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gtccccgt cagagactcg aactttcaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggg gtctgggttc tgtccccctt cccacacca 480
gggtgctctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc catgagagat 540
gcaaagcgcc tgaattttct gactcttccc atcag 575

<210> 394
<211> 575
<212> DNA
<213> homo sapiens

<400> 394
gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctccca 60
cgagaagagg aggaaaatgg gatcagcgtc agaatgtcgc cctcccttga atggagaatg 120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga 180

```

tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtccct 240
ttgacccttg cagcagcctt gggaaccgtg actttcctc tcaggccttg ttcttgcct 300
cacactcagt gtgtttgggg ctctgattcc agcactctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gttccccgt cagagactcg aactttcaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgccctt cccacacca 480
ggtgtcctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc tatgagagat 540
gcaaagcgcc tgaatttct gactttccc atcag 575

```

<210> 395
 <211> 575
 <212> DNA
 <213> homo sapiens

```

<400> 395
gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctcca 60
cgagaagagg aggaaatgg gatcagcgt agaatgtcg cctccctga atggagaatg 120
gcatgagttt tctgagttt ccttgaggg cccctcttc ttctaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtccct 240
ttgacccttg cagcagcctt gggaaccgtg actttcctc tcaggccttg ttcttgcct 300
cacactcagt gtgtttgggg ctctgattcc agcactctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gttccccgt cagagactcg aactttcaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgccctt cccacacca 480
ggtgtcctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc tatgagagat 540
gcaaagcgcc tgaatttct gactttccc atcag 575

```

<210> 396
 <211> 575
 <212> DNA
 <213> homo sapiens

```

<400> 396
gtaccagggg cagtggggag ccttcccat ctctatagg tcgccgggga tggcctcca 60
cgagaagagg aggaaatgg gatcagcgt agaatgtcg cctccctga atggagaatg 120
gcatgagttt tctgagttt ccttgaggg cccctcttc ttctaggac aattaaggga 180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtccct 240
ttgacccttg cagcagcctt gggaaccgtg actttcctc tcaggccttg ttcttgcct 300
cacactcagt gtgtttgggg ctctgattcc agcactctg agtcacttta cctccactca 360
gatcaggagc agaagtcctt gttccccgt cagagactcg aactttcaa tgaataggag 420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtgccctt cccacacca 480
ggtgtcctgt ccattctcag gctggtcaca tgggtggtcc tagggtgtcc tatgagagat 540
gcaaagcgcc tgaatttct gactttccc atcag 575

```

<210> 397
 <211> 575
 <212> DNA
 <213> homo sapiens

<400> 397

```

gtaccagggg cagtgggggag ccttcccat ctctatagg tcgccgggga tggcctcca   60
cgagaagagg aggaaaatgg gatcagcgtc agaatgtgc cctccctga atggagaatg  120
gcatgagttt tctgagttt cctctgaggg cccctcttc tctctaggac aattaaggga  180
tgacgtctct gaggaatgg aggggaagac agtcctaga atactgatca ggggtcctct  240
ttgaccctg cagcagcctt gggaaccgtg actttctc tcaggcctg ttcttcct   300
cacactcagt gtgttgggg ctctgatcc agcactctg agtcactta cctccactca  360
gatcaggagc agaagtcct gtccccgtc cagagactcg aacttccaa tgaataggag  420
attatcccag gtgcctgcgt ccaggctggt gtctgggttc tgtccccctt cccacccca  480
gggtctctgt ccattctcag gctggtcaca tgggtgggcc taggggtgcc tatgagagat  540
gcaaagcgcc tgaatttct gactctccc atcag                               575

```

<210> 398

<211> 19

<212> DNA

<213> homo sapiens

<400> 398

ccacctgctg ctctcggga 19

<210> 399

<211> 17

<212> DNA

<213> homo sapiens

<400> 399

ctctgctgc tctcggc 17

<210> 400

<211> 18

<212> DNA

<213> homo sapiens

<400> 400

ctgctgctct ggggggca 18

<210> 401

<211> 18

<212> DNA

<213> homo sapiens

<400> 401

gagatgcggg tcacggca 18

<210> 402

<211> 18

<212> DNA
<213> homo sapiens

<400> 402
ctgaccgaga cctgggct 18

<210> 403
<211> 18
<212> DNA
<213> homo sapiens

<400> 403
aggagggtcg ggcgggtt 18

<210> 404
<211> 18
<212> DNA
<213> homo sapiens

<400> 404
gggtctcagc cccacctt 18

<210> 405
<211> 19
<212> DNA
<213> homo sapiens

<400> 405
gagggaaatg gcctctgcc 19

<210> 406
<211> 18
<212> DNA
<213> homo sapiens

<400> 406
cgggggcgca ggacctga 18

<210> 407
<211> 18
<212> DNA
<213> homo sapiens

<400> 407
gcgccgggag gaggtct 18

<210> 408
<211> 18
<212> DNA
<213> homo sapiens

<400> 408
gcctctgtgg ggaggaga 18

<210> 409
<211> 19
<212> DNA
<213> homo sapiens

<400> 409
gcctctgtag ggaggagca 19

<210> 410
<211> 18
<212> DNA
<213> homo sapiens

<400> 410
gtcgggcggg tctcagct 18

<210> 411
<211> 17
<212> DNA
<213> homo sapiens

<400> 411
cgggggaccg cgccggt 17

<210> 412
<211> 18
<212> DNA
<213> homo sapiens

<400> 412
ggtctcagcc cctctca 18

<210> 413
<211> 18
<212> DNA
<213> homo sapiens

<400> 413

gtggagtgcg gggtcggc 18

<210> 414
<211> 17
<212> DNA
<213> homo sapiens

<400> 414
gtgagtgcgg ggtcggc 17

<210> 415
<211> 17
<212> DNA
<213> homo sapiens

<400> 415
gaccgcaggc gggggct 17

<210> 416
<211> 18
<212> DNA
<213> homo sapiens

<400> 416
tctcagcccc tctcgtc 18

<210> 417
<211> 19
<212> DNA
<213> homo sapiens

<400> 417
gccatccccg gcgacctat 19

<210> 418
<211> 19
<212> DNA
<213> homo sapiens

<400> 418
gggacccctg atcactatc 19

<210> 419
<211> 19
<212> DNA
<213> homo sapiens

<400> 419
ggcctcaga ggaaactcg 19

<210> 420
<211> 21
<212> DNA
<213> homo sapiens

<400> 420
aggcctgaga ggaaaagtca t 21

<210> 421
<211> 21
<212> DNA
<213> homo sapiens

<400> 421
aggcgctttg catcttcat a 21

<210> 422
<211> 21
<212> DNA
<213> homo sapiens

<400> 422
gatcagtatt ctagggactg a 21

<210> 423
<211> 20
<212> DNA
<213> homo sapiens

<400> 423
gaatggacag gacacctggt 20

<210> 424
<211> 21
<212> DNA
<213> homo sapiens

<400> 424
tcatgccatt ctccattcaa c 21

<210> 425
<211> 20
<212> DNA

<213> homo sapiens

<400> 425

ctagggactg tcttcccta

20

<210> 426

<211> 20

<212> DNA

<213> homo sapiens

<400> 426

cgtgatccc atttctct

20

<210> 427

<211> 20

<212> DNA

<213> homo sapiens

<400> 427

cagagaacaa ggcctgagaa

20

<210> 428

<211> 19

<212> DNA

<213> homo sapiens

<400> 428

aaccagaca ccagcgat

19

<210> 429

<211> 20

<212> DNA

<213> homo sapiens

<400> 429

ggacttctgc tctgatcta

20

<210> 430

<211> 18

<212> DNA

<213> homo sapiens

<400> 430

gaggccatcc cggcgat

18

<210> 431

<211> 21
<212> DNA
<213> homo sapiens

<400> 431
ggaaagttcg agtctctgag t 21

<210> 432
<211> 20
<212> DNA
<213> homo sapiens

<400> 432
ctcatgccat tctccattcc 20

<210> 433
<211> 19
<212> DNA
<213> homo sapiens

<400> 433
tgaccagcct gagaatggg 19

<210> 434
<211> 19
<212> DNA
<213> homo sapiens

<400> 434
aacagggact tctgctccc 19

<210> 435
<211> 20
<212> DNA
<213> homo sapiens

<400> 435
ggcctgagag aaaaagtcac 20

<210> 436
<211> 21
<212> DNA
<213> homo sapiens

<400> 436
ggatctcgga cccggagact c 21

<210> 437
<211> 21
<212> DNA
<213> homo sapiens

<400> 437
accgggttc atttcagtt g 21

<210> 438
<211> 23
<212> DNA
<213> homo sapiens

<400> 438
tttaccgggt ttcatttca gtt 23

<210> 439
<211> 18
<212> DNA
<213> homo sapiens

<400> 439
tccccactgc ccctggta 18

<210> 440
<211> 15
<212> DNA
<213> homo sapiens

<400> 440
ggccagggtc tcaca 15

<210> 441
<211> 18
<212> DNA
<213> homo sapiens

<400> 441
atctcggacc cggagact 18

<210> 442
<211> 21
<212> DNA
<213> homo sapiens

<400> 442

WO 99/07883

PCT/CA98/00768

tcccactcca tgaggtattt c

21

WHAT IS CLAIMED IS:

1. A method of determining the HLA-B Class I group type of a subject comprising the following steps:

(i) combining a group-specific untranslated region primer pair with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur; and

(ii) determining whether a nucleic acid product is produced by the amplification;

wherein the ability of the primer pair to produce a nucleic acid product is associated with a particular HLA group type.

2. The method of claim 1, further comprising the step of (iii) determining the nucleic acid sequence of the nucleic acid product of step (ii).

3. The method of claim 1, wherein the primer pair comprises one or more oligonucleotide primers selected from the group consisting of E1-B121m17, E1-B129, E1-B130, E1-B136, E1-B182, I1-B145, I1-B154m, I1-B167, I1-B168, I1-B169, I1-B170, I1-B171, I1-B172, I1-B173, I1-B174, I1-B175, I1-B326, I1-B331, I1-B346, I3-B126, I3-B147, I3-B164, I3-B165, I3-B166, I3-B187, I3-B212, I3-B305, I3-B319, I3-B320, I3-B321, I3-B323, I3-B332, I3-B335, I3-B337, I3-B342, I3-B347, I3-B348, and I3-B349.

4. The method of claim 1, wherein the primer pair is selected from the group of pairs consisting of I1-B174 and I3-B305; I1-B167 and I3-B323; I1-B175 and I3-B319; I1-B145 and I3-B321; E1-B121m17 and I3-B147; I1-B154m and I3-B164; E1-B182 and I3-B349; I1-B168 and I3-B212; I1-B326 and I3-B165; I1-B167 and I3-B320, I1-B172 and I3-B342; I1-B172 and I3-B323; I1-B174 and I3-B323; I1-B170 and I3-B126; I1-B326 and I3-B348; I1-B331 and I3-B332; I1-B326 and I3-B337; I1-B326 and I3-B187; I1-B169 and I3-B166; I1-B171 and I3-B347; I1-B173 and I3-B335; I1-B168 and I3-B212; I1-B346 and I3-B126; I3-B326 and I3-B126; I1-B167 and I3-B126; I1-B168 and I3-B126; E1-B129 and I3-B126; E1-B130 and I3-B126; E1-B182 and I3-B126; and E1-B136 and I3-B126.

5. A method of determining the HLA-B Class I allele type of a subject, wherein the group type of the subject is known, comprising the following steps:

(i) combining a group-specific untranslated region primer pair corresponding to the group type of the subject with a target DNA sample from the subject under conditions such that primer-based amplification of the target DNA may occur and a second nucleic acid product is produced; and

(ii) determining the nucleic acid sequence of the second nucleic acid product collected in step (i).

6. The method of claim 5, wherein the group-specific untranslated region primer pair used in step (i) comprises one or more oligonucleotide primers selected from the group consisting of E1-B121m17, E1-B129, E1-B130, E1-B136, E1-B182, I1-B145, I1-B154m, I1-B167, I1-B168, I1-B169, I1-B170, I1-B171, I1-B172, I1-B173, I1-B174, I1-B175, I1-B326, I1-B331, I1-B346, I3-B126, I3-B147, I3-B164, I3-B165, I3-B166, I3-B187, I3-B212, I3-B305, I3-B319, I3-B320, I3-B321, I3-B323, I3-B332, I3-B335, I3-B337, I3-B342, I3-B347, I3-B348, and I3-B349.

7. The method of claim 5, wherein the group-specific untranslated region primer pair used in step (i) is selected from the group of oligonucleotide primer pairs consisting of I1-B174 and I3-B305; I1-B167 and I3-B323; I1-B175 and I3-B319; I1-B145 and I3-B321; E1-B121m17 and I3-B147; I1-B154m and I3-B164; E1-B182 and I3-B349; I1-B168 and I3-B212; I1-B326 and I3-B165; I1-B167 and I3-B320; I1-B172 and I3-B342; I1-B172 and I3-B323; I1-B174 and I3-B323; I1-B170 and I3-B126; I1-B326 and I3-B348; I1-B331 and I3-B332; I1-B326 and I3-B337; I1-B326 and I3-B187; I1-B169 and I3-B166; I1-B171 and I3-B347; I1-B173 and I3-B335; I1-B168 and I3-B212; I1-B346 and I3-B126; I3-B326 and I3-B126; I1-B167 and I3-B126; I1-B168 and I3-B126; E1-B129 and I3-B126; E1-B130 and I3-B126; E1-B182 and I3-B126; and E1-B136 and I3-B126.

8. A composition comprising a plurality of oligonucleotide primer pairs comprising one or more primers selected from the group consisting of E1-B121m17, E1-B129, E1-B130, E1-B136, E1-B182, I1-B145, I1-B154m, I1-B167, I1-B168, I1-B169, I1-B170, I1-B171, I1-B172, I1-B173, I1-B174, I1-B175, I1-B326, I1-B331, I1-B346, I3-B126, I3-B147, I3-B164, I3-B165, I3-B166, I3-B187, I3-B212, I3-B305, I3-B319, I3-B320, I3-B321, I3-B323, I3-B332, I3-B335, I3-B337, I3-B342, I3-

B347, I3-B348, and I3-B349.

9. A composition comprising an oligonucleotide primer selected from the group consisting of E1-B121m17, E1-B129, E1-B130, E1-B136, E1-B182, I1-B145, I1-B154m, I1-B167, I1-B168, I1-B169, I1-B170, I1-B171, I1-B172, I1-B173, I1-B174, I1-B175, I1-B326, I1-B331, I1-B346, I3-B126, I3-B147, I3-B164, I3-B165, I3-B166, I3-B187, I3-B212, I3-B305, I3-B319, I3-B320, I3-B321, I3-B323, I3-B332, I3-B335, I3-B337, I3-B342, I3-B347, I3-B348, and I3-B349.

10. A composition comprising an oligonucleotide primer pair selected from the group consisting of I1-B174 and I3-B305; I1-B167 and I3-B323; I1-B175 and I3-B319; I1-B145 and I3-B321; E1-B121m17 and I3-B147; I1-B154m and I3-B164; E1-B182 and I3-B349; I1-B168 and I3-B212; I1-B326 and I3-B165; I1-B167 and I3-B320; I1-B172 and I3-B342; I1-B172 and I3-B323; I1-B174 and I3-B323; I1-B170 and I3-B126; I1-B326 and I3-B348; I1-B331 and I3-B332; I1-B326 and I3-B337; I1-B326 and I3-B187; I1-B169 and I3-B166; I1-B171 and I3-B347; I1-B173 and I3-B335; I1-B168 and I3-B212; I1-B346 and I3-B126; I3-B326 and I3-B126; I1-B167 and I3-B126; I1-B168 and I3-B126; E1-B129 and I3-B126; E1-B130 and I3-B126; E1-B182 and I3-B126; and E1-B136 and I3-B126.

11. A kit comprising:

(a) a plurality of oligonucleotide group-specific untranslated region primer pairs comprising one or more primers selected from the group consisting of E1-B121m17, E1-B129, E1-B130, E1-B136, E1-B182, I1-B145, I1-B154m, I1-B167, I1-B168, I1-B169, I1-B170, I1-B171, I1-B172, I1-B173, I1-B174, I1-B175, I1-B326, I1-B331, I1-B346, I3-B126, I3-B147, I3-B164, I3-B165, I3-B166, I3-B187, I3-B212, I3-B305, I3-B319, I3-B320, I3-B321, I3-B323, I3-B332, I3-B335, I3-B337, I3-B342, I3-B347, I3-B348, and I3-B349;

and

(b) an enzyme for nucleotide chain extension.

12. A kit comprising:

(a) an oligonucleotide group-specific untranslated region primer selected from the group consisting of E1-B121m17, E1-B129, E1-B130, E1-B136, E1-B182, I1-B145, I1-B154m, I1-B167, I1-B168, I1-B169, I1-B170, I1-B171, I1-

B172, I1-B173, I1-B174, I1-B175, I1-B326, I1-B331, I1-B346, I3-B126, I3-B147, I3-B164, I3-B165, I3-B166, I3-B187, I3-B212, I3-B305, I3-B319, I3-B320, I3-B321, I3-B323, I3-B332, I3-B335, I3-B337, I3-B342, I3-B347, I3-B348, and I3-B349 ; and

(b) an enzyme for nucleotide chain extension.

13. A kit comprising:

(a) an oligonucleotide primer pair selected from the group consisting of I1-B174 and I3-B305; I1-B167 and I3-B323; I1-B175 and I3-B319; I1-B145 and I3-B321; E1-B121m17 and I3-B147; I1-B154m and I3-B164; E1-B182 and I3-B349; I1-B168 and I3-B212; I1-B326 and I3-B165; I1-B167 and I3-B320; I1-B172 and I3-B342; I1-B172 and I3-B323; I1-B174 and I3-B323; I1-B170 and I3-B126; I1-B326 and I3-B348; I1-B331 and I3-B332; I1-B326 and I3-B337; I1-B326 and I3-B187; I1-B169 and I3-B166; I1-B171 and I3-B347; I1-B173 and I3-B335; I1-B168 and I3-B212; I1-B346 and I3-B126; I3-B326 and I3-B126; I1-B167 and I3-B126; I1-B168 and I3-B126 E1-B129 and I3-B126; E1-B130 and I3-B126; E1B-182 and I3-B126; and E1B-136 and I3-B126; and


(b) an enzyme for nucleotide chain extension.

14. The kit of claim 13, further comprising:

(d) a sequencing primer selected from the group consisting of GGA TCT CGG ACC CGG AGA CTC G (SEQ ID NO:436); ACC CGG TTT CAT TTT CAG TTG (SEQ ID NO:437); TTT ACC CGG TTT CAT TTT CAG TT (SEQ ID NO:438); TCC CCA CTG CCC CTG GTA (SEQ ID NO:439); GGK CCA GGG TCT CAC A (SEQ ID NO:440); ATC TCG GAC CCG GAG ACT (SEQ ID NO:441); and TCC CAC TCC ATG AGG TAT TTC (SEQ ID NO:442).

Figure 1.

HLA class I Sequencing



group-specific non-coding region primers




Figure 2(i)




Figure 2(2)

HLA-A 5' flanking region, T cell

	1	10	20	30	40	50	60	70	80	90	100
Consensus	GAGCGAGAGCCCTCTTAACTCAAGGCGACCCGACGAGCCCTGAAATCTTGGGAGCTGGGAGCTGGTAACTAACGAGAGAGCTTGGGCTGTGGGTTACCTCA										
A*0101											
A*0301											
A*1101											
A*1102											
A*3001											
A*3002											
A*3004											
A*0201-11											
A*0215											
A*0217											
A*6601											
A*6802											
A*6801											
A*2301											
A*2402											
A*2403											
A*2404											
A*2405											
A*2407											
A*2501											
A*2601											
A*3102											
A*4101											
A*6601											
A*6602											
A*6603											
A*2301											
A*2302											
A*31012											
A*3201											
A*3301											
A*3303											
A*7401											
A*7402											
A*7403											
A*8001											

Figure 3(1)

Abbildung 20

HLA-A 5' flanking Region, Teil II

	110	120	130	140	150	160	170	180	190	200
Consensus	CTCTTACC	CAAGCC	AGACAT	AGTCTCTT	CTCTGAG	ATGATAC	CAACCC	CTCTCTT	CTTACCC	CTCAACCC
A*0101	A.....
A*0301	A.....
A*1101	A.....
A*1102	A.....
A*1001	A.....
A*1002	A.....
A*1004	A.....
A*0201-11	A.....
A*0215	A.....
A*0217	A.....
A*6801	A.....
A*6802	A.....
A*6901	A.....
A*2301	A.....
A*2402	A.....
A*2403	A.....
A*2404	A.....
A*2405	A.....
A*2407	A.....
A*2501	A.....
A*2601	A.....
A*3102	A.....
A*4101	A.....
A*6601	A.....
A*6602	A.....
A*6603	A.....
A*2901	A.....
A*2902	A.....
A*31012	A.....
A*3201	A.....
A*3301	A.....
A*3303	A.....
A*7401	A.....
A*7402	A.....
A*7403	A.....
A*8001	A.....

Figure 3(2)

Abbildung 3a (Teil II)

Figure 3

BNSDOCID: <WO_9907883A1_|_>

Figure 3(H)

[illegible]

Abbildung 20 (Fortsetzung)

III A-A 5' flankierende Region, Teil V

[illegible]

Figure 3(5)

[illegible]

Abbildung 23

-
C
r
c
r
-



Abbildung 15 (Fortsetzung)

44-38861-1A Anton J. Teitel

[illegible]

MLA-A Intron 3, T-cell II

Figure 6(2)

	Consensus	130	140	150	160	170	180	190	200	210	220	230	240	250
A-0101	TCTCTGAGGTTCACAAATCTGTATACCAGAGAGTGTGAAGTTCCGCCTGGCTCTTGAGCAATTAAAGGATAAATACTGTGAAGCATGACCGAGAAGACGATCCCTGMAATATCATGATGAT													
A-0301*										-Q			
A-1101										-Q			
A-1102										-Q			
A-1001										-Q			
A-3002										-Q			
A-3004										-Q			
A-0201										-Q			
A-0202										-Q			
A-0203										-Q			
A-0204										-Q			
A-0205										-Q			
A-0206										-Q			
A-0207										-Q			
A-0208										-Q			
A-0209										-Q			
A-0210										-Q			
A-0211										-Q			
A-0213										-Q			
A-0217										-Q			
A-6601										-Q			
A-6602										-Q			
A-2301										-Q			
A-2402										-Q			
A-2403										-Q			
A-2404										-Q			
A-2405										-Q			
A-2407										-Q			
A-2501										-Q			
A-2601										-Q			
A-3102										-Q			
A-4301										-Q			
A-6601										-Q			
A-6602										-Q			
A-6603										-Q			
A-2301										-Q			
A-2302										-Q			
A-3101										-Q			
A-3201										-Q			
A-3301										-Q			
A-3303										-Q			
A-7401										-Q			
A-7402										-Q			
A-7403										-Q			
A-8001										-Q			

Abbildung 23 (Fortsetzung)

5'-A-T-A Intron 3, T cell III

1.5 x 10⁶ (3)

Consensus	260	270	280	290	300	310	320	330	340	350	360	370	380
A-0101	GGTCCCTTGA	CACACACCCG	AGACAGCCCT	TGGGCCCT	GTATCTTCT	CTGAGCCCT	TGTTCTCT	GTGACACT	CAATATGT	GTGGGCT	GTAGTCA	GCCTTCC	CAAGCTCC
A-0101
A-1101
A-1102
A-1001
A-1002
A-1004
A-0201
A-0202
A-0203
A-0204
A-0205
A-0206
A-0207
A-0208
A-0209
A-0210
A-0211
A-0215
A-0217
A-6801
A-6802
A-6901
A-2301
A-2402
A-2403
A-2404
A-2405
A-2407
A-2501
A-3402
A-4301
A-6601
A-6602
A-6603
A-2901
A-2902
A-3101
A-3201
A-3301
A-3302
A-7401
A-7402
A-7403
A-0001

Abbildung 23 (Fortsetzung)

100

Abbildung 23 (Fortsetzung)

1970-1971

Phylogenetic tree of the first 450 bp of the HLA-A 5' flanking region




Figure 7

Phylogenetic tree of introns 1-3 of the HLA-A gene





Figure 8

Phylogenetic tree of introns 1-3 of the HLA-B gene






Figure 10.




Figure 11.

II.A-11 Electron 1, part 1

FIGURE 12

CONFIDENTIAL

[illegible]

III-A-11 Interim 2, part 1

FRUG 13(A)

CONFIDENTIAL

[illegible]

III.A-B Intron 2, part II

Figure 13(b)

100

[illegible]

·B Intron 3, part 1

Figure 14 (A)

CONTENTS

[illegible]

HLA-B Intron 3, part II

FIGURE 14(b)

SECRET

[illegible]

HLA-B Intron 3, part III

Figure 14(c)

CONSTITUTION

Command	300	310	320	330	340	350	360
B*0102							
B*0103							
B*0601							
B*1102							
B*1401							
B*1602							
B*1501							
B*1502							
B*1110							
B*1113							
B*1117							
B*1125							
B*1601							
B*21062							
B*21051							
B*1101							
B*1502							
B*1503							
B*1101							
B*1601							
B*1602							
B*1603							
B*1604							
B*1605							
B*1606							
B*1607							
B*1608							
B*1609							
B*1610							
B*1611							
B*1612							
B*1613							
B*1614							
B*1615							
B*1616							
B*1617							
B*1618							
B*1619							
B*1620							
B*1621							
B*1622							
B*1623							
B*1624							
B*1625							
B*1626							
B*1627							
B*1628							
B*1629							
B*1630							
B*1631							
B*1632							
B*1633							
B*1634							
B*1635							
B*1636							
B*1637							
B*1638							
B*1639							
B*1640							
B*1641							
B*1642							
B*1643							
B*1644							
B*1645							
B*1646							
B*1647							
B*1648							
B*1649							
B*1650							
B*1651							
B*1652							
B*1653							
B*1654							
B*1655							
B*1656							
B*1657			</				

Figure 14D

THE

[illegible]

THE

Figure 14E

[illegible]

INTERNATIONAL SEARCH REPORT

In national Application No
PCT/CA 98/00768

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	KLOTSCH K ET AL: "Sequencing of HLA Class I genes based on the conserved diversity of the noncoding regions: Sequencing based typing of HLA-A gene" TISSUE ANTIGENS, vol. 50, no. 2, August 1997, pages 178-91, XP002070449 whole article, especially line 1 of the "Abstract"	1-7
Y	CEREB N ET AL: "NUCLEOTIDE SEQUENCES OF MHC CLASS I INTRONS 1,2, AND 3 IN HUMANS AND INTRON 2 IN NONHUMAN PRIMATES" TISSUE ANTIGENS, vol. 47, no. 6, June 1996, pages 498-511, ERRATUM 235/236, XP002070446 see the whole document --- -/-	1-7

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

23 December 1998

Date of mailing of the international search report

12/01/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Osborne, H

INTERNATIONAL SEARCH REPORT

In. ational Application No

PCT/CA 98/00768

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	BLASCZYK R ET AL: "The diversity of class I introns reflects the serological relationship of the coding regions" BEITR. INFUSIONSTHER. TRANSFUSIONMED (TRANSFUSIONMEDIZIN 1996/97), vol. 34, 1997, pages 231-35, XP002088823 see the whole document	1-7
Y	BLASCZYK R ET AL: "The nature of polymorphism of the HLA class I noncoding regions and their contribution to the diversification of HLA" HEREDITAS, vol. 127, no. 1-2, 22 - 26 May 1997, pages 7-9, XP002088824 see the whole document	1-7
Y	BLASCZYK R ET AL: "SEQUENCE ANALYSIS OF THE 2ND INTRON REVEALED COMMON SEQUENCE MOTIFSPROVIDING THE MEANS FOR A UNIQUE SEQUENCING BASED TYPING PROTOCOL OF THE HLA-A LOCUS" TISSUE ANTIGENS, vol. 47, no. 2, 1 February 1996, pages 102-110, XP000573588 see the whole document	1-7
Y	CEREB N ET AL: "DIMORPHIC PRIMERS DERIVED FROM INTRON 1 FOR USE IN THE MOLECULAR TYPING OF HLA-B ALLELES" TISSUE ANTIGENS, vol. 50, no. 1, July 1997, pages 74-76, XP002070448 see the whole document	1-7
X	WO 97 23645 A (SLOAN KETTERING INST CANCER) 3 July 1997 see whole document, especially Seq ID no. 25 and 27 and claim 13: Seq Id No 25 and 27 shows 100% identity in 18bp and 19bp overlap respectively to II-B168 and I3-b126 (i.e. claims 8-14)	8-14
Y	WO 97 20070 A (ANTHONY NOLAN BONE MARROW TRUS ;ARGUELLO RAFAEL (GB); MADRIGAL ALE) 5 June 1997 intron 3 primer of example 1, page 35 shows 100% identity in 19bp overlap to I3-B126	1-7

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Information on patent family members

In tional Application No
PCT/CA 98/00768

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9723645 A	03-07-1997	NONE	
WO 9720070 A	05-06-1997	AU 7703896 A EP 0876508 A	19-06-1997 11-11-1998

Form PCT/ISA/210 (patent family annex) (July 1992)